

# Barhale

BESPOKE CATALOGUE VOLUME 1



SPECIALISTS IN CONSTRUCTION SAFETY

Safety | Communication | Quality | Integrity | TeamSpirit | Caring | Trust | Pride







# PRODUCT SALES 4

PPE including: Foot Protection, Eye Protection, Hand Protection, Head Protection, Hearing Protection, Hi-Vis and Workwear	4
Contractors Equipment including: Landscaping Tools, Testing Equipment, Toolbox Essentials, Fixing & Fastenings, Discs & Bits, Decorating Equipment, Tape, Winter & Car Care, Electrical Equipment, Security & Sheeting, Site Equipment, Setting Out, Lifting Equipment	42
Traffic & Road Products including: Cones, Barriers, Trench Covers and Traffic Signs	78
Signage including: Site Set Up Signage and COVID-19 Signage	88
Hygiene & Canteen including: Covid-19 Protection, Cleaning, Washroom Products, Skincare, Appliances, Canteen Supplies, Waste Management and Floorcare	94
Health & Safety including: Spill Management, Fire Safety and First Aid Products	108

# HIRE ITEMS 117

Hire Products including: Accommodation & Storage, Generators, Compressors, Compaction Equipment, Power Tools, Breakers, Electrical Equipment and Pokers	117
Plant including: Dumpers, Excavators, Telehandlers, Cranes, Lights, Rollers & Trailers, Tanks and Washers, Pumps, Tool Accessories, Mixers and Specialist Plant	134
Safety & Survey Equipment including: Cable Avoidance, Gas Detection, Communication, EDM, Levels & Lasers, Fall Arrest, Breathing Equipment, Fork Lift & Crane Accessories, Lifting, Survey and Safety Equipment	150

# OTHER SERVICES 170

Delivery: Information on the delivery services BCS Group provide to Barhale including delivery days	170
Fabrications: Information on Fabrications services available from BCS Group	172
Fleet: Options available from the BCS Group Fleet team	174
Training: Training information and courses available to Barhale employees	178
Barhale Merchandise: Barhale branded products available for purchase to provide that corporate look	181



# SAFETY FOOTWEAR THE TECHNICAL BIT

## SAFETY FOOTWEAR STANDARDS

**EN ISO 20345:2011** – Safety Footwear - Safety footwear must have a 200J toecap. This is the standard which all styles that are classified as 'safety footwear' are tested to. The impact protection (falling objects) provided is 200 Joules and the compression protection (crushing) provided is 15,000 Newtons (1530 kgs).

**SB** – Any product that is classified as SB only has a protective toecap.

**S1P** – Protective toecap, midsole and anti-static - S1P styles should only be specified for indoor environments where they will not be exposed to rainwater or outdoor elements.

**S3** – Protective toecap, midsole and anti-static plus water repellent.

**S5** – Moulded polymer/rubber upper making them waterproof and leak proof, protective toecap, midsole and anti-static - S5 styles are used in areas where there is a constant presence of water or liquids. E.g: Wellington Boots.

**WR** - Fully waterproof construction

**CI** – Cold insulation - Any product where the upper has been tested for cold insulation. Standard level is -17°C. Can be certified to -40°C. Suitable for styles that have been tested and passed the CI standard offer enhanced protection in challenging, cold environments.

**HI** – Heat insulation - Any product where the upper has been tested for heat insulation resistance against a minimum of 150°C.

**HRO** – Heat resistant outsole - Any product where the outsole has been tested for heat resistance against 300°C on contact.

**M** - Any product that offers additional metatarsal protection that achieves the 100J test is certified with M standard.

**SRA** – Tested on ceramic tile wetted with dilute soap solution

**SRB** – Tested on smooth steel with glycerol

**SRC** – Tested under both the above conditions

**ESD** – Prevents damage to electrical components

**M** – Metatarsal Protection

**WG** – Tested using molten metal splinters

**FE** – Tested using molten metal splashes

## ELECTRICAL HAZARD

### **ASTM F2413-18 | EH CERTIFIED | WHAT IS ELECTRICAL HAZARD?**

Electrical Hazard footwear is used to protect wearers from up to 18kV Electrical risks. It's intended as secondary protection equipment to be used in addition to other electrical hazard equipment i.e. Gloves and Grounding apparatus.

Used by companies that work on or near live electrics i.e. Rail, Power Generation, Utilities and Construction.

### **EN 61340-5-1:2016 | ESD CERTIFIED | WHAT IS ESD?**

ESD Compliant footwear is used to prevent damage to electronic components via an electrostatic discharge.

Used in electronics manufacturing processes to ensure the control of electrostatic levels.

Disclaimer: Please note, this page is a guide to help you choose the right PPE for you. To find up to date information on standards please check the manufacturer's website or HSE.



## ROCK FALL RHYOLITE

Rhyolite is one of the most robust boots available in Europe, if not the world. 100% Non-Metallic, developed with specialist durability materials including FORCE10® components, an Activ-Tex® Membrane, R-Ten™ thread and Impact Shield Technology.

### KEY FEATURES

- Protective fibreglass toecap, composite anti-penetration flexi-midsole and internal metatarsal guard
- Premium American black full grain waxy leather
- FORCE10® components including scuff cap and outsole used for incredible durability
- Waterproof and breathable Activ-Tex® membrane
- The first internal metatarsal protection boots to pass the EN standard



Boot Colour	Conformities	Sizes	Product Code
Black Boot	EN ISO 20345:2011 S3 HI WR M HRO SRC	5 - 14	20030204

## ROCK FALL MONZONITE

Monzonite, arguably the most robust high leg internal metatarsal guard boot available in Europe. 100% Non-Metallic, developed with specialist durability materials including FORCE10® components, an Activ-Tex® membrane, R-Ten™ thread and Impact Shield Technology.

### KEY FEATURES

- Protective fibreglass toecap, composite anti-penetration flexi-midsole and internal metatarsal guard
- Premium American black full grain waxy leather
- FORCE10® components including scuff cap and outsole used for incredible durability
- Waterproof and breathable Sympatex® Moisture-Tech membrane
- No. 8' YKK® quick release extreme side zip



Boot Colour	Conformities	Sizes	Product Code
Black Boot	EN ISO 20345:2011 S3 HI CI WR M HRO SRC	5 - 14	20030237

## ROCK FALL MAGMA

100% non-metallic, with protective toecap, midsole and internal metatarsal guard, highly robust and developed with specialist durability materials including FORCE10® components, a Moisture-tech by Sympatex® waterproof membrane, IMPACT SHIELD™ and BOA® Fit System.

### KEY FEATURES

- Water repellent full grain black leather and BOA® Fit System
- Protective fibreglass toecap and composite anti-penetration flexi-midsole
- Moisture-tech by Sympatex® waterproof and breathable bootie membrane - tested for 100 hours (74 times longer than EN requirement)
- FORCE10® scuff cap and solid nitrile rubber outsole - tested to extraordinary abrasion, heat and cold performance levels
- Breathable footbed with IMPACT SHIELD™ shock reducing internal digging plate



Boot Colour	Conformities	Sizes	Product Code
Black Boot	EN ISO 20345:2011 S3 HI HRO WR M SRC	6 - 12	20030247



## GOLIATH FORCE METATARSAL SAFETY BOOT ROCK FALL EMERALD (WOMEN'S BOOT)

A powerhouse protector against unexpected impact. D3O material which flexes yet absorbs and dissipates impact forces in the metatarsal area, with aluminium protective toe cap, textile protective midsole and high wall DDR sole system.

The Emerald is a compact safety boot designed with style and comfort in mind. The Emerald is fully compliant and will protect against light showers.

### KEY FEATURES

- High wall DDR sole system for the ultimate protection with incredible comfort
- Water resistant
- Aluminium toe cap with textile protective midsole
- Removable PU footbed
- 300°C resistant rubber sole
- Lace fastening



### KEY FEATURES

- Protective steel toecap and composite anti-penetration flexi-midsole
- Full grain black leather
- Dual density PU outsole
- Specialist ladies fitting



Conformities	Sizes	Product Code
EN ISO 20345:2011 S3 M HI CI HRO SRC	5 - 13	20030242

Conformities	Sizes	Product Code
EN ISO 20345:2011 S3 SRC	2 - 8	20030261

## ROCK FALL ONYX (WOMEN'S BOOT)

Onyx is also part of the family of boots built for longevity, 100% non-metallic and fully waterproof with an Activ-Tex® membrane. Available in two colours.

### KEY FEATURES

- Protective fibreglass toecap and composite anti-penetration flexi-midsole
- Waterproof and breathable Activ-Tex® membrane
- Solid rubber outsole
- Specialist ladies fitting



Boot Colour	Conformities	Sizes	Product Code
Honey Boot	EN ISO 20345:2011 S3 HI WR HRO SRC	3 - 8	20030259
Black Boot	EN ISO 20345:2011 S3 HI WR HRO SRC	3 - 8	20030260

## ROCK FALL SILT

100% Non-metallic, with protective toecap and midsole. Silt is highly robust and developed with specialist durability materials including FORCE10® components, an Activ-Step® PU footbed and 5mm neoprene upper.

### KEY FEATURES

- Protective fibreglass toecap
- Composite anti-penetration flexi-midsole
- 5mm Neoprene upper with enhanced thermal properties
- Solid nitrile rubber outsole
- Activ-Step® enhanced comfort footbed
- Reflective piping for increased visibility of the wearer



Boot Colour	Conformities	Sizes	Product Code
Navy Boot	EN ISO 20345:2011 S5 CI HRO SRC	3 - 13 (inc 6.5 and 10.5)	20030312



## DUNLOP ACIFORT WELLINGTON

Ribbed full safety black Wellington Boot complete with red soles.

### KEY FEATURES

- Toe cap protection
- Midsole protection
- Oil resistant outsole
- 100% waterproof
- A comfortable boot for a wide range of applications



Conformities	Sizes	Product Code
EN ISO 20345 SBP P A FO SRA	3 - 13	20030301

## DUNLOP THIGH WADER

A practical, durable wading boot, ideal for a variety of uses in the agricultural sector.

### KEY FEATURES

- Steel tipped toe
- Steel midsole
- Anti-static
- Energy absorbing sole
- Slip resistant
- 100% Waterproof
- Resistant to mineral oils, animal and vegetable oils, fats and various chemicals



Conformities	Sizes	Product Code
EN ISO 20345:2011 S5 SRA	6 - 12	20030302

## DUNLOP FULL SAFETY CHEST WADER

Practical, durable wading pants; ideal for a variety of uses in the agricultural sector.

### KEY FEATURES

- Toecap protection
- Midsole protection
- Anti-static
- Slip resistant
- Energy absorbing sole
- Resistant to mineral oils, animal and vegetable oils and fats
- 100% waterproof



Conformities	Sizes	Product Code
EN ISO 20345:2011 S5 SRA	6 - 12	20030303

## EXTREME COLD WEATHER SOCK

Dual layer construction with outer shell consisting of a high wool content.

### KEY FEATURES

- Inner layer is anti odour, anti-fungal with moisture transfer and insulation properties



Colour	Sizes	Product Code
Black/Grey	6 - 9	2003040400000
Black/Grey	9.5 - 13	2003040500000

## BOOT SCRAPER MAT

Strong and durable Boot Scraper Mat for cleaning mud and general dirt off boots.

### KEY FEATURES

- 2 brushes
- Metal foot plate



Material	Product Code
Metal	2003040100000

## DSC - SHOE COVER

A lightweight elasticated polyethylene blue Shoe Cover. To wear over shoes to keep floors and carpets clean and dirt free.

### KEY FEATURES

- Disposable
- 10 pairs per pack



Pack Size	Product Code
10 Pairs	2003040300000



# SAFETY EYEWEAR THE TECHNICAL BIT

## SAFETY EYEWEAR STANDARDS

**EN166** – (All Safety Eyewear) Guaranteed minimum resistance of the protective eyewear against everyday risks, including dropping the protective eyewear onto the ground, ageing by light exposure, exposure to heat or corrosion etc.

**EN170** – The protection filters ultraviolet radiation. This type of protection is particularly recommended during activities where the source of ultraviolet radiation is predominant, such as mercury vapour lamps, actinic or germicides. Levels of application: 2-1.2, 2C-1.2. Lens colour: clear, blue, yellow or green. Adding the code “C” indicates good colour recognition by the holder.

**EN172** – Filter protection for industrial solar radiation. Recommended for outdoor work, EN172 norm guarantee a protection of 99.99% from ultraviolet solar radiation. Levels of application: 5-3.1 (Polarized) 5-2 (Twilight), 5-1.4 (ESP or CSP), 5/1.1-1.4 (Contrast), 5-2.5 and 5 to 4.1 (smoke). Lens colour: depends on the lens technology.

**EN175** – This European standard specifies the requirements and test methods related to the personal protective equipment used to protect the operator’s eyes and face against harmful optical radiation and other specific risks, due to customary welding or cutting processes or other associated techniques. The standard specifies protection, including ergonomic aspects, against the risks or hazards of various kinds: radiation, inflammability, mechanical and electrical risks. This standard defines the terms used and specifies the requirements related to materials, design and manufacture.

## FURTHER STANDARDS

**CE** – European standard - Frame marking must include the CE symbol.

**1** – Optical class - Continuous work - Worn permanently.

**K** – (Resistance to surface damage by fine particles) The anti-scratch coating K provides enhanced scratch-certified coating.

**N** – (Resistance to fogging) The anti-fog coating N is anti-fog treatment certified.

**F** – Mechanical risk - Low energy impact - Resists a 6 mm, 0.86 g ball at 45 m/s.

**B** – Mechanical risk- Medium energy impact. Resists a 6 mm, 0.86 g ball at 120 m/s.

**A** – Mechanical risk- High energy impact 190m/s.

**T** – Mechanical risk- High speed particles at extreme temperatures - The letter T, immediately after the mechanical strength symbol, authorises use for high speed particles at extreme temperatures.

**3** – Chemical Risk - Chemical protection against liquid droplets or splashes. Goggles, adapted spectacles with strap or face shield mandatory.

**4** – Chemical Risk - Chemical protection against large dust particles > 5 microns.

## BOLLÉ BANDIDO SAFETY GLASSES

Made entirely of highly-resistant polycarbonate, Bandido is the perfect value option.

### KEY FEATURES

- Highly resistant polycarbonate
- 28g
- Wrap around fit



**bollé**  
SAFETY

Lens Colour	Conformities	Protects Against	Product Code
Clear	EN166   EN170   CE   T   F   1	Impacts, UV radiations	2004010400000
Smoke	EN166   EN170   CE   T   F   1	Impacts, UV and solar radiations	2004010600013
ESP	EN166   EN170   EN172   CE   T   F   1	Impacts, UV radiations	2004014700000
Shade (Welding)	EN166   EN170   EN172   CE   T   F   1	Impacts, UV radiations, welding	2004014800000

## BOLLÉ SILIUM SAFETY GLASSES

Combining the high-tech nature of metal with subtle design.

### KEY FEATURES

- Metal frame
- 160° flex temples
- Non-slip TIPGRIP temples
- Adjustable non-slip pads
- Anti-static



**bollé**  
SAFETY

Lens Colour	Conformities	Protects Against	Product Code
Clear	EN166   EN170   CE   F   1	Impacts, UV radiations	2004010500000
Smoke	EN166   EN170   EN172   CE   F   1	Impacts, UV and solar radiations	2004011100013

## BOLLÉ CONTOUR SAFETY GLASSES

21g of strength: sturdy, protective, stylish, comfortable and lightweight safety glasses.

### KEY FEATURES

- Non-slip bridge
- Non-slip TIPGRIP temples
- Anti-static
- Platinum coating (on clear and smoke versions)



**bollé**  
SAFETY

Lens Colour	Conformities	Protects Against	Product Code
Clear	EN166   EN170   CE   T   F   K   N   1	Impacts, UV radiations	2004011200012
Smoke	EN166   EN170   EN172   CE   T   F   K   N   1	Impacts, UV and solar radiations	2004014500013
ESP	EN166   EN170   EN172   CE   T   F   1	Impacts, UV radiations	2004011200000
Polarised	EN166   EN170   EN172   CE   T   F   1	Impacts, UV radiations	2004014900013



## BOLLÉ COBRA TPR SAFETY GOGGLES

With its easy-to-clean neoprene strap and its built-in TPR foam, this goggle kit is especially suitable for cleaning industries and the agro-food industry.

### KEY FEATURES

- High strength goggles
- Isoprene strap and TPR comfort seal
- Platinum® coating
- Compact, lightweight and panoramic
- 100% sealed



**bolle**  
SAFETY

Lens Colour	Conformities	Protects Against	Product Code
Clear	EN166   EN170   CE   T   3   4   5   B   K   N   1	Impacts, UV radiations	200402100000

## BOLLÉ ATOM SAFETY GOGGLES

Compact, lightweight and extremely comfortable thanks to its modular TPR frame, ATOM offers enhanced protection.

### KEY FEATURES

- TPR frame
- PLATINUM coating
- Liquid overflow chute
- Ball-pivot
- Adjustable strap
- Fits over prescription spectacles
- Visor available



**bolle**  
SAFETY

Product	Lens Colour	Conformities	Protects Against	Product Code
Goggle	Clear	EN166   EN170   CE   T   B   3   K   N   1	Impacts, UV radiations	2004021100000
Face Shield	N/A	3   T   B	Impacts, UV radiations	2004051100016

## BOLLÉ TRACKER SAFETY GOGGLES

Ultra-comfortable and technical, Tracker provides protection from all mechanical risks and also chemical risks, making it unique in the safety glasses range.

### KEY FEATURES

- Upper & lower protection
- Removable foam reinforcement with indirect ventilation
- Removable adjustable strap
- Side ventilation
- Platinum® coating



**bolle**  
SAFETY

Lens Colour	Conformities	Protects Against	Product Code
Clear	EN166   EN170   CE   T   F   K   N   1	Impacts, UV radiations	2004011300000
Smoke	EN166   EN170   EN172   CE   T   F   K   N   1	Impacts, UV and solar radiations	2004011300013
Yellow	EN166   EN170   CE   T   F   K   N   1	Impacts, UV radiations	2004016000001
Shade	EN166   EN170   EN172   CE   T   F   1	Impacts, UV radiations	2004016000000

## JAVA™ SAFETY GLASSES

Economical stylish protection. Modern wrap around design and styling.

### KEY FEATURES

- Hard coated lenses
- Class 1 optical for all day use



Lens Colour	Conformities	Product Code
Clear	1 F EN166	2004010100000
Smoke	1 F EN166 EN172	2004010200000
Amber	1 F EN166 EN170	2004010300000

## INDIRECT VENT GOGGLE

Low cost indirect vent goggle. Lightweight and extremely durable.

### KEY FEATURES

- Wide adjustable strap
- Liquid splash protection



Lens Colour	Conformities	Product Code
Clear	1 B 3 EN166	2004020100000

## B500 CLEANING SOLUTIONS

B-Clean by Bollé Safety is a complete and efficient cleaning solutions range. Alcohol and silicone free, its aqua formula guarantees perfect cleaning and protection for your glasses and goggles. Certified by COLTS laboratory.

### KEY FEATURES

- 500 pre-moistened cleaning wipes
- Smart dispenser box packaging
- Individually wrapped wipes



Size	Conformities	Product Code
500 per box	Certified by COLTS laboratory	2004050200000

## KARA™ GOGGLE

Foam padding greatly enhances comfort and improves the seal around the face.

### KEY FEATURES

- Lightweight
- Indirect vent goggle
- Anti-fog treatment and hard coated lenses
- Anti-scratch coated



Lens Colour	Conformities	Product Code
Clear	1 B T 3 K N EN166	2004021900000
Face Shield	N/A	2004052900000

## VISITOR™ OVERSPECS

Economic low cost safety protection. Fits over most prescription spectacles.

### KEY FEATURES

- Lightweight
- Durable
- Ideal for visitors



Lens Colour	Conformities	Product Code
Clear	1 F EN166	2004010700000



# HAND PROTECTION THE TECHNICAL BIT

## GLOVE COATINGS

**LATEX** – Supple, robust and provides excellent dry and wet grip.

**NITRILE** – Ideal for handling oils and fuels. Has a greater heat resistance than latex.

**NITRILE FOAM** – Makes control and movement more reliable. In greasy or oily environments the interaction between the glove coating and substance improves grip, even on smooth surfaces.

**POLYURETHANE (PU)** – Remains supple in cold conditions. Very elastic and adapts easily to all hand movements.

**HPT FOAM** – Spongy, soft and durable coating that repels liquid to provide a film grip in wet or dry conditions. Has some benefits of anti-vibration.

**PVC** – Offers good protection from alkalis and acids. Great durability.

## HAND PROTECTION STANDARDS

**EN 388: 2003** – This is a standard many people are familiar with but it is being replaced by EN 388:2016, which means, no newly released gloves can be tested to this standard.

**MECHANICAL RATING** - The symbol opposite is the mechanical hazard symbol. This is displayed on all gloves that comply to EN 388. If it is the 2003 test then it will also be accompanied by four numbers underneath relating to how many cycles it took before it had a hazardous effect on the glove. The higher the number the better level of protection the glove offers.

**ABRASIVE RESISTANCE** - The first number shows the level of resistance to abrasion. The level of abrasive resistance is rated on a scale of **1 - 4**.

**\*CUT RESISTANCE\*** - The second number shows the level of resistance to blade cuts. The level of cut resistance is rated on a scale of **1 - 5**.

**TEAR RESISTANCE** - The third number shows the level of resistance to tears. The level of tear resistance is rated on a scale of **1 - 4**.

**PUNCTURE RESISTANCE** - The fourth & final number shows the level of resistance to punctures. The level of puncture resistance is rated on a scale of **1 - 4**.

EN 388:2003



A.C.T.P

**EN 388: 2016** – This relates to the Mechanical Hazard rating for hand protection. This is the updated version of the test.


**\*CUT RESISTANCE\*** - This is the main change to EN 388 : 2003. This is because the development of newer cut resistant materials meant that the test was floored as it was blunting the blade.

EN388:2016 now incorporates a revision to the Coup Test and includes a Straight Blade Test (**ISO 13997**).

A manufacturer may choose not to reference the coup test if they are referencing the straight blade test, if so they will mark that with an **X**.

Letter score is applied **A – F**, **F** being the highest.

**IMPACT TEST \*NEW\*** – With the new regulations an additional letter (**P**) can be added to the end of the mechanical hazard symbol when a glove is classed as an impact resistant glove.



## FURTHER HAND PROTECTION STANDARDS

**CHEMICAL PROTECTION** – ISO 374-1:2016 specifies the requirement for protective gloves intended to protect the user against dangerous chemicals. The standard stipulates the requirements for Permeation, Penetration and Degradation. This supersedes the previous Standard EN374:2013.



## HEAT & COLD PROTECTION STANDARDS

**THERMAL PROTECTION** – EN 407 is a European standard that shows that a glove offers thermal protection. These gloves can protect the wearer against contact heat, radiant heat etc. When the symbol opposite is present, it shows that the glove will offer thermal protection.

EN 407:2004



Thermal protection includes:

- Protection from ignition
- Protection from burning behaviour
- Protection from contact heat
- Protection from convective heat
- Protection from thermal radiation
- Protection from droplets of molten metal
- Protection from molten metal

**COLD PROTECTION** – EN 511 offers the wearer protection from convective cold and contact cold. When the symbol opposite is present, it shows that the glove will offer cold protection.

EN 511:2006



## FOOD SAFE

**FOOD SAFE HAND PROTECTION** – The symbol opposite is the international symbol to show that a glove can be used when around or preparing food. This will often be present next to disposable gloves as opposed to every day work gloves.

Disclaimer: Always check with the manufacturer for suitability with specific food groups.





## SKYTEC TONS RED™

This glove benefits from a polyester/cotton liner that is flexible and robust offering great dexterity with a good resistance to tearing.

### KEY FEATURES

- Latex palm coated
- Breathable back of hand
- Elasticated cuff
- Extremely good grip



EN 388:2016



2.1.4.2.X

**SKYTEC**

Sizes	Conformities	Product Code
8 - 10	EN388:2016	20050162

## SHOWA 306

Aerated latex foam coating allows perspiration to escape whilst resisting liquids from the outside. Ideal for heavy duty handling tasks and when exposed to changeable weather conditions.

### KEY FEATURES

- Full foam latex coating
- Breathable coating
- Water repellent
- Long lasting grip performance in wet and dry



EN 388:2016



2.1.2.1.X

**SHOWA**

Sizes	Conformities	Product Code
6 - 10	EN388	20050150

## NINJA LITE

An ultra-lightweight glove, with exceptional flexibility and tactile touch for the most delicate of tasks with maximum flexibility and movement for the most intricate of tasks. Breathable through front and back of the hand to reduce perspiration and skin irritation whilst providing secure grip in wet, oily or dry environments.

### KEY FEATURES

- 18gg seamless nylon/lycra liner with a polyurethane coated palm
- Elasticated wrist provides a secure and comfortable fit
- Treated with Actifresh to kill bacteria and promote freshness
- Lint free, reducing the risk of product contamination

EN 388:2016



3.1.2.1.X

**SKYTEC**

Sizes	Conformities	Product Code
7 - 11	EN388:2016	20050145



## SHOWA S-TEX 377

A flexible and robust fully coated nitrile glove to protect against water, grease, oil and abrasion with high cut resistance. Provides outstanding grip in wet and oily conditions.

### KEY FEATURES

- Level D (EN 388:2016)
- Long cuff ensures wrist is protected
- Nitrile coating



EN 388:2016



4.X.4.1.D

**SHOWA**

Sizes	Conformities	Product Code
7 - 10	EN388:2016	20050514

## SKYTEC TONS TP-5™

Flexible PU coating that protects the hand whilst providing an effective grip. Outstanding comfort and dexterity in a blended HPPE and nylon liner.

### KEY FEATURES

- Provides excellent grip in dry conditions
- Flexible PU coating
- Knitwrist cuff style



EN 388:2016



4.X.4.3.D

**SKYTEC**


Sizes	Conformities	Product Code
7 - 10	EN388:2016	20050144

## SHOWA 240

Forged with flame resistant materials, the SHOWA 240 has a 13 Gauge knitted liner which contains Kevlar®, Modacrylic and Fibreglass, making the glove extremely strong and resilient.

### KEY FEATURES

- 13 Gauge knitted liner containing Kevlar®, modacrylic, and fibreglass
- Protects against arc flash: arc flash level 2
- Cut level C (EN388:2016)
- Flame resistant materials
- Flat dipped sponge neoprene coating provides excellent grip
- Seamless liner prevents irritation
- Anatomical design helps prevent hand fatigue with wrist protection




Sizes	Conformities	Product Code
7 - 10	EN388:2016   EN407	20050129

## SHOWA 406

A durable, water repellent, insulated grip glove that's designed to protect down to -30°C for short or intermittent contact.

### KEY FEATURES

- Full latex coating
- Water repellent surface
- Thermal liner
- Rough textured finish to palm coating




Sizes	Conformities	Product Code
7 - 10	EN388:2016   EN511:2006	20050147

## SHOWA 720R

Chemical resistant, low-lint, resistant to deformation and food safe.

### KEY FEATURES

- Fully and extra coated
- Scalloped edge
- Rough finish over entire surface
- Antibacterial and anti-odour treatment
- Seamless knit



Sizes	Conformities	Product Code
7 - 11	EN388:2016   EN374	20050209

## SKYTEC TEAL

Food safe disposable nitrile glove. Greater chemical and puncture resistance than regular nitrile disposables. Teal is powder free, latex free and non-sterile.

### KEY FEATURES

- Premium performance NBR nitrile disposable gloves
- Fingertip sensitivity
- Powder free, latex free, non-sterile and food safe
- Greater chemical resistance and durability than regular nitrile disposable gloves
- Resistant to oils, acids and many chemicals
- Category III, EN374 and EN455 approved
- Per 100



Sizes	Conformities	Product Code
6 - 11	EN374	20050210



# HEAD PROTECTION THE TECHNICAL BIT

## HELMETS

**EN 397:2012** – Industrial safety helmets - The standard that industrial safety helmets are tested to.

**-20° C or -30° C** - Tested at very low temperature.

**+150° C** – Tested at high temperature.

**440 V a.c.** – Tested for electrical insulation.

**LD** – Tested for lateral deformation.

**MM** – Resists molten metal splash.

---

## BUMP CAPS

Bump Caps offer a lower level of protection and may be used in areas such as warehouses.

**EN 812:2012** – Industrial bump caps.

**-20° C or -30° C** - Tested at very low temperature.

**F** - Resistant to flame.

**440 V a.c.** – Tested for electrical insulation.

---

## ADDITIONAL STANDARDS

**EN 50365:2002** – Electrically insulating helmets for use on low voltage installations.

A note to make about the above standard is that only non-vented helmets fall under that standard. Vented helmets are not suitable for electrical insulation.

---

Disclaimer: Please note, this page is a guide to help you choose the right PPE for you. To find up to date information on standards please check the manufacturer's website or HSE.

## EVO®3 INDUSTRIAL SAFETY HELMET - VENTED

Packed full of the latest protection technology and features such as the Evolution® 3D Adjustment™ harness system, Revolution® Wheel Ratchet or the unique OneTouch™ Slip Ratchet, which can be adjusted using one hand in a single swift movement.

### KEY FEATURES

- In tests the EVO®3 proved far tougher than the EN397 standard required and far tougher than any of its competitors
- A 6 point terylene cradle harness system offers comfort
- Universal slots enables firm fitting of a range of Surefit™ safety visors and ear defenders
- Extra large area for logos on the front, sides, and rear



Model	Colour	Conformities	Product Code
Slip Ratchet	White   Blue   Red   Yellow   Orange   Green   Black	EN397:2012+A1:2012	20060162
Wheel Ratchet	White   Blue   Red   Yellow   Orange   Green   Black	EN397:2012+A1:2012	20060163

## EVO®5 DUALSWITCH™ INDUSTRIAL SAFETY & CLIMBING HELMET - VENTED

JSP's EVO®5 DualSwitch™ is fully certified to both EN397 and EN12492, with the ability to change between the two standards easily at the flick of a switch. JSP have delivered an innovative helmet which can be used at ground level (EN397) or at height (EN12492).

### KEY FEATURES

- The chinstrap release force of EN12492 is greater than 50kg, (approximately) - This limits the risk of losing the helmet during a fall
- Our robust Expanded Polypropylene (EPP) liner ensures class leading impact attenuation, offering side, front and rear impact protection, as required in EN12492
- Tough ABS shell
- The shell and EPP liner are vented to increase comfort and allow a cooling air flow, reducing helmet temperatures by an average 2-3 degrees
- Featuring a fully adjustable 4 point chinstrap, an easy to use Revolution® wheel ratchet and a 3D adjustment harness, which offers 1-2-3 point depth settings



Colour	Conformities	Product Code
White   Orange   Blue   Yellow   Green   Red   Black	Working on the ground: EN397   EN50365   ANSI / ISEA Z89.1 Working at height: EN12492   ANSI / ISEA Z89.1	20060121

## SUREFIT THERMAL HELMET LINER

The SureFit™ Thermal Helmet Liner is fully approved to be worn with all JSP EVO® Safety Helmets. Prevents workers from wearing incompatible and dangerous alternatives.

### KEY FEATURES

- Provides the wearer with warmth and protection from cold environments
- Covers entire ear
- Compatible with all JSP safety helmets
- Machine washable at 30°C



Sizes	Product Code
Medium - Large	2006024100000
Large - Extra Large	2006025500000

**SUREFIT CARRIER & VISOR CARRIER, VISOR & GUARD**

Surefit visor carrier to fit EVO® range of safety helmets. Compatible with Sonis® Helmet Mounted range and the InterGP/EX helmet mounted ear defender range.

17.5cm unbound Polycarbonate or Acetate visor offers protection from medium energy particles, liquid droplets and molten metal. Complete with visor & chin guard.

**CHIN STRAP**

Nylon woven strap with PP chin cup for added comfort helps your hard hat stay secure while working. Easy to clip on. Endurance Helmets and Peak View Helmets.



Product Code
2004031500000



Product	Product Code
Polycarbonate Visor	2004031600000
Acetate Visor	2004031700000



Product Code
2006020400000

**RECHARGEABLE LED HEADLAMP**

It is bright, smart, durable and comfortable. Up to 300 lumens output on Boost mode combined with up to 30 hours burn time on Low Power (20 lumens), makes this a seriously versatile hands-free lighting companion for any environment.

**KEY FEATURES**

- Power: 300/200/20 lumens
- Run Time: 4/10/30 hours
- Beam Distance: 160/140/50m
- IP Rating: IP56
- Weight: 165g



Product Code
2006021300000

**EMERGENCY ID STANDARD (ICE)**

The original "Worker Emergency ID" is easily fitted to the exterior of a hard hat. Securely stores their critical and potentially life saving ID information essential in the event of an accident.

**KEY FEATURES**

- Features 3M scotchlite reflective
- 100% Waterproof
- Keeps important information safe and secure
- Helmet safe adhesives used
- 70mm x 15mm



Product Code
2006020600000

**CR2™ REFLECTIVE KITS FOR EVO3®**

This kit allows you to add extra visibility to your head protection. CR2 is highly reflective offering on average 60% more reflectivity than standard reflective clothing material.

**KEY FEATURES**

- Increases visibility on site
- Easily identify workers and their roles on site
- Match colours to enhance your corporate identity



Product Code
2006021900000

**LED HEAD LIGHT - PA50**

Head Light with tilt control so you can aim the light where it is needed most.

**KEY FEATURES**

- Brightness: 40 Lumens
- Run time: 10 Hours
- AAA x 3 Batteries included
- High-Medium-Flash
- Beam Distance 15m (high), 10m (medium)
- 8 Super bright L.E.D
- Tilt control



Brightness	Product Code
40 Lumens	2006020800000



# EAR PROTECTION THE TECHNICAL BIT

## EAR PROTECTION STANDARDS

**EN 352-1: 2002** - Hearing protectors (ear defenders) - This is the standard that all safety ear defenders must adhere to.

**EN 352-2: 2002** - Hearing protectors (ear plugs) - This is the standard that all safety ear plugs must adhere to.

**EN 352-3: 2002** - Hearing protectors (ear defenders attached to a safety helmet) - This is the standard that all clip on ear defenders must adhere to.

## THE SCIENTIFIC BIT

**DECIBELS (dB)** - Sound is measured in Decibels (dB). You will see this mentioned when looking at hearing protection. When the workplace environment that an individual is working is equal to or above 85dB the employer must provide hearing protection for their members of staff. If the sound level reaches 80dB they must look into whether their workforce require hearing protection.

**SINGLE NUMBER RATING (SNR)** – SNR is another abbreviation that you will see when looking for hearing protection. It refers to the level of protection that a product can offer. For example, these ear defenders offer an SNR rating of 27.

L, M, H – These letters refer to the level of frequency. L - Low frequencies, M - Medium frequencies, H - High frequencies.

## A LITTLE BIT OF MATHS

The dB level of the environment minus the SNR rating of the protector equals the level of sound that reaches the ear.

For example:

Chainsaw at 100dB      —————      Ear defenders with SNR of 25dB            75dB that reaches the ear

Something to consider when selecting ear protection is that often some protection will be lost because it may not be worn correctly so allow for up to 4dB to escape protection.

Noise Level	Protector with SNR of
85 - 90dB	20 or less
90 - 95dB	20 - 30
95 - 100dB	25 - 35
100 - 105dB	30 or more

Disclaimer: Please note, this page is a guide to help you choose the right PPE for you. To find up to date information on standards please check the manufacturer's website or HSE.

### CONTOUR CLIP ON EAR DEFENDERS

Helmet mounted ear defenders to fit both the MK7® & EVO® range helmets.

**KEY FEATURES**

- Easily attach to helmets
- Adjust for best level of comfort and protection



Conformities	SNR	Product Code
EN352-3:2002	SNR = 26dB	2007010100000

### UC-EP03C - PU FOAM CORDED

Made from soft PU foam, the plugs expand gradually and so conform to exactly the size and shape of the ear canal.

**KEY FEATURES**

- Very high SNR rating
- Corded ear plugs
- 200 pairs per box



Conformities	SNR	Product Code
EN352-2:2002	SNR = 34dB	2007020100000

### 3M PELTOR E-A-R PUSH-INS

Push in ear plugs with a high SNR rating. Easy to use roll down ear plugs.

**KEY FEATURES**

- Washable and reusable
- Soft foam ear plugs
- 100 pairs per box



Conformities	SNR	Product Code
EN352-2:2002	SNR = 38dB	2007020400000

### UC-EP03 - PU FOAM

Made from soft PU foam, the plugs expand gradually and so conform to exactly the size and shape of the ear canal.

**KEY FEATURES**

- Very high SNR rating for excellent protection in noisy environments
- 200 pairs per box



Conformities	SNR	Product Code
EN352-2:2002	SNR = 34dB	2007020300000

### EP106 - HANDBAND EAR MUFF

Deluxe ear muffs with contoured adjustable headband and comfortable foam filled cups. A soft padded headband enhances user comfort. Each ear muff is packed in individual poly bags with user information sheet included.

**KEY FEATURES**

- SNR: 27.5 dB
- Weight: 166g
- Soft padded headband
- Adjustable headband



Conformities	SNR	Product Code
EN352-2:2002	SNR = 27.5dB	2007010200000

# RESPIRATORY PROTECTION THE TECHNICAL BIT

## RESPIRATORY MASKS STANDARDS

**EN149:2001+A1:2009** – Respiratory protective devices. Filtering half masks to protect against particles. Requirements, testing, marking.

**FFP** (Filtering Facepieces) - Filtering facepieces protect from respirable dust, smoke, and aqueous fog (aerosols), however they offer no protection from vapour and gas. Below you can see the different classes of FFP and what each of them mean.

**FFP1 Dust Masks** - These masks protect against low levels of dust, as well as solid and liquid aerosols. They filter at least 80% of airborne particles. FFP1 Dust Masks are suitable for hand sanding, drilling, and cutting.

**FFP2 Dust Masks** - These masks protect against moderate levels of dust, as well as solid and liquid aerosols. FFP2 Dust Masks have a higher level of protection than FFP1. They filter at least 94% of airborne particles. FFP2 masks are ideal for plastering and sanding.

**FFP3 Dust Masks** - FFP3 Dust Masks protect against higher levels of dust. They also protect against solid and liquid aerosols. They filter at least 99% of airborne particles. FFP3 masks are suitable for handling hazardous powders, such as those found in the pharmaceutical industry.

**EN 140:1998** - Half or quarter masks.

**1, 2 or 3** - Inward leakage class (10%, 2% or 0.2%) + one or more of: A, B, E, K + 1, 2 or 3 (capacity: low, med, high)

**EN 12941:1998** - Powered filtering device with helmet / hood.

**+ S or SL** - Use against solids only or solids and liquids

**TH** - Turbo hood | **P** - Particles

## FILTER STANDARDS

**EN 143:2000** - Filters - particles

**A** - organic gases/vapours, bp >65°C

**R** - An R symbolises reusable

**B** - inorganic gases/vapours (not CO)

**NR** - NR symbolises non-reusable (Single shift)

**E** - acid gases

**EN 14387:2004** - Filters - gas or gas and combined

**K** - Ammonia and organic derivatives + 1, 2, or 3 (capacity: low, med, high), plus: **P** - Particles + 1, 2, or 3 (efficiency: low, med, high)

## FFP3 MASK

Disposable FFP3 fold flat mask with exhalation valve.

### KEY FEATURES

- Adjustable nose bridge with foam seal.
- Space saving fold flat design and individual packaging.
- Exhalation valve reduces heat build up and minimise breathing resistance
- Tested and certified to EN 149:2001+A1:2009



We are acquiring good quality CE Certified masks from trusted sources, however the manufacturers vary according the quantity of allocation we can secure. Please speak to the Internal Sales Desk to ascertain the current model. This is expected to remain the case until at least mid-way through 2021.

Size	Product Code
Box quantities vary - ask the sales team when placing an order for masks	2008011000000



# HIGH VISIBILITY & WORKWEAR

## THE TECHNICAL BIT

### HIGH VISIBILITY CLOTHING STANDARDS

**EN ISO 20471** – These standards are applicable when choosing high visibility clothing. These relate to the amount of reflective and high visibility material on the garment. They will also show the class that they relate to.

**Class 1: Lowest Level** - Typically consist of lower body or partially fluorescent garments.

**Class 2: Mid Level** - Typically consists of short or no sleeve garments and some trousers.

**Class 3: Highest Level** - Typically consists of upper body & full sleeved garments.

**GO/RT 3279**- This is the rail group standard minimum requirement for high visibility clothing that is worn by people on the lineside or near the line.

GO/RT 3279 has now been superseded by **RIS-3279-TOM**.

**EN 343** – Clothing (either hi-vis or non-hi-vis clothing) that has rain protection & waterproof properties.

**Class 3:1** - Level 3 to water penetration; level 1 water vapour resistance (breathability).

**Class 3:2** - Level 3 to water penetration; level 2 water vapour resistance (breathability).

**Class 3:3** - Level 3 to water penetration; level 3 water vapour resistance (breathability).

**EN 531** - Protection against Heat & Flame. This conformity often has a letter after it which relates to the following:

**A:** Limited flame spread (Fabric conforms to EN533 Index 3) **B:** (B1-B5) - Insulation against convective heat

**C:** (C1-C5) - Insulation against radiant heat **D:** (D1-D3) - Insulation against molten aluminium

**E:** (E1-E3) - Insulation against molten cast iron

**EN533** - Protection against Limited Flame Spread **EN1149-5** - Electrostatic Protection

**EN ISO 11612**- Heat & Flame Protection **EN467** - Liquid Chemical Protection

**EN ISO 11611- EN ISO 11612**- Heat & Flame Protection

**EN381** - Chainsaw Protection

**EN510** - Entanglement Protection (moving parts)

Disclaimer: Please note, this page is a guide to help you choose the right PPE for you. To find up to date information on standards please check the manufacturer's website or HSE.

# HI-VIS & WORKWEAR BRANDING

Your safety is our business. Hi-Vis and general Workwear can be branded via heat seal printing or embroidery.

## BRAND YOUR WORKWEAR

When it's done right, company profiling pays off, saying a lot about you and your company. In fact, it's a true brand builder - reflecting your values and promoting a strong, consistent message. Corporate clothing and badging is a service readily available at BCS Group. Embroidering or screen-printing direct onto garments is a cost effective way of reproducing multi-coloured logos, giving a very professional image for your company - and your employees.

## EMBROIDERY

Embroidery is the most popular way of applying a company's logo or brand to a uniform. Once you have sent us your logo and the final design has been approved, it can be setup ready to sew directly onto your garment. Each garment is individually quality checked to ensure that you receive the highest standard every time. Embroidered garments are the best way to establish a quality corporate identity as it produces an expensive looking product raising the profile of your brand.

## HEAT SEAL PRINTING

Heat transfer logos are a low cost way of applying logos that contain small detailed wording or designs. Applied, as the name suggests, with heat, the transfers are very durable, making them suitable for the most hard-working uniform situations. Suitable for flat-weave fabrics only. Heat transfer is low cost and can be pre-purchased in bulk to save on setup costs.



## HI-VIS VEST

This simple 2 band & brace Hi-Vis Vest is one of our best selling waistcoats. It boasts Class 2 hi-vis protection making it an essential addition to your protective workwear range.

### KEY FEATURES

- 2 band & brace
- 100% polyester fabric
- Velcro fastening
- Black trim on orange vest



Colour	Conformities	Sizes	Product Code
Yellow	EN ISO 20471 Class 2 (Medium-4XLarge), Class 1 (Small)	S - 4XL	20010101
Orange	EN ISO 20471 Class 2 (Medium-4XLarge), Class 1 (Small)	S - 4XL	20010101

## HI-VIS LONG SLEEVED VEST

If you need maximum Class 3 hi-vis protection but don't want to wear thick jackets and coats, our lightweight Hi-Vis Long Sleeved Vest is the perfect product for you.

### KEY FEATURES

- 100% polyester fabric
- Black bias bound edging
- Velcro fastening
- Optional ID pocket



Colour	Conformities	Sizes	Product Code
Yellow	EN ISO 20471 Class 3	S - 6XL	20010102
Orange	EN ISO 20471 Class 3	S - 6XL	20010102

## HI-VIS T-SHIRT RIS

Rail specification T-Shirt with hi-vis protection.

### KEY FEATURES

- Breathable fabric
- UPF 50+
- Crew neck
- Quick wicking fabric
- Certified to EN ISO 20471 after 50x washes



Colour	Conformities	Sizes	Product Code
Orange	ISO 29471 Class 2   RIS-3279-TOM	XS - 5XL	20010201

## HI-VIS POLO

Ideal for warmer working conditions.

### KEY FEATURES

- Breathable fabric
- UPF 50+
- Quick wicking fabric
- Certified to EN ISO 20471 after 50x washes



Colour	Conformities	Sizes	Product Code
Yellow	ISO 29471 Class 2	XS - 7XL	20010202
Red	ISO 29471 Class 2	S - 3XL	20010202



## HI-VIS POLO

Hi-Vis Polo, perfect for warm weather.

### KEY FEATURES

- Breathable fabric
- UPF 50+
- Quick wicking fabric
- Certified to EN ISO 20471 after 50x washes



Colour	Conformities	Sizes	Product Code
Orange	ISO 29471 Class 2   RIS-3279-TOM	XS - 5XL	20010208

## HI-VIS SLEEVED POLO

High quality construction providing comfort, style and safety.

### KEY FEATURES

- Breathable fabric
- UPF 50+
- Ribbed cuffs for warmth
- Bio motion tape
- Quick wicking fabric
- Certified to EN ISO 20471 after 50x washes



Colour	Conformities	Sizes	Product Code
Yellow	ISO 29471 Class 3	S - 6XL	20010203
Orange	ISO 29471 Class 3   RIS-3279-TOM	S - 4XL	20010203

## HI-VIS SWEATSHIRT

The B303 sweatshirt is ideal when it's too cool for a T-shirt but not cold enough for a jacket. Offering exceptional comfort, the fit is roomy and the fabric is soft to touch.

### KEY FEATURES

- Knitted fabric with brushed backing
- 50+ UPF rated fabric to block 98% of UV rays
- Fully elasticated waistband for ultimate wearer comfort
- Certified to EN ISO 20471 after 50x washes
- Bio motion tape to improve recognition of human shape at distance



Colour	Conformities	Sizes	Product Code
Yellow	ISO 20471 Class 3	S - 3XL	20010207
Orange	ISO 20471 Class 3   RIS-3279	XS - 5XL	20010207

## HI-VIS REVERSIBLE BODY WARMER

Outstanding quality, added warmth and great flexibility are the remarkable features of this Reversible Body Warmer.

### KEY FEATURES

- Durable polyester/cotton fabric with Texpel stain resistant finish
- UPF 50+
- Deep storage pockets
- Reversible garment
- Fully lined and padded



Colour	Conformities	Sizes	Product Code
Orange	ISO 29471 Class 2   RIS-3279	S - 6XL	20010344

## HI-VIS REVERSIBLE BODY WARMER

This cleverly designed Reversible Body Warmer traps heat to keep you warm when worn either way.

### KEY FEATURES

- Taped seams
- Extremely water resistant
- Quilt lined for insulation
- 4 pockets for storage
- UPF 50+
- Interactive zip



Colour	Conformities	Sizes	Product Code
Yellow	ISO 29471 Class 2	S - 5XL	20010371
Orange	ISO 29471 Class 2   RIS-3279	S - 5XL	20010371

## HI-VIS TRAFFIC JACKET

This fully certified waterproof jacket is a popular option across many industries.

### KEY FEATURES

- Waterproof and windproof with taped seams preventing water penetration
- Extremely water resistant fabric finish, water beads away from fabric surface
- Fully lined and padded to trap the heat and increase warmth
- 4 pockets for ample storage
- Pack away hood for added functionality
- Certified to EN ISO 20471 after 50x washes
- 50+ UPF rated fabric to block 98% of UV rays
- Bio motion tape pattern to improve recognition of human shape at distance



Colour	Conformities	Size	Product Code
Yellow	ISO 20471 Class 3   EN 343 Class 3:1	XXS - 8XL	20010302
Orange	ISO 20471 Class 3   EN 343 Class 3:1   RIS-3279	XS - 5XL	20010302

## HI-VIS BREATHABLE JACKET RIS

Breathable waterproof jacket certified to coldstore standards making it ideal for colder working environments.

### KEY FEATURES

- Waterproof and breathable
- Fully lined and padded
- 4 pockets for ample storage
- 2 way zip
- Concealed detachable hood
- UPF 50+
- Extremely water resistant fabric



Colour	Conformities	Size	Product Code
Orange	ISO 29471 Class 3   EN 343 Class 3:2   RIS-3279	S - 2XL	20010312

## HI-VIS TRAFFIC JACKET

Certified to the RIS 3279-TOM, this jacket meets the safety standard requirements.

### KEY FEATURES

- Waterproof with taped seams preventing water penetration
- Extremely water resistant fabric
- Fully lined and padded
- Concealed detachable hood
- UPF 50+
- Inner ribbed cuffs



Colour	Conformities	Size	Product Code
Orange	ISO 29471 Class 3   EN 343 Class 3:1   RIS-3279	XS - 5XL	20010313

## HI-VIS RAIN JACKET

To keep the wearer visible, safe and dry in foul weather conditions.

### KEY FEATURES

- Deep storage pockets
- Pack away hood
- 50+ UPF rated fabric
- Bio motion tape
- Pack away hood
- Extremely water resistant



Colour	Conformities	Size	Product Code
Yellow	ISO 20471 Class 3   EN 343 Class 3:1	XS - 5XL	20010301
Orange	ISO 20471 Class 3   EN 343 Class 3:1	XS - 5XL	20010301

## HI-VIS BREATHABLE JACKET

Lightweight and practical Bomber Jacket offering an unrivalled mixture of breathability, waterproof and windproof protection.

### KEY FEATURES

- Waterproof and breathable
- 4 pockets for storage
- Inner ribbed cuffs
- UPF 50+
- Extremely water resistant



Colour	Conformities	Size	Product Code
Yellow	ISO 29471 Class 3   EN 343 Class 3:3	S - 3XL	20010304
Orange	ISO 29471 Class 3   EN 343 Class 3:3   RIS-3279	S - 3XL	20010304

## HI-VIS BOMBER JACKET RIS

Completely padded and lined Bomber Jacket.

### KEY FEATURES

- Waterproof with taped seams
- Fully lined and padded
- 4 pockets for ample storage
- 2 way zip for quick access
- Concealed detachable hood
- Inner ribbed cuffs
- UPF 50+
- Water resistant fabric finish



Colour	Conformities	Size	Product Code
Orange	ISO 29471 Class 3   EN 343 Class 3:1   RIS-3279	XS - 5XL	20010314

## HI-VIS PULSAR® UNLINED STORM COAT

Unlined Storm Coat made out of 300 Denier breathable PU coated polyester. Available in hi-vis yellow and orange.

### KEY FEATURES

- YKK® 2 way zip concealed by double Velcro storm flap
- Large external bellowed pockets with separate hand warmer pockets
- Neoprene inner cuff, underarm ventilation and chin guard
- Nordic design detachable lined hood
- Micro-fleece collar, flip out ID window and water repellent zipped chest pocket
- Interacts with PULSAR® Body Warmers, Fleece Jackets and Soft Shell Jackets



Colour	Conformities	Size	Product Code
Yellow	EN ISO 20471 Class 3   EN343 Class 3:3	S - 7XL	20010309
Orange	EN ISO 20471 Class 3   EN343 Class 3:3   RIS-3279	S - 7XL	20010311

## HI-VIS PULSAR® INTERACTIVE BODY WARMER

Interactive Body Warmer made out of 300 Denier breathable PU coated polyester. Available in hi-vis yellow and orange.

### KEY FEATURES

- YKK® Interactive zip fastening
- Detachable sleeves with knitted cotton cuffs
- Reverses to grey soft touch micro fibre padding
- Anchorage fastening points at cuffs and neck
- Longer scalloped back length
- Interacts with PULSAR® Unlined Storm Coats



Colour	Conformities	Size	Product Code
Yellow	EN ISO 20471 Class 2	XS - 7XL	20010327
Orange	EN ISO 20471 Class 2   RIS-3279	XS - 7XL	20010316



## HI-VIS PROGARM® ARC POLO SHIRT

Premium long sleeved Hi-Vis Arc Flash polo shirt constructed using VXS+ Pique Flame Resistant fabric with soft touch finish. Flame Resistant and Arc Flash protection.

### KEY FEATURES

- Enclosed stud placket allows quick fastening
- VXS+ blend natural feel material, comfortable and soft
- Breathable with good moisture management
- ThermSAFE™ plastic Flame Resistant poppers that are CE Certified
- Knitted collar with tipping ensures best appearance after washing
- Safety ICON™ on arm visual EN Standards icon system
- 5cm Flame Resistant anti-static stretch reflective tape



Colour	Conformities	Size	Product Code
Orange	EN ISO 11612:2015 A1 B1 C1   EN ISO20471:2013 Class 3   EN 1149-5:2008RIS 3279 Issue 1   IEC 61482-2:2009 Class 1 4kA   RIS-3279-TOM	S - 4XL	20010214

## HI-VIS PULSAR® FR-AST-ARC POLO SHIRT

FR-AST-ARC Polo Shirt made from Jersey knit 230gsm Protal fabric. Available in hi-vis yellow and orange.

### KEY FEATURES

- Thermally applied reflective tape
- Inherently Flame Retardant
- Concealed 3 button placket
- FR thread used throughout
- Visible FR standards transfer to sleeve
- FR knitted collar and cuffs



Colour	Conformities	Size	Product Code
Yellow	EN ISO 20471 Class 3   EN ISO 11612:2015   EN ISO 1149-5:2018   IEC 61482-2:2018   ATPV 8.7 Cal/cm2	S - 4XL	20010230
Orange	EN ISO 20471 Class 3   EN ISO 11612:2015   EN1149-5:2008   IEC 61482-2:2009 Class 1   APTV 6.2 Cal/cm <sup>2</sup>   RIS-3279	S - 4XL	20010230

## HI-VIS PROGARM® ARC SWEATSHIRT

Hi-Vis and Flame Resistant sweatshirt in unique VXS+ blend of fibres. Arc Flash protection on both yellow and orange and flame resistant fabric on orange.

### KEY FEATURES

- Brushed fleece inner offering winter warmth
- VXS+ blend material natural feel, comfortable and soft with arm pocket
- Breathable with good moisture management
- 5cm stretch rib hem - best fit around the waist
- SafetyICON™ on arm - visual EN Standards icon system
- 5cm Flame Resistant anti-static stretch reflective tape



Colour	Conformities	Size	Product Code
Yellow	EN ISO 11612:2015 A1 B1 C1   EN 1149-5:2009   EN 20471:2013 Class 3   IEC 61482-2:2009 Class 1   IEC 61482-2:2009   EBT50 = 13.2cal/cm <sup>2</sup>	S - 4XL	20010232
Orange	EN ISO 11612:2015 A1 B1 C1   EN 20471:2013 Class 3RIS 3279 Issue 1   IEC 61482-2   EBT50=21.6cal/cm2 Class 1   RIS-3279-TOM	S - 4XL	20010215

## HI-VIS PULSAR® FR-AST-ARC SWEATSHIRT

FR-AST-ARC Sweatshirt made from J275gsm Protal 1 - Protex/cotton/polyester/carbon knitted fabric.

### KEY FEATURES

- Thermally applied reflective tape
- FR ribbed neck, cuff & waistband
- Inherently flame retardant
- Visible FR standards transfer to sleeve
- Set in sleeve design



Colour	Conformities	Size	Product Code
Orange	EN ISO 20471:2013 Class 3   EN ISO 11612:2015 A1,B1,C1   EN1149-5:2008 (EN1149-3)   IEC 61482-2:2009 Class 1   ATPV 12.8 Cal/cm <sup>2</sup>   RIS-3279 (Rail Standard)	M - 5XL	20010244

## HI-VIS BIZFLAME RAIN ANTI-STATIC FR JACKET

Optimum protection is offered from this antistatic jacket. Flame resistance coupled with superb breathable and water resistant properties.

### KEY FEATURES

- Flame Resistant treated waterproof fabric prevents water penetration
- Premium flame resistant reflective tape
- Made of durable breathable, windproof and water resistant fabric
- Fully lined and padded to trap the heat and increase warmth
- Pack away hood for and storm flap front to protect against the elements
- 50+ UPF rated fabric to block 98% of UV rays



Colour	Conformities	Size	Product Code
Yellow	*EN ISO 20471 Class 3   EN343 Class 3:1   EN 13034 Type 6   EN 14058 Class 3   EN ISO 14116 Index 3   AS/NZS 4602.1:2011 Class D/N   EN 1149 -5	XS - 6XL	20010325
Orange	*Same as above   RIS-3279	XS - 5XL	20010325

## HI-VIS BIZFLAME RAIN ANTI-STATIC FR BOMBER JACKET

This fully waterproof bomber jacket offers multi-norm protection in hazardous conditions. Features include chemical resistance and a detachable hood.

### KEY FEATURES

- Flame resistant treated waterproof fabric prevents water penetration
- Premium Flame Resistant reflective tape
- Breathable fabric
- Fully lined and padded to trap the heat and increase warmth
- FR cotton lined for added warmth and comfort
- Ribbed cuffs for warmth and comfort



Colour	Conformities	Size	Product Code
Yellow	*EN ISO 20471 Class 3   EN343 Class 3:1   EN 13034 Type 6   EN 1149 -5   EN ISO 14116 Index 3   ANSI/ISEA 107-2010 Class 3:2   ANSI/ISEA 107-2015 Type R Class 3	XS - 4XL	20010338
Orange	*Same as above   RIS-3279	XS - 5XL	20010338

## HI-VIS PROGARM® 4608 ARC FLASH JACKET

Lighter and more comfortable fabric that meets requirements RIS-3279-TOM for working on or near the trackside.

### KEY FEATURES

- Arc Flash protection and flame resistant fabric
- 5cm Flame Resistant AS reflective tape double stitched for longer life
- Cuff tabs with VELCRO® brand fasteners
- ThermSAFE™ plastic FR zipper CE certified
- Double stitched side seams



Colour	Conformities	Size	Product Code
Orange	EN ISO 11611:2015 Class 1 A1   EN ISO 11612:2015 A1 B1 C1 F1   EN 1149-5:2008   EN ISO 20471:2013   Class 3 RIS 3279 Issue 1   IEC 61482-2:2009 Class 1 ATPV = 8cal/cm <sup>2</sup>	S - 4XL	20010367

## HI-VIS PULSAR® FR-AST-ARC TROUSER

310gsm Patented fibre blend of Protex enhanced inherent multi-fibre woven fabric.

### KEY FEATURES

- Twin stitched FR reflective tape
- Internal knee pad pockets
- Triple stitched inseam and twin stitched structural seams
- FR sewing thread used throughout



Colour	Conformities	Size	Product Code
Orange	EN ISO 20471:2013 Class 2   EN ISO 11612:2015 A1,A2,B1, C1, E1,F1   EN ISO 11611:2015 A1,A2   EN 1149-5:2008 (EN1149-3:2004)   IEC 61482-2:2009 Class 1   ATPV 16.0 Cal/cm <sup>2</sup>   RIS-3279	Short: 30"- 44"   Reg: 28"- 50"   Tall: 30"- 44"	20010444

## HI-VIS PROGARM® ARC FLASH TROUSER

An improved trouser with new lighter and more comfortable fabric that is flame resistant and provides Arc Flash protection.

### KEY FEATURES

- Kneepad pockets (knee pads not included) and side access pockets with flaps
- ThermSAFE™ plastic FR zipper that is CE Certified
- SafetyICON™ on leg pocket visual EN Standard icon system
- Triple stitched side seams providing lifetime quality assurance
- Reinforced crotch that provides improved longevity
- 5cm flame resistant AS reflective tape



Colour	Conformities	Size	Product Code
Yellow	EN ISO 11611:2015 Class 1 A1   EN ISO 11612:2015 A1 B1 C1 E1   EN 1149-5:2008   EN ISO 20471:2013 Class 2   IEC 61482-2:2009   Class 1   EBT50=9.5cal/cm <sup>2</sup> ARC2	30" - 52" - Short   Reg   Tall	20010425
Orange	EN ISO 11611:2015 Class 1 A1   EN ISO 11612:2015 A1 B1 C1 F1   EN 1149-5:2008   EN ISO 20471:2013 Class 1 RIS 3279   IEC 61482-2:2009   Class 1   ATPV = 8cal/cm <sup>2</sup>	30" - 50" - Short   Reg   Tall	20010426

## HI-VIS PROGARM® 4690 ARC COVERALL

Designed for workers on or near the trackside requiring garments certified to RIS-3279-TOM.

### KEY FEATURES

- Arc flash protection and flame resistant fabric
- Mandarin collar & kneepad pockets
- 5cm FR AS reflective tape double stitched
- Cuff tabs with VELCRO® brand fasteners
- ThermSAFE™ plastic FR zippers CE Certified



Colour	Conformities	Size	Product Code
Orange	EN ISO 11611:2015 Class 1 A1   EN ISO 11612:2015 A1 B1 C1 F1   EN 1149-5:2008   EN ISO 20471:2013 Class 3 RIS 3279 Issue 1   EC 61482-2:2009 Class 1 ATPV = 8cal/cm <sup>2</sup>	S - 4XL Reg   Tall	20010520

## HI-VIS PULSAR® FR-ARC COVERALL

310gsm Patented fibre blend of Protex enhanced inherent multi-fibre woven fabric.

### KEY FEATURES

- Twin stitched FR reflective tape and thread
- Internal knee pad pockets (knee pads not included)
- Triple stitched inseam and twin stitched structural seams



Colour	Conformities	Size	Product Code
Orange	EN ISO 20471:2013 Class 3   EN ISO 11611:2015   EN ISO 11611:2007 Class 1   EN 1149-5:2008 (EN1149-3:2004)   IEC 61482-2:2009 Class 1   ATPV 16.0 Cal/cm <sup>2</sup>   RIS-3279	S - 6XL	20010523



## HI-VIS PROGARM® LADIES' ARC POLO SHIRT

Hi-Vis and Flame Resistant Ladies Polo Shirt in unique VXS+ blend of fibres.

### KEY FEATURES

- Arc Flash protection and flame resistant fabric
- Enclosed stud placket that allows quick fastening
- VXS+ blend material with a natural feel, comfortable and soft
- Breathable with good moisture management
- ThermSAFE™ plastic FR poppers that are CE Certified
- Knitted collar with tipping ensures best appearance after washing
- SafetyICON™ on arm visual EN Norm icon system
- 5cm FR AS reflective tape heat applied to improve flexibility



Colour	Conformities	Size	Product Code
Yellow	EN ISO 11612:2015 A1 B1 C1 F1   EN 1149-5:2008   EN ISO 20471: 2013   Class 2   IEC 61482-2:2009   Class 14kA	8 - 16	20010260
Orange	EN ISO 11612:2015 A1 B1 C1   EN 1149-5:2008   EN ISO 20471: 2013   Class 2RIS 3279 Issue 1   IEC 61482-2:2009 Class 1 4kA   RIS-3279	8 - 16	20010245

## HI-VIS PROGARM® LADIES' ARC FLASH TROUSER

An improved design with lighter and more comfortable fabric in a ladies fit.

### KEY FEATURES

- Combat pocket with flap provides a safe storage space
- Kneepad pockets (knee pads not included) and side access pockets with flaps
- ThermSAFE™ plastic FR zipper CE Certified
- SafetyICON™ on leg pocket visual EN Standard icon system
- Rear pockets with flap provide a secure storage space
- Triple stitched side seams offering a lifetime quality assurance
- Reinforced crotch to improve longevity



Colour	Conformities	Size	Product Code
Yellow	EN ISO 11611:2015 Class 1 A1   EN ISO 11612:2015 A1 B1 C1 E1   EN 1149-5:2008   EN ISO 20471:2013   Class 1   IEC 61482-2:2009 Class 1 EBT50=9.5cal/cm2ARC2 Rating	8 - 16	20010469
Orange	EN ISO 11611:2015 Class 1 A1   EN ISO 11612:2015 A1 B1 C1 F1   EN 1149-5:2008   RIS-3279   EN ISO 20471:2013 Class 1 RIS 3279 Compliant Issue 1   IEC 61482-2:2009 Class 1 ATPV = 8cal/cm <sup>2</sup>	8 - 16	20010459

## HI-VIS PROGARM® LADIES' ARC COVERALL

This is an improved Coverall with new lighter and more comfortable fabric.

### KEY FEATURES

- Mandarin collar provides maximum neck protection
- Kneepad pockets (knee pads not included) and side access pockets with flaps
- 5cm FR AS reflective tape double stitched for longer life
- Cuff tabs with VELCRO® brand fasteners close fit around wrist
- ThermSAFE™ plastic FR zippers CE Certified
- Triple stitched side seams offering lifetime quality assurance
- Easy-Stretch™ side panels offering maximum wear comfort



Colour	Conformities	Size	Product Code
Yellow	EN ISO 11611:2015 Class 1 A1   EN ISO 11612:2015 A1 B1 C1   EN 1149-5:2008   EN ISO20471: 2013 Class 3   IEC 61482-2:2009 Class 1 EBT50 = 9.5cal/cm <sup>2</sup>	8 - 16	20010536
Orange	EN ISO 11611:2015 Class 1 A1   EN ISO 11612:2015 A1 B1 C1 F1   EN 1149-5:2008   EN ISO20471: 2013 Class 3 RIS 3279 Compliant Issue 1   IEC 61482-2:2009 Class 1 ATPV = 8cal/cm <sup>2</sup>	8 - 16	20010529



## HI-VIS PULSAR® COMBAT TROUSERS

Combat Trousers available in hi-vis yellow and orange with double stitched reflective tape and Teflon® coating which increases resistance to dirt & light showers.

### KEY FEATURES

- Triple stitched inseam and double stitched throughout
- Knee pad pockets (knee pads not included)
- Partially elasticated waistband
- Double press stud & button fastening with lockable zip fly
- 80% Polyester 20% Cotton twill 275gsm



Colour	Conformities	Size	Product Code
Yellow	EN ISO 20471 Class 2	Short Leg (29"): 28"-54"   Reg Leg (31"): 28"-54"   Tall Leg (33"): 28"-54"	20010402
Orange	EN ISO 20471 Class 2   RIS-3279	Short Leg (29"): 28"-54"   Reg Leg (31"): 28"-54"   Tall Leg (33"): 28"-54"	20010404

## HI-VIS PULSAR® OVERTROUSER

300 Denier breathable PU coated polyester.

### KEY FEATURES

- 3 Lines of reflective tape
- Elasticated waistband and draw cord
- Slit access hip pockets
- Combat pockets on each thigh
- Rear pocket with flap
- Zip gussets at ankle



Colour	Conformities	Size	Product Code
Yellow	EN ISO 20471 Class 2   EN343 Class 3:3	Short: XS - 6XL Reg: XS - 7XL	20010606

## HI-VIS PULSAR® RAIL SPEC OVERTROUSER

300 Denier breathable PU coated polyester.

### KEY FEATURES

- 3 Lines of reflective tape
- Elasticated waistband and draw cord
- Slit access hip pockets
- Combat pockets on each thigh
- Rear pocket with flap
- Zip gussets at ankle



Colour	Conformities	Size	Product Code
Orange	EN ISO 20471 Class 2   EN343 Class 3:3   RIS-3279	Short: XS - 6XL Reg: XS - 7XL	20010601

## HI-VIS RAIN TROUSERS H441

Like the Hi-Vis Rain Jacket, our Hi-Vis Rain Trousers are lightweight and extremely practical. They can be layered over the wearers own trousers for complete waterproof protection.

### KEY FEATURES

- Reflective tape for increased visibility
- Fully elasticated waistband for ultimate wearer comfort
- Stud adjustable hems for a secure fit
- Twin-stitched seams for extra durability
- 50+ UPF rated fabric to block 98% of UV rays
- Extremely water resistant fabric finish, water beads away from fabric surface
- Wind resistant to protect against wind chill



Colour	Conformities	Size	Product Code
Yellow	EN ISO 20471 Class 1   EN343 Class 3:1	XS - 6XL	20010602
Orange	EN ISO 20471 Class 1   EN343 Class 3:1	S - 5XL	20010602

## HI-VIS PULSAR® COMBAT COVERALL

Combat Coverall made from 80% polyester 20% cotton twill 275gsm, with Teflon coating. Available in hi-vis yellow or orange.

### KEY FEATURES

- Teflon® coating increases resistance to dirt & light showers
- Triple stitched inseam & double stitched throughout
- Two lower hip pockets with slit access to under garments
- Knee pad pockets (knee pads not included)
- YKK® 2 way zip front fastening with concealed studded storm flap
- Suitable for use in the automotive industry (car safe)



Colour	Conformities	Size	Product Code
Yellow	EN ISO 20471 Class 3	S - 4XL	20010533
Orange	EN ISO 20471 Class 3   RIS-3279	S - 4XL	20010515

## HI-VIS BIB & BRACE UNLINED

This single colour bib and brace has all the fantastic features and benefits of the tried and tested S488 Contrast Bib & Brace in a choice of two colours.

### KEY FEATURES

- Waterproof and breathable with taped seams to prevent water penetration
- 6 Pockets for ample storage with phone pocket
- Elasticated back panel
- Adjustable side opening for added flexibility
- Stud adjustable hems and adjustable straps for a secure fit
- 50+ UPF rated fabric to block 98% of UV rays
- Certified to EN ISO 20471 after 50x washes



Colour	Conformities	Size	Product Code
Yellow	ISO 20471 Class 2	S - 3XL	20010518
Orange	ISO 20471 Class 2   RIS-3279	S - 3XL	20010518

## BIZWELD IONA FR COVERALL BIZ5

Coverall with 50+ UPF rated fabric to block 98% of UV rays.

### KEY FEATURES

- Guaranteed flame resistance for life of garment
- Protection against radiant, convective and contact heat
- Certified protection against molten metal splash
- Class 2 Welding Protection and premium flame resistant tape
- Concealed stud front for easy access and knee pad pockets (knee pads not included)



Colour	Conformities	Size	Product Code
Navy	*EN ISO 11612 (A1+A2. B1. C1. E2. F1)   EN ISO 11611 Class 1 (A1+A2)   ASTM F1959/ F1959M-12 (ATPV 11.2 CAL/CM2 (HAF = 80.4%))	XS - 5XL	20010502
Orange	*Same as above	XS - 5XL	20010502
Red	*Same as above	S - 3XL	20010502

## HI-VIS COOLVIZ ULTRA WOMEN'S POLO SHIRT

Women's Polo Shirt made from hydrophobic fabric that draws moisture to the outer of the garment where it then evaporates. Tested to 50 wash cycles.

### KEY FEATURES

- Split hem design with extended back
- 3 Button placket with contrast grey lining and buttons
- Inherently anti-microbial for protection against the build up of bacteria and odour
- Soft handle fabric prevents irritation
- UV protection to UPF40+ meeting EN13758-2
- Segmented reflective tape for garment stretch and improved breathability



Colour	Conformities	Size	Product Code
Yellow	EN ISO 20471 Class 2	8 - 26	20010248
Orange	EN ISO 20471 Class 2   RIS-3279	8 - 26	20010248

## HI-VIS COOLVIZ ULTRA WOMEN'S SLEEVED POLO SHIRT

Women's Sleeved Polo Shirt made from hydrophobic fabric that draws moisture to the outer of the garment where it then evaporates. Tested to 50 wash cycles.

### KEY FEATURES

- Split hem design with extended back
- 3 Button placket with contrast grey lining and buttons
- Inherently anti-microbial for protection against the build up of bacteria and odour
- Soft handle fabric prevents irritation
- UV protection to UPF40+ meeting EN13758-2
- Segmented reflective tape for garment stretch and improved breathability



Colour	Conformities	Size	Product Code
Yellow	EN ISO 20471 Class 2 (8 - 12)   EN ISO 20471 Class 3 (14 - 26)	8 - 26	20010249
Orange	EN ISO 20471 Class 2 (8 - 12)   EN ISO 20471 Class 3 (14 - 26)   RIS-3279	8 - 26	20010249

## HI-VIS WOMEN'S COOLVIZ ULTRA LONG SLEEVE MODESTY TUNIC

The Modesty Tunic has been designed to ensure the wearer is able to adhere to their religious beliefs whilst staying safe onsite and fully conforming to ISO 20471.

### KEY FEATURES

- Elastic button loop for ease of putting on and taking off
- Segmented reflective tape
- UV protection to UPF 40+
- Inherently anti-microbial fabric
- 100% polyester 160gsm fabric



Colour	Conformities	Size	Product Code
Yellow	EN ISO 20471 Class 3	8 - 16	20010250
Orange	EN ISO 20471 Class 3   RIS-3279	8 - 16	20010250



## HI-VIS WOMEN'S SUPERIOR VEST

Women's Superior Vest made from 100% knitted polyester fabric with retromax reflective tape.

### KEY FEATURES

- Scooping sides allowing pocket access
- ID pocket with D ring
- 2 Front bellowed multi-functional storage pockets
- 100% Knitted polyester fabric
- Zip fastener
- Grey trim



Colour	Conformities	Size	Product Code
Yellow	EN ISO 20471 Class 1 (8 - 12)   EN ISO 20471 Class 2 (14 - 26)	8 - 26	20010155
Orange	EN ISO 20471 Class 1 (8 - 12)   EN ISO 20471 Class 2 (14 - 26)   RIS-3279	8 - 26	20010155

## HI-VIS WOMEN'S SUPERIOR SLEEVED VEST

Women's Superior Sleeved Vest made from 100% knitted polyester fabric with retromax reflective tape.

### KEY FEATURES

- Scooping sides allowing pocket access
- ID pocket with D ring
- 2 Front bellowed multi-functional storage pockets
- 100% knitted polyester fabric
- Zip fastener
- Grey trim



Colour	Conformities	Size	Product Code
Yellow	EN ISO 20471 Class 2 (8 - 12)   EN ISO 20471 Class 3 (14 - 26)	8 - 26	20010156
Orange	EN ISO 20471 Class 2 (8 - 12)   EN ISO 20471 Class 3 (14 - 26)   RIS-3279	8 - 26	20010156

## HI-VIS WOMEN'S BODY WARMER

Women's Body warmer made from 300D PU coated polyester with retromax reflective tape and water repellent outer fabric.

### KEY FEATURES

- Water repellent outer fabric
- YKK zip
- Warm quilt lining and fleece lined collar
- Zipped chest pocket with puller
- Hand warmer pockets



Colour	Conformities	Size	Product Code
Yellow	EN ISO 20471 Class 1	8 - 26	20010389
Orange	EN ISO 20471 Class 1   RIS-3279	8 - 26	20010389



## HI-VIS PULSAR® LADIES STORM COAT

Ladies Storm Coat made from 300 denier breathable PU coated polyester. Available in hi-vis yellow and orange.

### KEY FEATURES

- Chevron design reflective tape
- YKK® 2-way zip fastening concealed by double storm flap
- Zipped underarm ventilation system
- Nordic design detachable lined hood
- Wrapped and Velcro adjustable cuffs



Colour	Conformities	Size	Product Code
Yellow	EN ISO 20471 Class 3   EN343 Class 3:3	8 - 26	20010388
Orange	EN ISO 20471 Class 3   EN343 Class 3:3   RIS-3279	8 - 26	20010377

## HI-VIS WOMEN'S SOFTSHELL JACKET

Women's Softshell Jacket made from 100% stretch polyester twill, 3 layer with internal micro-fleece and 3M Scotchlite reflective tape.

### KEY FEATURES

- Zipped front hand pockets with pullers
- Cuff adjusters
- Zipped chest pocket with puller and shock-cord hem adjuster
- 2 Internal drop pockets
- YKK zip fastener
- Grey trim



Colour	Conformities	Size	Product Code
Yellow	EN ISO 20471 Class 2	8 - 26	20010390
Orange	EN ISO 20471 Class 2   RIS-3279	8 - 26	20010390

## HI-VIS WOMEN'S BREATHABLE JACKET

Breathable Jacket made from breathable LTEC 10,000 2 layer laminated polyester with 3M Scotchlite reflective tape.

### KEY FEATURES

- Polyester mesh lined body and sleeves
- Micro-fleece lined collar
- Warm quilt lining and fleece lined collar
- Zipped hand warmer front pockets, two internal drop pockets
- Zip detachable hood
- YKK zip fastener
- Full length hook and loop fastened storm flap



Colour	Conformities	Size	Product Code
Yellow	EN ISO 20471 Class 3 (XS Class 2)   EN343 Class 3:3	8 - 26	20010391
Orange	EN ISO 20471 Class 3 (XS Class 2)   EN343 Class 3:3   RIS-3279	8 - 26	20010391

## HI-VIS WOMEN'S POLY/COTTON CARGO TROUSER

Women's Poly/Cotton Cargo Trousers made from 280gsm poly/cotton with water and stain repellent finish. 80% polyester / 20% cotton with 3M Scotchlite reflective tape.

### KEY FEATURES

- Triple stitched main seams and quadruple stitched reflective tape
- Cargo style leg pockets with reflective piping
- Side waist elastic
- Internal pad pockets and back pocket
- 7 Belt loops
- Metal button with YKK brass zip fly



Colour	Conformities	Size	Product Code
Yellow	EN ISO 20471 Class 2	8 - 26   Short (27")   Reg (29")   Tall (31")	20010461
Orange	EN ISO 20471 Class 2   RIS-3279	8 - 26   Short (27")   Reg (29")   Tall (31")	20010461

## HI-VIS WOMEN'S BREATHABLE OVERTROUSER

Women's Breathable Overtrouser made from breathable LTEC 10,000 2 layer laminated polyester with 3M Scotchlite reflective tape.

### KEY FEATURES

- Zipped front hand pockets with pullers
- Cuff adjusters
- Zipped chest pocket with puller and shock-cord hem adjuster
- 2 Internal drop pockets
- YKK zip fastener
- Grey trim



Colour	Conformities	Size	Product Code
Yellow	EN ISO 20471 Class 2   EN343 Class 3:3	XS - 6XL	20010460
Orange	EN ISO 20471 Class 2   EN343 Class 3:3   RIS-3279	XS - 6XL	20010460

## HI-VIS MATERNITY RANGE

Maternity Range that includes 280gsm poly/cotton with water and stain repellent finish trousers and Coolviz ultra polyester 160gsm polo shirt.

### KEY FEATURES POLO SHIRT

- Elasticated side seams with split hem design
- Chevron design segmented tape

### KEY FEATURES TROUSERS

- Elasticated over the bump band with side adjustment elastic
- Triple stitched main seams



Product	Colour	Conformities	Size	Product Code
Shirt	Yellow	EN ISO 20471 Class 2	8 - 18	20010259
Shirt	Orange	EN ISO 20471 Class 2   RIS-3279	8 - 18	20010259
Product	Colour	Conformities	Size	Product Code
Trouser	Yellow	EN ISO 20471 Class 2	8 - 18	20010462
Trouser	Orange	EN ISO 20471 Class 2   RIS-3279	8 - 18	20010462

## CLASSIC T-SHIRT

100% Cotton UC301 Classic T-Shirt available in a huge range of colours and sizes.

### KEY FEATURES

- Reactive dyed
- Crew neck
- Taped shoulder to shoulder
- Twin needle stitching on neck and shoulders
- Enzyme washed for extra soft feel and reduced shrinkage



Colour	Size	Product Code
Navy Blue   Royal Blue	XS - 6XL	20020201

## CLASSIC POLOSHIRT

50% Polyester and 50% cotton UC101 Classic Poloshirt available in a variety of different colours and sizes.

### KEY FEATURES

- Reactive dyed
- Knitted collar
- Taped neck
- Hemmed sleeve & bottom
- Washable at 60°
- 3 Self-coloured button placket



Colour	Size	Product Code
Navy Blue   Royal Blue	XS - 6XL	20020202

## B210 POLO SHIRT

Rugged Polo Shirt is made using pique knit polycotton fabric.

### KEY FEATURES

- Rib knitted collar and cuffs
- 3 Button placket
- 50+ UPF rated fabric to block 98% of UV rays
- Twin-stitched seams for extra durability



Colour	Size	Product Code
Navy Blue   Royal Blue	S - 3XL	20020203

## MENS ULTRA COOL POLOSHIRT

100% Polyester textured breathable fabric with wicking properties.

### KEY FEATURES

- Self fabric collar
- Taped neck
- Hemmed sleeve and bottom
- Washable at 30°
- 3 Self-coloured button placket
- Soft feel
- Reduced shrinkage



Colour	Size	Product Code
Navy Blue   Royal Blue	XS - 6XL	20020224

## ROMA SWEATSHIRT

Comfortable Sweatshirt ideal for weekend wear or workwear.

### KEY FEATURES

- 50+ UPF rated fabric to block 98% of UV rays
- Raglan sleeves
- Crew neck
- Ideal for corporate wear and custom finishes
- Twin-stitched seams for extra durability



Colour	Size	Product Code
Navy Blue   Royal Blue	XS - 3XL	20020206

## CLASSIC SWEATSHIRT

50% Polyester and 50% cotton UC203 Classic Sweatshirt.

### KEY FEATURES

- Reactive dyed
- Set in sleeve
- Lycra ribbed cuffs, welt and neck
- Twin needle stitching inc; neck, shoulders, armhole and sleeves
- Brushed effect



Colour	Size	Product Code
Navy Blue   Royal Blue	XS - 6XL	20020205

## REGATTA THOR III

280 Series anti-pill symmetry fleece.

### KEY FEATURES

- Interactive
- Fleece cuffs
- 2 zipped lower pockets
- Shockcord hem that is also adjustable



Colour	Size	Product Code
Navy Blue   Royal Blue	XS - 5XL	20020302

## SOFTSHELL TK50

Softshell with a windproof and water resistant membrane.

### KEY FEATURES

- Micro polar fleece lined
- 6 Pockets for storage
- 50+ UPF rated fabric to block 98% of UV rays
- Chin guard
- Fleece lined collar
- Breathable membrane



Colour	Size	Product Code
Black   Navy   Grey	XS - 5XL   Grey: S - 2XL	20020303

## THERMAL CLOTHING

For added warmth in cold temperatures.

### THERMAL T-SHIRT

- A long sleeve t-shirt cut that offers optimum warmth
- Allows the skin to breathe.

### THERMAL TROUSER

- Soft poly/cotton fibre fabric that traps heat. Cuffed hem and elasticated waist



Product	Size	Product Code
Thermal T-Shirt	S - 3XL	20020609
Thermal Trousers	S - 3XL	20020608

## ACTION TROUSERS

Comfort and functionality form the appeal of the Action Trouser.

### KEY FEATURES

- 50+ UPF rated fabric to block 98% of UV rays
- Durable polycotton fabric
- 11 Pockets for ample storage
- Zipped pockets
- Easy access cargo pocket
- Reinforced seams for extra durability and strength



Colour	Size	Product Code
Black   Navy   Grey	28" - 56" Dependent on Short, Reg or Tall option	20020405



## LADIES POLOSHIRT

50% Polyester and 50% cotton UC106 Ladies Poloshirt.

### KEY FEATURES

- Reactive dyed
- Knitted collar
- Open hem sleeve
- Taped shoulder
- Side vents
- Washable at 60°
- 3 self-coloured button placket



Colour	Size	Product Code
Navy Blue   Royal Blue	XS - 4XL	20020229

## LADIES CLASSIC ZIP FLEECE

100% Polyester super anti-pill micro fleece.

### KEY FEATURES

- Twin needle stitching
- Full self-coloured zip with zip puller
- 2 self-coloured covered
- Zipped pockets with zip Pullers
- Hanger loop inside neck
- Cadet style collar
- Half moon yoke



Colour	Size	Product Code
Black   Navy   Red   Royal Blue	XS - 4XL	20020327

## CHARLOTTE LADIES SOFTSHELL

Ideal for all occasions with its windproofing capability.

### KEY FEATURES

- 2 Layer
- Micro polar fleece lined
- Breathable fabric
- Showerproof to resist light rain
- 6 Pockets
- Chin guard
- Fleece lined collar



Colour	Size	Product Code
Navy	S - 2XL	20020317

## REGATTA WOMEN'S ACTION TROUSERS

Regatta Action Trousers made from polycotton fabric.

### KEY FEATURES

- Part-elasticated waist
- Multi pocketed
- Water repellent finish
- 2 Back pockets, one zipped
- Belt loops



Colour	Size	Product Code
Black   Navy	10 - 20   Short 27", Reg 29", Tall 31"	20020430

## TYPE 5/6 COVERALL

Offering both particle and splash protection without compromising on all-important breathability. Head to toe protection without having to wear thick, warm layers.

### KEY FEATURES

- Type 5/6 protection
- Limited hazardous splash protection
- Particle protection
- Zip front with cover
- Elasticated wrist/ankle closure
- Elasticated hood
- Individually wrapped



Size	Conformities	Product Code
S - 4XL	EN 13982-1 and EN 13034	20020503

## HOLDALL BAG

Ideal for carrying tools or for use as a travel bag, these practical stylish bags have multiple functions.

### KEY FEATURES

- Robust base panel
- Adjustable shoulder strap
- Ideal for carrying tools, equipment or for use as a travel bag
- ID card holder
- 2 Zipped compartments



Colour	Size	Product Code
Black	65 Ltr	2002070800005
Navy	65 Ltr	2002070800003

## KNIT CAP INSULATEX LINED

This high performance, cold weather hat has an insulated Microfibre lining for extra warmth retention.

### KEY FEATURES

- Fine knit acrylic fabric
- Windproof
- Inner soft Insulatex lining offering warmth and comfort
- Outer acrylic knit fabric
- Retains shape

\*Cannot be worn with helmet



Colour	Product Code
Black   Grey   Navy   Orange   Yellow	20010701

## REFLECTIVE TRIM KNIT HAT

This high performance hat has a specially insulated microfibre lining for extra warmth retention.

### KEY FEATURES

- Inner soft lining offering warmth and comfort
- Outer acrylic knit fabric
- Retains shape
- Reflective trim for increased visibility and safety

\*Cannot be worn with helmet



Colour	Product Code
Black   Navy   Orange   Yellow	20020724

## SUPER GEL KNEE PAD KP30

A strong outer shell protects your knee from sharp objects while an inner silicone gel cushion acts as a shock absorber for your joints.

### KEY FEATURES

- Adjustable straps for a secure fit
- Silicone gel inserts protect joints and ensure great wearer comfort
- Ergonomically designed and tested straps ensure no pinching to the back of the wearers leg



Colour	Size	Product Code
Black	One Size	2002071200000

## CARTERS INSULATED SHOVELS

Relaunched for 2018, Carters improved patented specification has been innovatively re-engineered to ensure there are no wear parts or adhesives. Creating a truly revolutionary alteration that increased its strength and endurance for the toughest of environments. The tools conform to BS8020:2011. Every single insulated tool shown is tested to 10,000 Volts.

### TESTING PROCEDURES



## CARTERS INSULATED SHOVELS

A full range of Carters insulated shovels are available from BCS. All shovels listed below conform to BS8020:2011 and have all been tested to 10,000 Volts. The range is treaded as standard.

### SQUARE MOUTH



### TAPER MOUTH



### CABLE LAYING



### TRENCHING



### NEWCASTLE DRAINER



Product	Blade	Handle Length	Weight	Product Code
Square Mouth	255 x 320mm	711mm	2.5kg	1001091200000
Taper Mouth	255 tapering to 215 x 320mm	711mm	2.5kg	1001091300000
Cable Laying	255 tapering to 115 x 280mm	711mm	2.1kg	1001090900000
Trenching	180 x 280mm	711mm	2.3kg	1001091400000
Newcastle Drainer	255 tapering to 100 x 405mm	711mm	2.8kg	1001091100000

### GENERAL SERVICE



### TREADED SPADE



### CLAY GRAFTER



### ROUND MOUTH



### LONG HANDLE GRAFT



Product	Blade	Handle Length	Weight	Product Code
General Service	203 x 267mm	711mm	2.3kg	1001091900000
Treaded Spade	190 x 290mm	711mm	2.4kg	1001091800000
Clay Grafter	155 x 305mm	711mm	2.5kg	1001091700000
Round Mouth	255 x 320mm	711mm	2.5kg	1001091000000
Long Handle Graft	152 x 305mm	1450mm	4.1kg	1001092000000



## CARTERS INSULATED SHOVELS SAFEDIG SHOCKSAFE

With leading edges double the thickness of a traditional forged blade, SafeDig tools reduce the risk of penetrating hidden cabling. To be used as part of a safe working practice when potentially live underground services may be present.

### KEY FEATURES

- Dual leading edge reduces utility damage
- The range is fully forged with no welds or weak points
- Green ring under the hand strap indicates to the user that they are using a SafeDig tool
- Lighter tools with forged forward facing treads
- Designed to reduce the risk of penetrating hidden cabling with the leading edge being double the thickness of traditional forged blades

### CERTIFIED TO: BS8020: 2011

The BS8020: 2011 standard is designed to protect persons working within close proximity of live cables or conductor rails.



**CABLE LAYER (1 WAY)**

**GPO TRENCH (2 WAY)**

**GENERAL SERVICE**

**NEWCASTLE DRAINER**



Product	Blade	Handle Length	Weight	Product Code
Cable Layer (1 Way)	130 Tapering to 115 x 280mm	711mm	2.35kg	1001092300000
GPO Trench (2 Way)	180 x 280mm	711mm	2.65kg	1001092400000
General Service	200 x 265mm	711mm	2.6kg	1001092500000
Newcastle Drainer	180 Tapering to 100 x 405mm	711mm	2.75kg	1001092600000

### 16T ROUND TARMAC RAKE

Heavy duty design with a rugged construction for daily use by professionals in tough working environments.

**KEY FEATURES**

- Steel shaft
- Traditionally used for levelling out Tarmac as well as other building materials



Size	Product Code
1680mm (handle)	1001171100000

### KNAPSACK PRESSURE SPRAYER

This 16 Litre easy carry knapsack sprayer is manufactured from shatterproof and frost resistant materials and is suitable for use with most water-based garden and household chemicals and pesticides.

**KEY FEATURES**

- Adjustable spray nozzle with a trigger lock for continuous use when required
- A curved back with adjustable twin shoulder straps



Size	Product Code
16 Ltr	100111600000

### PRESSURE SPRAYER

5 litre capacity garden pressure sprayer manufactured from a shatterproof and frost resistant material.

**KEY FEATURES**

- Adjustable spray nozzle for either a concentrated jet or fine mist and a lock-on trigger for continuous use
- Supplied with safety pressure release valve and shoulder strap



Size	Product Code
5 Ltr	100111200000

### POSTHOLE DIGGER

The Faithfull Posthole Digger has steel oval mouth shovel blades which are hinged in opposition for easy use and soil removal.

**KEY FEATURES**

- A closure stop on the shafts keeps the blades in parallel when driving downward into the ground creating a neat post hole while minimising the need for backfill



Size	Product Code
150mm	1001221200000

### HOSE CANOFLEX C/W BAUER FITTINGS

A hose for heavy duty suction for use in construction pumping.

**KEY FEATURES**

- C/w Bauer fittings



Size	Product Code
50mm x 10m	1001290700000

### WEEDKILLER

DOFF Advanced Weedkiller kills weeds right down to the root. The weedkiller breaks down in the soil, meaning treated areas can be replanted.

**KEY FEATURES**

- This ready-to-use formulation comes in a trigger spray pack for convenience



Size	Product Code
3 Ltr	1001126328200

## DRAIN TESTING PLUGS

Steel Drain Testing Plugs available in a variety of sizes. Thrustwashers fitted as standard on all plugs 9" (225mm) & above.

### KEY FEATURES

- Zinc plated – corrosion resistant to 90 hours salt spray test
- Combines the economy of price with the strength of steel
- Nominal pipe sizes, minimum & maximum pipe diameters each plug will fit



Name	Size	Product Code
Outlet 4	100mm	1001070702500
Outlet 6	150mm	1001070702900
Outlet 8	200mm	1001070803100

Name	Size	Product Code
Outlet 9	225mm	1001070803200
Outlet 12	300mm	1001070803500
Outlet 15	375mm	1001070803800

## DRAIN TRACING DYE

Drain Tracing Dye available in a variety of colours.

### KEY FEATURES

- For tracing drain pipe location or flow direction
- Makes visibility much easier



Colour	Size	Product Code
Blue	200g	1001070900400
Green	200g	1001070900800
Red	200g	1001070900900

## DRAIN AIR TEST KIT

The complete answer for pressure testing drains and sewers of any diameter. Suitable for pressure testing drains and sewers to BS.8005 and EN1610.

### KEY FEATURES

- Superior design and quality ensures ease of use
- High visual impact for "Point of Sale" display box
- Horobin guaranteed quality



Product Code  
1001070100000

## DRAIN ROD SET

Drain Clearance Set for the professional use.

### KEY FEATURES

- Ideal for use with short drain runs up to 30m
- Packed in a strong carrying case




Size	Product Code
C/w 3 tools	1001070300000

## DIRTBAG

Can be used in various applications in its' raw form.

### KEY FEATURES

- Easy to use Dirtbag



Size	Product Code
To suit 2" Pumps	1001124300000

## AIRLINE WITH FITTINGS

Airline complete with fittings for ease of use.

### KEY FEATURES

- Complete with 'Q' couplings



Size	Product Code
3/4" x 15m	1001290101800

## CONCRETE CUBE MOULD

Strong and durable Concrete Cube Mould. Hardwearing for regular use.

### KEY FEATURES

- Adheres to British standard, BS1881-108 and EN12390-1



Size	Product Code
100mm	1001031100000
150mm	1001030100000

## POLYSTYRENE CUBE MOULD

Polystyrene Cube Mould with lid.

### KEY FEATURES

- Complete with lid



Size	Product Code
100mm	1001030820200
150mm	1001030800000

## CONE SLUMP

Slump Cones measure the operability of a fresh concrete mix in accordance with applicable ASTM and AASHTO standards.

### KEY FEATURES

- Steel construction
- Handles for ease of use



Product Code
1001030400000

## FACE TAMPING BAR

Face Tamping Bar manufactured of steel certified to EN12390-2 and BS1881-108.

### KEY FEATURES

- 25mm square face, weight 1.8kg



Product Code
1001030600000

## OIL CUBE SHUTTER MOULD RELEASE

A blend of selected oils that are non-hazardous that can be used to release mould.

### KEY FEATURES

- Mould release oil



Size	Product Code
25 Ltr	1001132200000

## 3-IN-ONE ANTI-SEIZE COPPER GREASE

3-IN-ONE Anti-Seize Copper Grease is a high-temperature lubricant and anti-seize compound that protects metal components from corrosion, rust, water, heat and acid.

### KEY FEATURES

- Withstands extreme temperatures
- Enhanced with graphite for even better lubrication across the entire temperature range



Size	Product Code
300ml	1001133200000



### CLAW HAMMER

The solid forged shaft provides integral over-strike protection yet maintains a balanced feel.

**KEY FEATURES**

- Solid forged 16oz claw hammer with a double injected rubber shaft



Weight	Product Code
16oz	1001081015300

### STEEL RUBBER MALLET

Steel shaft fitted with rubber grip.

**KEY FEATURES**

- Rubber grip
- Hardened black rubber striking face
- Ideal for D.I.Y use and camping



Weight	Product Code
16oz	1001080512100

### HICKORY SLEDGE HAMMER

Sledge Hammer with hickory shaft.

**KEY FEATURES**

- Ideal for building and demolition work
- Heat treated and drop forged head



Weight	Product Code
7lb	1001080712500
10lb	1001080719800
14lb	1001080712800

### FG SLEDGE HAMMER

Sledge hammer with a fibreglass shaft available in a variety of weights to suit all of your requirements.

**KEY FEATURES**

- Comfortable rubber grip
- Drop forged
- Heat treated with fibreglass shaft



Weight	Product Code
7lb	1001080812500
14lb	1001080812800

### STEEL SHAFTED BRICK HAMMER

Manufactured from hardened and tempered drop forged steel for increased strength and durability.

**KEY FEATURES**

- The steel shaft is fitted with a soft rubber grip for increased comfort



Weight	Product Code
16oz	1001080212100

### LUMP HAMMER

Natural straight grained hickory shaft sanded and lacquered.

**KEY FEATURES**

- Polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection



Weight	Product Code
2.5lb	1001081712300
4lb	1001080312400

## CLUB HAMMER FG

Club Hammer with precision ground striking faces specially hardened and heat treated to withstand the most high-impact heavy applications.

### KEY FEATURES

- Fitted with a fibreglass handle, with a rubber grip



Weight	Product Code
4lb	1001081312400

## RUBBER MALLET

All-purpose rubber mallet, used by professional tradesmen in the automotive industry and in maintenance workshops. Also suitable for DIY tasks and applications where a steel head is unsuitable.

### KEY FEATURES

- Featuring self-locking handles to deliver a gentle but firm blow with little rebound
- The wooden handle is contoured to provide a comfortable grip during use



Weight	Product Code
24oz	1001081509805

## CARTERS INSULATED RANGE

These tools reduce the risk of penetrating hidden cabling. To be used as part of a safe working practice when potentially live underground services may be present.

### KEY FEATURES

- The range is fully forged with no welds or weak points
- Lighter tools with forged forward facing treads
- Designed to reduce the risk of penetrating hidden cabling with the leading edge being double the thickness of traditional forged blades



Product	Handle Length	Weight	Product Code
Sledgehammer	914mm	14lb	1001091512800
Crowbar Chisel & Point	1500mm (Overall length)	7.5kg	1001090300000

## 880 UNIVERSAL HARDPOINT PANEL SAW

The IRWIN Jack Universal 880 Triple Ground Hardpoint Saw is fitted with a high quality C75 steel blade and features a unique triple ground tooth design offering up to 25% faster cutting performance than traditional double ground saws. The blade is treated with a water based lacquer providing four times the added protection than conventional anti-rust agents.

### KEY FEATURES

- Light and strong handle with an ultra-sonic welded soft grip for increased hold and enhanced comfort
- 90° and 45° angles
- Quality C75 steel blade
- Triple ground tooth design



Size	Product Code
20" Irwin Hardpoint Saw	1001190400000

## 18" HAND SAW

18" Hand Saw that offers flexibility and durability.

### KEY FEATURES

- Hardened and tempered high grade steel
- Precision setting sharp teeth for faster sawing
- 7 TPI
- Plastic two tone handle



Size	Product Code
18" Hand Saw	1001190804100

## HEAVY-DUTY HACKSAW

Manufactured from zinc alloy for increased durability and cutting power.

### KEY FEATURES

- Die-cast aluminium handle for increased comfort
- Cuts faster and smoother than regular hacksaws
- Specially designed to prevent the blade wobbling and minimise breakage




Size	Product Code
12" Hacksaw	1001190200000

## JUNIOR HACKSAW FRAME 6" HACKSAW BLADES

Chrome plated frame with finger guard.

### KEY FEATURES

- Supplied with blade
- Accepts all standard 6" (150mm) blades (with a fine tooth)



Size	Product Code
6" Junior Hacksaw	1001192102900

Blades are made from carbon steel and black finished.

### KEY FEATURES

- 24 TPI
- Ideal replacement blades for any 6" mini hacksaw
- Fast and accurate cutting of any ferrous or plastic objects



Size	Product Code
12 Pieces	1001192002900

## RETRACTABLE SAFETY CUTTER

For use in warehousing, distribution or construction environments where knives are often used and safety is a priority.

### KEY FEATURES

- Retractable blade
- Supplied with 10 blades



Product	Product Code
Knife	1001100700000
20 x Blades	1001102000000

**BRICK TROWEL - SG**

Hardened and tempered brick trowel with a carbon steel blade and soft grip handle for added comfort and ease of use.



Size	Product Code
11"	1001270503300

**GAUGING TROWEL**

Gauging trowel with a hardened steel blade and shaped wooden handle with a smooth lacquered finish.



Size	Product Code
7"	1001272503000

**PLASTERING TROWEL - W**

Hardened and tempered carbon steel blade with a banana shaped wooden handle.



Size	Product Code
11"	1001271100000

**POLYURETHANE FLOAT**

Lightweight general purpose float made from rigid polyurethane foam.



Size	Product Code
280mm x 140mm	1001270114100

**POINTING TROWEL - SG**

Hardened and tempered carbon steel blade trowel with a soft grip handle for added comfort and ease of use.



Size	Product Code
5"	1001273302700
6"	1001273302900

**EDGING TROWEL - SG**

Commonly use to apply a rounded finished edge to concrete and render. Carbon steel blade with one long curved edge.



Size	Product Code
11 x 4.75"	1001271300000

**FLOORING TROWEL**

R.S.T. Flooring trowel steel blade with banana shaped wooden handle with ten rivet fixing for greater strength.



Size	Product Code
400 x 114mm	1001270200000

**EDGING TROWEL SG**

Use to provide a curved finish on steps and verges. High quality stainless steel blade for durability and a long working life.



Size	Product Code
150 x 75mm	1001270800000

**PLASTIC FLOAT**

This sturdy float is a lightweight one piece polyurethane moulding.



Size	Product Code
350 x 150mm	1001270114200




## I-BEAM LEVELS

High quality, hardened aluminium girder section levels with three permanently fixed solid acrylic cylindrical shock resistant UV resistant vials, one horizontal, one vertical with side view feature and one 45° vial.

### KEY FEATURES

- Metric/imperial rule on top edge
- Fitted with shock absorbing end caps
- Levels electrostatically, epoxy powder coated and baked for maximum protection
- V-Groove for levelling pipework
- Accuracy 1.75mm per 1M = 0.1° in standard position



Size	Product Code
600mm	1001180104700
900mm	1001180105000
1200mm	1001180105300
1800mm	1001180105400

## MAGNETIC BOAT SPIRIT LEVEL

Moulded from polystyrene with a magnetic strip in the base. Unbreakable all round reading horizontal, vertical and 45° vials.

### KEY FEATURES

- Incorporates a V groove in the top and a hang hole
- Accuracy 1.75mm per 1M = 0.1° in standard position



Size	Product Code
230mm	1001180200000
300mm	1001180203500

## EASY READ MAGNETIC POCKET TAPE

This BlueSpot Tools Magnetic Pocket Tape has a steel blade with easy-to-read metric and imperial graduations.

### KEY FEATURES

- Rubberised, impact resistant case for increased comfort
- Self-locking for ease of use
- With a magnetic end hook, ideal for trying to measure between metallic surfaces



Size	Product Code
5m	1001180305800
7.5m	1001180306100
10m	1001180306400

## CLOSED CASE STEEL LONG TAPE

The Stanley Closed Case Steel Long Tape has a 10mm wide yellow steel blade with polymer coating for durability and easy to read markings in both metric and imperial graduations.

### KEY FEATURES

- Closed high visibility yellow ABS case protects the blade and internal workings
- Folding crank
- Easy wind drum



**STANLEY**

Size	Product Code
30m	1001180807700

## OPEN FRAME FIBREGLASS LONG TAPE

The Faithfull Open Frame ABS Fibreglass Long Tape features a 13mm wide blade clearly marked in both metric and imperial measurements.

### KEY FEATURES

- Folding metal end claw for a firm grip
- Sturdy handle



Size	Product Code
30m	1001181007700
50m	1001181007800

## CARPENTER'S PENCILS (& SHARPENER)

With the exception of some metals and polished or glazed surfaces, almost any material can be marked out with these Carpenter's Pencils.

### KEY FEATURES

- The pencil leaves a clear visible line irrespective of material or grain
- Due to their flat size, the pencils are prevented from rolling away like other pencils might
- Supplied in a pack of three pencils with a specially shaped pencil sharpener



Product Code
1001330100000

## CLOSED CASE STEEL LONG TAPE

Features both metric and imperial or metric only measurements on a white steel blade, that has been graduated using highly accurate ink jet printing and is protected by a matt polyester lacquer that also helps to reduce glare.

### KEY FEATURES

- Solid high-impact case made from ABS plastic with a unique loop
- Mouthpiece with anti-wear and a hole hanger for working at heights



Size	Product Code
50m	1001180807800

## FRAME TAPE

The Lufkin Frame Tape has a unique pistol grip compact design with a smooth wind-in mechanism which fits into a tool chest.

### KEY FEATURES

- The steel blade is graduated with both metric and imperial measurements and will not stretch




Size	Product Code
50m	1001181107700

## COLLIMATION LEVEL BOOK

Collimation Level Book printed in permanent ink. Strong and durable for daily use.

### KEY FEATURES

- Printed in permanent ink
- Sewn with rotproof thread
- Weather resistant books offer excellent archival properties
- Covers can be folded back and their round corners save pocket wear



Size	Product Code
192 x 120mm	3004010600000

## GORILLA WRECKING BAR

Ideal for heavy duty building site work.

### KEY FEATURES

- Ideal for heavy duty building site work i.e. demolition, dismantling timber work etc
- Forged carbon steel chemically blacked with chisel end and swan neck



Size	Product Code
600mm	1001040204700
900mm	1001040205000

## WRECKING BAR

Wrecking bar available in a variety of sizes, ideal for dismantling timber work, case opening and removing nails.

### KEY FEATURES

- Made from drop forged steel



Size	Product Code
12"	1001041003500
18"	1001041004100
24"	1001041004800
30"	1001041025200
36"	1001041005100

## CARTERS CROWBAR CHISEL & POINT

Ideal for heavy duty building site work.

### KEY FEATURES

- Strong & durable
- Diameter 28mm
- Height 1500mm



Length	Weight	Product Code
60"	7kg	1001040100000

## CARTERS RAMMER TARMAC SQUARE STEEL

Ideal for heavy duty building site work.

### KEY FEATURES

- Strong & durable
- Tubular steel
- 10 lb square



Head	Length	Weight	Product Code
133 x 133mm	1220mm	6kg	1001040300000

## ROUGHNECK GORILLA BAR®

The Roughneck Gorilla Bar® has a low profile claw that fits further under the work piece for increased prying power and the wider claw surface offers better control whilst resisting sinking into the support surface.

### KEY FEATURES

- Made from drop-forged alloy steel hardened and tempered, with polished tips, and oval shaped for better control and strength



Size	Product Code
600mm	1001040504700
900mm	1001040505000

## CARTERS CHISEL BRICK BOLSTER

Hard wearing, strong and durable brick bolster chisels in three different sizes to suit your working requirements.



Product	Blade	Weight	Product Code
2" (50mm)	57mm	0.5kg	1001020402100
3" (75mm)	57mm	0.7kg	1001020402300
4" (100mm)	57mm	0.8kg	1001020402500

## OCTAGONAL SHANK COLD CHISEL

Octagonal shank chisel.

### KEY FEATURES

- Selected steel with polished cutting edge



Size	Product Code
25 x 250mm	1001020503300

## BRICK BOLSTER CHISEL

Ground cutting edges and octagonal shank.

### KEY FEATURES

- For cutting bricks and composite blocks
- Sharp edge



Size	Product Code
225 X 100mm	1001020802500



## ADJUSTABLE PIPE WRENCH

Faithfull Stillsons have been designed to cope with the exacting needs of today's trades person. The handle and moving jaw of each Stillson is forged from high-quality steel which has been heat-treated to ensure maximum strength.

### KEY FEATURES

- The steel adjustment nut has been both hardened and tempered to promote longer life
- The dual coil springs on Faithfull Stillsons ensure that an instant grip of the pipe and a ratcheting action is achieved



Size	Product Code
12" (300mm)	1001310403500
14" (350mm)	1001310403700
18" (450mm)	1001310404100
24" (600mm)	1001310404800
36" (910mm)	1001310405100

## PRO COMBINATION PLIERS

Drop forged, heat treated pliers.

### KEY FEATURES

- Satin finish
- Comfortable two tone cushion grips



Size	Product Code
6"	1001162002900
8"	1001162003100

## PRO LONG NOSE PLIERS

Drop forged, heat treated pliers.

### KEY FEATURES

- Satin finish
- Comfortable two tone cushion grips



Size	Product Code
6"	1001162102900
8"	1001162103100

## PLASTIC PIPE CUTTER

The blade works against an anvil jaw which holds the pipe securely while pressure is increased.

### KEY FEATURES

- Trigger operated
- Suitable for cutting:
  - neoprene hose,
  - polythene pipe
  - fabric-reinforced solid rubber



Size	Product Code
42mm (capacity)	1001151104600

## KNIPEX CONCRETTERS NIPPERS

Professional quality, manufactured from special tool steel.

### KEY FEATURES

- Oil hardened and tempered with smoothly ground jaw faces
- Specially for reinforcing wire
- Will twist and cut binding wire in one easy operation
- Plastic coated handles



Size	Product Code
220mm	1001160100000

## HIGH TENSILE CENTRE CUT BOLT CUTTERS

The Faithfull Centre Cut High-Tensile Bolt Cutters with cutting blades forged entirely from heavily alloyed steel which produces a thoroughly hardened blade with a sound structure.

### KEY FEATURES

- The ground edges of the cutting blades are subjected to a second hardening process which ensures max hardness of the cutting surface
- Adjustable cutter head



Size	Product Code
24"	1001150204800
36"	1001150205000

## FULLY INSULATED PLIERS & SCREWDRIVERS SET

Expert quality, tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC. Pliers are drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Screwdrivers are made with SVCM alloy steel blades which are hardened, tempered and chemically blacked.

### KEY FEATURES

- Each of the pliers have been individually tested to 10,000V for safe 1000V AC or 1500V DC live line working
- Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards
- Fully insulated ergonomic soft grip handle with deep set blade sheath for total safety. Display packed in blow mould case with see-through lid



Size	Product Code
10 Piece	1001204200000

### PHILLIPS SCREWDRIVER

Chrome vanadium steel blade.

#### KEY FEATURES

- Magnetised tip
- Comfortable soft grip



Size	Product Code
No.1 (7.5cm)	1001206802300
No.2 (10cm)	1001206802500
No.3 (15cm)	1001206802900

### POZI SCREWDRIVER

Chrome vanadium steel blade.

#### KEY FEATURES

- Magnetised tip
- Comfortable soft grip



Size	Product Code
No.1 (7.5cm)	1001206702300
No.2 (10cm)	1001206702500
No.3 (15cm)	1001206702900

### SLOTTED SCREWDRIVER

Chrome vanadium steel blade.

#### KEY FEATURES

- Magnetised tip
- Comfortable soft grip



Size	Product Code
No.1 (7.5cm)	1001206902300
No.2 (10cm)	1001206902500
No.3 (15cm)	1001206902900

## 8PC SCREWDRIVER SET

Chrome vanadium steel blades hardened, tempered with satin chrome plated finish and sand blasted tips.

### KEY FEATURES

- 4 Plain slot size: 3.2 x 75, 6.0 x 38, 5.0 x 100 and 8.0 x 150mm
- 1 Cross slot: No.1
- 3 PZ type: No.1 and 2 x No.2



Size	Product Code
8 Piece	1001200600000

## 10PC METRIC HEX KEY SET

Hexagon keys with ball end on the long arm and conventional ends on short arm. The ball type hexagon tip allows the hexagon key to be used up to 30° angle from the screwhead recess. Manufactured from chrome vanadium steel that's hardened and tempered.



Size	Product Code
10 Piece	1005022000000

### HI-TORQ® METRIC COMBI SPANNERS

Expert quality forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection.

**KEY FEATURES**

- Polished HI-TORQ® ring end offset at 15°
- Jaw offset at 15°
- Huge range of sizes available



Size	Product Code
Sizes from 6mm - 32mm	10012013

### HD LONG PATTERN COMBI SPANNER

Heavy duty long pattern, fully drop forged chrome vanadium steel hardened, tempered and chrome plated.

**KEY FEATURES**

- Polished ring end offset at 15°
- Jaw offset at 15°
- Huge range of sizes available



Size	Product Code
Sizes from 33mm - 105mm	10012013

### 3/4"SQ COMBINED MM/AF SOCKET SET

12 Point sockets made from chrome vanadium steel that's hardened and tempered with a polished finish.

**KEY FEATURES**

- 11 Metric sockets size 22, 24, 26, 27, 30, 32, 33, 36, 38, 41, 46mm
- 10 Imperial sockets size 15/16, 1 1/8, 1 3/16, 1 1/4, 1 5/16, 1 3/8, 1 7/16, 1 1/2, 1 5/8, 1 3/4" AF reversible ratchet
- 3 Extension bars size 100, 200, 400mm
- Sliding 'T' bar



Size	Product Code
26 Piece	1001200700000

### 1/2"SQ COMBINED MM/AF SOCKET SET

Six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish.

**KEY FEATURES**

- 22 Metric sockets size 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 25, 26, 27, 28, 30, 32mm
- 10 Imperial sockets size 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 5/16, 1" AF
- 3 Spark plug sockets size 10, 12, 14mm
- 72 Tooth reversible ratchet with soft grip handle and "quick release" button
- 3 Wobble extension bars size 75, 125, 250mm
- Sliding 'T' bar & universal joint



Size	Product Code
41 Piece	1001200800000

### TORQUE WRENCH

With a ratchet head, the torque wrench can be used for both tightening and final checking of the torque.

**KEY FEATURES**

- Manufactured according to DIN 3122 standards
- The wrench is equipped with an angular gauge for after tightening



Size	Product Code
40 - 210mm	1001310500000
70 - 350mm	1001310600000

### STRAIGHT TINMAN SHEARS

Forged from high carbon steel hardened and tempered.

**KEY FEATURES**

- Blades induction hardened
- No-nip feature which prevents handles locking together



Size	Product Code
250mm	1001160500000

## PARABOLTS

Assembled through fixing with nut and washer.

### KEY FEATURES

- Available in a variety of sizes



Size	Product Code	80mm (M12)	1002020406600	125mm (M16)	1002020520600
65mm (M8)	1002020209700	100mm (M12)	1002020420200	140mm (M16)	1002020520800
120mm (M8)	1002020220500	120mm (M12)	1002020420500	150mm (M16)	1002020520900
90mm (M10)	1002020320100	140mm (M12)	1002020420800	180mm (M16)	1002020521100
120mm (M10)	1002020320500	180mm (M12)	1002020421100	160mm (M20)	1002020621000
130mm (M10)	1002020320700	105mm (M16)	1002020520300	300mm (M20)	1002020621700

## ROUND WIRE NAILS

The round plain nail is by far the most popular nail in the UK.

### KEY FEATURES

- It is a general purpose nail and is suitable for a variety of applications



Nail Size	Box Size	Product Code
50mm	25kg	1002010102100
65mm	25kg	1002010102200
75mm	25kg	1002010102300
100mm	25kg	1002010102500
150mm	25kg	1002010102900

## WOOD SCREW

Strong and durable wood screws.

### KEY FEATURES

- Pozi head wood screw



Size	Box Size	Product Code
1.5" (38mm)	200	1002010702000
2" (50mm)	200	1002010702100
3" (75mm)	100	1002010702300
4" (100mm)	100	1002010702500



**CUTTING DISCS**

Can be used on a variety of metal & stone applications in an extensive range of sizes. 3mm Thick Cutting Discs and 6mm Grinding Discs have a long lifespan, offering great performance and quality. Manufactured to European safety standards EN12413.

Type	Size	Product Code
Steel Cutting Disc	4.5"	1002050502600
Steel Cutting Disc	9"	1002050503200
Steel Cutting Disc	12"	1002050503500
Stone Cutting Disc	4.5"	1002050702600
Stone Cutting Disc	9"	1002050703200
Stone Cutting Disc	12"	1002050703500
Steel Grinding Disc	4.5"	1002050602600
Steel Grinding Disc	9"	1002050603200
Stone Grinding Disc	9"	1002050803200



**EXTRA THIN STEEL CUTTING DISC**

A superior quality European manufactured range of extra thin cutting discs produced to O.S.A safety standards. Extremely fast and precise cutting with minimal effort required. These discs have been developed for precision cutting sheet metal and with strengthened core stability for reduced vibration.



Type	Size	Product Code
Steel Cutting Extra Thin Disc	4.5"	1002052002600
Steel Cutting Extra Thin Disc	9"	1002052003200

**STEEL SLITTING CUTTING DISC**

A range of high performance cutting discs for angle grinders for all mild carbon steel and stainless steel types. Can be used with all mild carbon steel and stainless steel types.



Type	Size	Product Code
Steel Slitting Cutting Disc	4.5"	1002052102600
Steel Slitting Cutting Disc	5"	1002052102700
Steel Slitting Cutting Disc	9"	1002052103200

**TCT SAW BLADE**


Expert quality, Tungsten Carbide Tipped (T.C.T) blades, hardened and tempered to ensure a long life.



Size	Product Code
230x30mm	1002050900000

**CONCRETE/ASPHALT BLADE**


A laser welded blade with a wide gullet design, 13mm conical segments and 3 deep draft segments for lower vibration levels and longer life. Fast cutting with a long life.



Size	Product Code
18"	1002050104100

**TCT SAW BLADE**

A laser welded blade with key hole gullet design and 13mm conical segments for lower vibration levels and longer life. Very fast cutting with very long life.



Size	Product Code
12"	1002050203500

## DURO PLUS SDS PLUS HAMMER DRILL BITS

Premium quality with high quality jointing methods between tip and body. Precision machined SDS+ shank to limit power tool wear with special flute design for speed & strength

### KEY FEATURES

- Ideal for all masonry and concrete types
- Creating truer, rounder holes for all fixings applications and through holes
- Sizes include:
  - M6 x 110mm, 160mm, 210mm
  - M7 x 160mm, 210mm
  - M8 x 160mm, 210mm, 450mm
  - M10 x 160mm, 210mm, 260mm, 310mm, 450mm
  - M12 x 160mm, 210mm, 310mm, 450mm
  - M16 x 210mm, 310mm, 450mm
  - M20 x 210mm, 300mm, 450mm



Size	Product Code
A huge range of sizes available. Contact us for more details.	100203

## DURO PLUS SDS MAX HAMMER DRILL BITS

Premium quality with high quality jointing methods between tip and body. Precision machined shank to limit power tool wear with high concentricity between tip / body / shank.

### KEY FEATURES

- Ideal for all masonry and concrete types
- Creating truer, rounder holes for all fixings applications and through holes
- Sizes include:
  - M12 x 390mm
  - M14 x 390mm, 540mm
  - M18 x 305mm, 390mm, 450mm
  - M32 x 570mm
  - M35 x 570mm
  - M38 x 570mm
  - M40 x 570mm



Size	Product Code
A huge range of sizes available. Contact us for more details.	100203

## DUST SUPPRESSION WATER BOTTLE

The suppression of dust created by the use of hand-held saws in all working environments. Fits directly to the saw and only requires a water source.

### KEY FEATURES

- 13 Ltr dust suppression water tank complete with 4 metre length external hose
- Internal water feed and pressure relief valve
- Made from high density polyethylene.



Size	Product Code
13 Ltr	1002052200000

## PAINTBRUSH

No bristle loss paintbrush designed for a smooth finish. Filament thickness designed for great paint pick up. Filament length designed for effective paint coverage. Suitable for use with emulsion, varnish & oil based paints.

### KEY FEATURES

- Classic handle
- Tapered synthetic filament for even paint offload



Size	Product Code
25mm (1")	1001060701900
50mm (2")	1001060702100
75mm (3")	1001060702300
100mm (4")	1001060702500

## BARHALE FAST ENAMEL PAINT

For use on all machinery, plant, sheet metal and general fabrication work or other suitably pretreated substrate, where a tack free time of 1 hour is desirable.

### KEY FEATURES

- Quick drying enamel giving a durable high gloss finish



Colour	Size	Product Code
Blue	5 Ltr	1001060500400
Yellow	5 Ltr	1001060500100

## 9" ROLLER TRAY KIT

Comprehensive kit for completing a painting job on smooth or semi smooth surfaces.

### KEY FEATURES

- Set contents: 1 x 9" paint tray, 1 x 5 cage roller frame, 2 x 9" medium pile roller sleeves



Size	Product Code
9"	1001060803200

## 4" ROLLER TRAY KIT

Comprehensive kit for completing a painting job on smooth or semi smooth surfaces.

### KEY FEATURES

- Set contents: 1 x 4" paint tray, 1 x 4" roller frame, 2 x 4" medium pile roller sleeves



Size	Product Code
4"	1001060802500

## MINI ROLLER REFILL

Faithfull Medium Pile Mini Roller Refills for use with emulsion paints on smooth and semi smooth surfaces.



Size	Product Code
Pack of 10 x 4"	1001061300000

## LONG PILE ROLLER REFILL


For smooth and semi smooth surfaces. Thermal bonded sleeve construction for minimal hair loss.



Size	Product Code
9"	1001060903200

## GLOSS ROLLER REFILL

For smooth and semi smooth surfaces. Strong plastic core for long life. Thermal bonded sleeve construction for minimal hair loss.



Size	Product Code
Pack of 10 x 4"	1001060902500

## EXPANDING FOAM GUN

Zinc expanding foam gun with steel barrel and trigger.

### KEY FEATURES

- For use with most sizes of expanding foam aerosol canisters
- Easily load gun grade expanding foam and pull trigger to use



### Product Code

1001010800000

## GG EXPANDING FOAM

A quick setting polyurethane based foam which expands greatly on application and yields up to 50 times original can contents.

### KEY FEATURES

- Can be cut, plastered, sawn and sealed over after approximately one hour
- Fills irregular gaps



Size	Product Code
750ml	1001010700000

## EXPANDING FOAM

Hand Held Expanding Foam. A quick setting polyurethane based foam which expands greatly on application and yields up to 50 times original can contents.

### KEY FEATURES

- Can be cut, plastered, sawn and sealed over after approximately one hour
- Fills irregular gaps



Size	Product Code
750ml	1001010100000

## SILICONE SEALANT

General purpose silicone sealant easily fits in caulking gun. Easy to use. Available in 2 colours.



Colour	Product Code
White	1001010600700
Clear	1001010601000

## STICK 2 SPRAY CONTACT ADHESIVE

Sprayable glue which bonds to most common materials including wood, concrete, stone, tiles, rubber, foam, metals, rigid plastics, polyethylene, canvas fabrics, cardboard, paper and cork.

### KEY FEATURES

- Ideal for securing most floor coverings
- Suitable for both internal and external use
- Gives permanent or temporary adhesion
- Halogen and CFC free



Size	Product Code
500ml	1002040700000

## WD-40 MULTI-USE LUBRICANT

WD-40® is an all purpose liquid for displacing moisture, corrosion control, lubrication, cleaning and penetration.

### KEY FEATURES

- Cleans: gets under dirt, marks and grease, making it easy to wipe them away
- Protects: metal surfaces with corrosion-resistant ingredients to shield against moisture and other corrosive elements
- Lubricates: any elements
- Penetrates: loosens rust to metal bonds
- Displaces moisture: Quickly dries out electrical systems



Size	Product Code
450ml	1001131900000



## PVC ELECTRICAL TAPE

Certified to EN 60454-3 flame retardant standard. This professional tape is designed for insulation of electrical wires and comes in a full range of British standard colours including the new legislation colours of grey and brown.

### KEY FEATURES

- Professional tape
- Variety of colours and sizes available



Colour	Size	Product Code
Red	19mm x 33m   19mm x 20m	10012309
Blue	19mm x 33m   19mm x 20m	10012309
Yellow	19mm x 33m	10012309
White	19mm x 33m   19mm x 20m	10012309
Black	19mm x 33m   19mm x 20m	10012309

Colour	Size	Product Code
Green	19mm x 33m   19mm x 20m	10012309
Yellow/Green	19mm x 33m	10012309
Grey	19mm x 33m	10012309
Brown	19mm x 33m	10012309

## NON ADHESIVE BARRIER TAPE

Most commonly used warning device on building sites.

### KEY FEATURES

- Supplied in a box
- Different colours available



Colour	Size	Product Code
Red/White	70mm x 500m	1001230609909
Yellow/Black	70mm x 500m	1001230609901

## MASKING TAPE

Multi-purpose crepe paper tape for general painting, bundling and protection. Easy to use and will remove easily from a variety of different surfaces.

### KEY FEATURES

- Ideal for painting
- Easily removes from surfaces
- Leaves no sticky residue



Colour	Size	Product Code
Cream	18mm x 25m   24mm x 25m   36mm x 25m   48 x 25m   18mm x 50m   24mm x 50m   36mm x 50m   48 x 50m	10012310

## HAZARD WARNING TAPE

A statutory requirement for safety in the workplace. Used to warn people of dangerous areas.

### KEY FEATURES

- Self adhesive
- Different colours available



Colour	Size	Product Code
Red/White	50mm x 33m	1001230500900
Yellow/Black	50mm x 33m	1001230500100

## PTFE WHITE TAPE

Thread sealing tape, certified to BS6920 and WRAS approved.

### KEY FEATURES

- Easy to apply
- Ideal for plumbing
- Sold in a pack of 10



Size	Product Code
12m	1001231136500

## UNDERGROUND DETECTOMESH TAPE

BS EN 12613:2001, this warning plyage material is specified by the major utilities, giving warning in the bucket and in the trench. It is designed to fragment when disturbed in such a way that the operator will have the best chance of prior warning.

### KEY FEATURES

- Stainless steel detection wire along the length
- Resistance to micro-organisms
- UV resistance
- Non polluting



Product	Size	Product Code
Electric Cable Below	200mm x 100m	3005032203100
Water Pipe Below	200mm x 100m	3005032303100
Sewer Pipe Below	200mm x 100m	3005032403100
Fire Mains Below	200mm x 100m	3005032503100
Gas Pipe Below	200mm x 100m	3005032603100

## STANDARD PE WARNING TAPE

Specified by most utility companies, contractors will partially back fill and then lay these tapes as a warning device for future excavations.

### KEY FEATURES

- Several different options available



Product	Size	Product Code
Caution Electric Cable	150mm x 365m	3005030300000
Caution Gas Mains	150mm x 365m	3005030400000
Caution Telephone Cable	150mm x 365m	3005031100000
Caution Water Pipe	150mm x 365m	3005030200000
Caution Street Lighting Cable	150mm x 365m	3005030500000

## GAFFA TAPE

Gaffa tape with a stronger adhesive for extra security and peace of mind. Made in the UK and available in a variety of colours and sizes.

### KEY FEATURES

- Strong adhesive
- Variety of colours and sizes




Colour	Size	Product Code
Black	50mm x 50m   75mm x 50m   100mm x 50m	10012370
Silver	50mm x 50m   75mm x 50m   100mm x 50m	10012370
White	50mm x 50m   75mm x 50m   100mm x 50m	10012370

## BUFF PARCEL TAPE

Polypropylene parcel tape for general packing applications.

### KEY FEATURES

- Ideal for packaging
- Brown parcel tape
- Easy to use



Size	Product Code
50mm x 66m	1009021500000

## PALLET WRAP

Used for securing and protecting loads onto pallets.

### KEY FEATURES

- Can be stretched up to 300%



Colour	Size	Product Code
Clear	500mm x 250M	1009021200010
Black	500mm x 250M	1009021200000

## PETRO TAPE

Anti-corrosion flexible petroleum tape. Use on pipes, valves, joints and cables.

### KEY FEATURES

- Anti-corrosion tape
- Seals against effects of weathering
- Protects against water, chemicals etc.



Size	Product Code
100mm x 10m	1001235106400

## MASTIC DENSO PROFILING

Mastic Denso Profiling is an applied self-supporting moulding mastic.

### KEY FEATURES

- Provide a smooth profile on irregular shaped fittings



Size	Product Code
14kg	1001011400000

## TYWIRE STEEL TAPE

Stainless steel Tywire.

### KEY FEATURES

- Strong and durable



Size	Product Code
12kg	1001231200000

## BUBBLE WRAP

Ideal for cushioning and surface protection. Offering protection against shock and vibration.

### KEY FEATURES

- Contains recycled materials



Size	Product Code
200m	1001233300000

### GRIT BIN

Produced from prime UV stabilised poly, giving you a durable yet rigid heavy duty product which is corrosion proof, weather proof and able to withstand the common winter elements.



Size	Product Code
200 Ltr	1001210211400

### ROCKSALT

A great winter product to help with ice and snow making the ground more stable.



Size	Product Code
23kg	1001210400000

### DE-ICER SPRAY

Car windscreen De-Icer Spray.

#### KEY FEATURES

- Makes screen cleaning easy on frosty days
- Trigger spray means no accelerants are used



Size	Product Code
500ml	1001210600000

### SCREENWASH

An effective Screenwash formula.

#### KEY FEATURES

- Non-smearing formula
- The concentrate formula can be diluted with water and is protected to -5°C



Size	Product Code
1 Ltr	1001210810100
5 Ltr	1001210810300

### 2 STROKE OIL

High performance 2-stroke oil exceeding both APITC and JASO specifications. Stroke engines: 100ml treats 5L of petrol.



Size	Product Code
100ml	1001131700000

### 800 AMP BOOSTER CABLES

Suitable for both top and side post batteries.

#### KEY FEATURES

- Insulated colour coded clamps
- Supplied in storage bag
- Suitable for large vehicles



Size	Product Code
2.6m	1003022000000

### SEAT COVERS

Seat covers, ideal for keeping your vehicle seats clean from dirt or spills. Easily wet wipe clean. Fully waterproof, heavy duty nylon seat covers designed to protect your vehicle upholstery.



Size	Product Code
Van (1 single and 1 double cover)	1001280215000
Car (1 single)	1001280214900

### GREENOX® ADBLUE® SOLUTION

Greenox is the complete AdBlue® solution for operators of diesel engined vehicles and machinery in the UK and Ireland. AdBlue® is used to remove harmful Nitrous Oxide (NOx) emissions from the exhaust gas of diesel engines which are fitted with Selective Catalytic Reduction (SCR) after treatment systems.



Size	Product Code
10 Ltr	1001127100000



**CABLE REEL**

Fitted with thermal overload protection and are manufactured to British Standard BS EN 61242.

**KEY FEATURES**

- Sturdy steel frame
- 2 Outlet sockets to run 1 or more power tools
- Sockets protected with spring loaded flaps to keep unwanted debris out when not in use
- Winding knob



Size	Product Code
110V	1003030400000
240V	1003030200000

**EXTENSION LEAD**

Fitted with an industrial plug and socket to BSEN60309 providing ingress protection to IP44 and added durability and protection from being dropped or dragged around.

**KEY FEATURES**

- Trailing leads are ideal for use with transformers, site lights and power tools to extend their working range



Cable Size	Size	Product Code
14m	110V - 16amp	1003030117700
14m	110V - 32amp	1003030117800

**SPLITTER BOX 110V 16AMP**

Converts the power from a single cable input into a four way output meaning you can run multiple site lights and/or power tools.

**KEY FEATURES**

- Four way box



Size	Product Code
110V - 16amp	1003020317700

**TRANSFORMER 3.3KVA DUAL SOCKET**

The Faithfull Power Plus TRAN33A is a 16 Amp 3.3kVA Twin Outlet transformer, ideal for site use.

**KEY FEATURES**

- Heavy duty GRP weatherproof case which is rated to IP44
- Resettable thermal overload protection and is fitted with BS approved 13 amp plug
- Includes a unique blue LED 'Power On' indicator
- 2 x 110V 16 Amp sockets



Size	Product Code
110V	1003030600000

**EXTENSION CABLE**

Extension Cable with either a smaller 2M cable or a longer 5M cable. Its 4 sockets allow for multiple electrical equipment to be powered.

**KEY FEATURES**

- 4 Way extension cable
- Available in 2 cable lengths



Cable Size	Size	Product Code
2M	240V	1003030305500
5M	240V	1003030305800

**HEATER FAN**

2kw Heater Fan for heating cold rooms.

**KEY FEATURES**

- Dial to allow temperature adjustment
- 2 Heat settings
- Thermostatic control
- Overheat protection



Type	Size	Product Code
Floor	2kw	1003020400000
Wall Mounted	2kw	1003020200000

## RECHARGEABLE SMD LED WORK LIGHT WITH MAGNETIC BASE 900 LUMENS 10W

The Faithfull Power Plus Rechargeable SMD LED Work Light has been developed and designed primarily for tradesmen to use on the worksite or inside where there may be poor lighting, or no lighting at all. One of its biggest benefits is that it is compact and can be easily stored during transit, and won't get in the way during use.

### KEY FEATURES

- Robust and extremely powerful 10W portable light that is incredibly bright, glare free
- Output modes for versatility and extended running times
- Does not emit heat, so the glass is cool to the touch
- Heavy duty Lithium-ion battery is lightweight but powerful, providing from 3 to 12 hours of continuous light on one full charge
- The power bank USB port will enable you to charge personal items such as MP3 players and even mobile phones with a compatible lead
- It is supplied complete with both a mains USB charger and a car charger unit
- Weatherproof to IP65 standard



Size	Product Code
10w	1003012700000

## SMD LED POD SITE FLOODLIGHT

For both commercial and domestic use, and features the latest LED lighting technology, with a single LED providing a high light output with the added advantage of a low power consumption and a cool running temperature.

### KEY FEATURES

- Beam Angle: 120°
- Colour Range: 6500K
- LED Lifetime: 50,000 hours
- LED Type: SMD
- The cable Length is 1.5m (1.00mm<sup>2</sup>)



Size	Product Code
110V	1003013000000

## SMD LED TWIN HEAD TRIPOD SITE LIGHT

Designed for both commercial or domestic use, and features the latest LED lighting technology.

### KEY FEATURES

- Each head contains a single LED that provides a high light output of 1800 lumens, producing a total of 3600 lumens
- LEDs have the added advantage of a low power consumption and a cool running temperature that avoids the burn hazards commonly associated with halogen lighting
- Cable 2.5m



Size	Product Code
1,800 per head	1003013300000

## PROCELL BATTERIES

Procell Batteries provide reliable performance and long-lasting power in a broad range of everyday devices.



Battery	Pack Size	Product Code
AA	10	1003060100000
AAA	10	1003060200000
C	2	1003060400000
D	10	1003060300000
9V	10	1003060500000

### SQUIRE RUSTPROOF COMBI PADLOCK

The Squire CPS Heavy-Duty Rustproof Marine Combi Padlock has a hardened stainless steel, rust-proof shackle with a tough die cast alloy lock body. The padlock is highly resistant to corrosion, offering excellent protection from the elements. The dual compound body cover provides comfortable handling.

**KEY FEATURES**

- 4 Combination wheels spaced comfortably apart, easy to use and cannot be accidentally re-coded.
- You can choose your own code, with a possibility of over 10,000 combinations to choose from



Size	Product Code
50mm	1005023100000

### BRASS CYLINDER PADLOCK

General purpose padlock with hardened steel shackle, brass body and cylinder.

**KEY FEATURES**

- Supplied with 3 keys



Size	Product Code
50mm	1005020102100

### SECURITY CHAIN SLEEVE

PVC Security Chain Sleeve offering additional protection to the chain to limit damage.

**KEY FEATURES**

- PVC Security Chain Sleeve



Size	Product Code
1.2m	1005021705300

### SECURITY CHAIN

Strong and durable braided steel cable with PVC sleeve.

**KEY FEATURES**

- Ideal for many security applications
- 1.5M 8mm Dia Braided Cable




Size	Product Code
1.5m	1005026000000

### KEYED ALIKE BRASS PADLOCK

A solid brass body and a hardened steel shackle with NANO PROTECT™ coating.

**KEY FEATURES**

- The inner components are made from non-corrosive materials
- Ideal for securing valuables / goods of medium value or at an average risk of theft



Size	Product Code
50mm	1005020700000

### RATCHET STRAP

Made from hardwearing webbing outfitted with tie down hardware and a ratchet for tensioning the strap.

**KEY FEATURES**

- Highly durable material
- Easy to use



Size	Product Code
50mm x 10m	1001280306400

### 48 HOOK KEY CABINET

Heavy duty steel cabinet with lock for hanging up to 48 keys.

**KEY FEATURES**

- Supplied with labels, wall fixings and two keys



Size	Product Code
250 x 180 x 80mm	1005023000000

## CABLE TIES

Ideal for home, garden and electrical use. Available in a range of colours and sizes.

### KEY FEATURES

- Self locking cables



Size	Colour	Product Code
4.8 x 300mm	Yellow	1002060100100
4.8 x 300mm	Blue	1002060100400
4.8 x 200mm	Black	1002060100500
4.8 x 300mm	Green	1002060100800
4.8 x 300mm	Red	1002060100900
2.5 x 100mm	Black	1002060202500

Size	Colour	Product Code
4.8 x 430mm	Black	1002060404000
7.6 x 370mm	Black	1002060522000
4.8 x 300mm	Black	1002060421700
9 x 710mm	Black	1002060604800
4.8 x 300mm	Orange	1002060100200
3.6 x 300mm	Black	1002060800000

## TARPAULIN

Made from laminated woven polypropylene, tear proof, washable, water proof, mildew resistant, with metal grommets.



## EMPTY SANDBAGS

Manufactured using woven polypropylene, these plastic sandbags are ideal for short term flood defence sandbagging and for building defensive walls for flood protection.



## DEBRIS NETTING

Debris Netting available in a variety of colours. Designed to be fitted to the outside of scaffolding.

### KEY FEATURES

- To be secured with cable ties
- Durable Debris Netting



Colour	Size	Product Code
Blue	6ft x 4ft	1001242333704
Green	12ft x 8ft	1001242333908
Blue	24ft x 18ft	1001242334104

Colour	Size	Product Code
White	33 x 76cm	1001230400700
Black	35 x 75cm	1001230400500
Hessian	33 x 76cm	1001230300000

Colour	Size	Product Code
Green	2M x 50M	1004020100800
Blue	2M x 50M	1004020100400
White	2M x 50M	1004020100700

## POLYPROPYLENE ROPE

Incredibly resilient to weather and rot which makes it the perfect choice for builders, hauliers, homeowners, gardeners etc.

### KEY FEATURES

- Can be used to hold down tarpaulins, lashing debris netting to scaffolding and securing loads and luggage up and down the country



Size	Product Code
6mm x 220m	4003010123100
6mm x 500m	4003010123200
10mm x 220m	4003010200000
12mm x 220m	4003010300000
20mm x 220m	4003010500000

## HESSIAN COVER FROST PROTECTION

Ideal to cover concrete and brickwork to protect against frost damage.

### KEY FEATURES

- 100% Natural
- Biodegradable



Size	Product Code
1.37 x 46m	1001242100000
1.83 x 46m	1001242200000
1.83 x 91m	1001242800000



**PETROL CAN & SPOUT**

A colour co-ordinated plastic fuel can with external graduations moulded into the outer casing. Supplied with flexible pouring spout which mounts neatly on can top.

**KEY FEATURES**

- Plastic can
- Screw on cap



Colour	Size	Product Code
Green	5 Ltr	1001111000800
Red	5 Ltr	1001111000900

**METAL JERRY CAN**

A heavy-duty all steel jerry can featuring a lockable filler cap fitted with a rubber seal to prevent leaks and evaporation.

**KEY FEATURES**

- Metal construction
- Certified to the UN standards for the storage of Group II flammable liquid



Colour	Size	Product Code
Green	5 Ltr	1001115710308

**JERRY CAN SPOUT**

Metal spout suitable for use with metal jerry cans. Clips neatly on to the can top to form a tight, leak-free seal and allows more accurate pouring of Jerry Can contents without waste.

**KEY FEATURES**

- Metal construction
- Flexible rubber tip to prevent damage to container
- Rubber seal for water tight connection to the can



Size	Product Code
N/A	1001110900000

**WATER CONTAINER WITH TAP**

Water Container with Tap manufactured from high quality translucent virgin HDPE plastic.

**KEY FEATURES**

- For storing and dispensing water
- Supplied with integral 360° swivelling tap and easy flow screw vent



Size	Product Code
25 Ltr	1001111300000

**WOODEN POLE LADDER**

Heavy duty quality Ladders manufactured from Scandinavian Whitewood stiles with selected hardwood rungs.

**KEY FEATURES**

- Varnished all over with a double coat on stiles for extra protection



Size	Product Code
3m	1004010105600
4m	1004010105700
5m	1004010105800
6m	1004010105900

**CAMDEN CLASSIC WHEELBARROW**

The Camden Classic has an 85 Ltr Black epoxy powder coated tray.

**KEY FEATURES**

- Black frame with a reliable with a one piece tubular design
- Extremely strong and durable product



Product	Size	Product Code
Solid Tyre	85 Ltr	1001300300000
Pneumatic Tyre	85 Ltr	1001300100500

**ANTI-WHIP CHECK**

Anti-Whip Checks prevent hoses from whipping if couplings are accidentally disconnected.

**KEY FEATURES**

- Made from strong and durable steel



Size	Product Code
19mm	1001290201800
50mm	1001290202100

## BASIC BUCKET

Lightweight plastic bucket available in a variety of colours.

### KEY FEATURES

- Metal handle with plastic grip
- Short lip for easy pouring



Colour	Size	Product Code
Red	10 Ltr	1006070300900
Green	10 Ltr	1006070300800
Yellow	10 Ltr	1006070300100

## HD POLYETHYLENE FLEX TUBS

Environmentally friendly Flex TubS are manufactured from 100% recyclable material.

### KEY FEATURES

- Lightweight yet heavy duty polyethylene
- Super strong comfortable handles and is ideal for solids and fluids



Colour	Size	Product Code
Black	42 Ltr	1006070200005
Yellow	42 Ltr	1006070200000

## GALVANISED BUCKET

Durable Galvanised Bucket for everyday use.

### KEY FEATURES

- Metal handle with a wooden grip



Size	Product Code
2.5 Gallon	1006070100000

## PLASTIC BUCKET

General purpose black Plastic Bucket with handle.

### KEY FEATURES

- Metal handle with plastic grip
- Strong and durable



Colour	Size	Product Code
Black	14 Ltr	1006070500500

## RUBBER BUCKET

A tough and versatile bucket that is able to withstand high impacts and rough handling.

### KEY FEATURES

- Made from recycled PVC
- Complete with a handle and spout



Colour	Size	Product Code
Black	3 Gallon	1006070400000

## TRACTOR FUNNEL

Versatile polyethylene oil and fuel funnel for heavy duty garage and agricultural use. 4.7 Ltr capacity.

### KEY FEATURES

- Tapered spout
- Mesh filter that prevent debris from entering the funnel outlet



Size	Product Code
280mm x 190mm	1001110700000

## 1 TONNE BULK WOVEN BAG

A large builder's one tonne bulk storage bag manufactured from a woven polypropylene for superior strength and tear resistance and fitted with four corner loops for easy lifting.

### KEY FEATURES

- Flexible storage bag
- Easy to transport
- Each bag has four 30cm lifting loops
- Maximum loading weight: 1,000kg (single use only at maximum weight)



Size	Product Code
900 x 900 x 800mm	1001231700000

## PERMANENT LINE MARKER

Line Marker has been specially designed to produce hard wearing clearly visual lines economically. For use on a vast range of surfaces such as car parks, factories, playgrounds, sports fields, tennis courts, golf courses, leisure centres, roads, building sites etc. Can be used free hand or with applicator.

### KEY FEATURES

- Hard wearing Line Marker
- 750ml Spray can
- Easy to apply
- Available in a range of colours



Colour	Product Code
Red	4002020100900
Blue	4002020100400
Yellow	4002020100100

Green	4002020100800
Orange	4002020100200
White	4002020100700
Black	4002020100500

## TEMPORARY LINE MARKER

Temporary Line Marker can be used on most surfaces where a temporary mark is required. The product is useful for indicating areas of excavation, construction work and accident scene marking.

### KEY FEATURES

- 750ml Spray can
- Easy to apply
- Temporary Line Marker has a useful life of approximately four weeks under dry weather conditions and after removal will leave the area free from unsightly paint marks
- Available in a range of colours



Colour	Product Code
Red	4002020200900
Blue	4002020200400
Yellow	4002020200100

Orange	4002020200200
Green	4002020200800
White	4002020200700
Black	4002020200500

## PROSOLVE™ HARD ROAD CRAYONS

Hard Road Crayons in yellow. Easily use on tarmac.



Size	Product Code
12 Per Pack (Yellow)	4002030800000

## CHALK LINE SET

3 piece Chalk Line Set. Contains 50ft chalk line, chalk and line level.



Size	Product Code
50ft	4002030600000

## ACTION PAINT MARKER

Requires little pressure to release the specially formulated spirit based opaque paint from the metal barrel. These marks are Xylene free, very fast drying, fade and ultra-violet resistant, similar to an ink marker, but with the opacity of paint. Works best on hard, smooth surfaces, like steel and iron; plastic; glass; pipes and tubes; rubber and tyres; cloth and fabric (textiles).



Colour	Product Code
White	4002020300000

## WOODEN MARKING OUT PEGS

Top quality economical softwood and are most commonly used for general survey projects and setting out on construction sites.

### KEY FEATURES

- These stakes are FSC certified
- Ideal for marking out and for use on construction sites



Size	Product Code
2x2 2ft	4002031323300
2x2 4ft	4002031323400

## INSULATED SETTING OUT PIN

Traditionally, marker pins and fence pins were manufactured from steel, posing a high risk to the user in the event of striking underground power cables. With Tricel's non-conductive pins, this risk gets eliminated.

### KEY FEATURES

- These Line Pins eliminate the risks associated with accidentally striking underground or unseen power cables
- 100% Non-conductive to promote the safety of staff as well as pedestrians
- Lightweight for easy storage and hassle-free transportation
- Strong, resilient and long-lasting ensuring value for money
- Constructed using robust and extremely durable material
- Pins built from this material have no scrap value
- Option tension clips available on demand

Size	Product Code
1m x 16mm	4002032200000

## POLYETHYLENE RANGING LINE

Orange polyethylene ranging line is heavier gauge than the brick line and is commonly used for marking out ground on building sites.



Size	Product Code
30m	4002030100000
100m	4002030400000

## NON-CONDUCTIVE FENCE PINS

Ideal for temporary delineation when used with a non-conductive rope. These barrier fencing pins are lightweight and easy to install – simply push them into the ground in the desired location.

### KEY FEATURES

- Replaceable metal top connector
- Lightweight and easy to use: set up a perimeter in seconds
- Made from non-conductive, durable plastic
- Safer than steel pins
- Diameter: 17.5mm



Size	Product Code
1300 mm (Height)	1001241200000





## LARGE DEE SHACKLES

Dee shackles with safety bolts or screw collar pins for all your lifting and hoisting jobs.

### KEY FEATURES

- Robust Dee Shackles
- Choose among different working loads from 250kg to 9,500kg



Sizes	Product Code
0.5T - 25T	40030302

## BOW SHACKLES WITH SCREW PIN

Bow shackles with safety bolts or screw collar pins for all your lifting and hoisting jobs.

### KEY FEATURES

- Robust Bow Shackles
- Choose among different working loads from 330kg to 55,000kg



Sizes	Product Code
0.5T - 25T	40030301

## WEB SLINGS

General purpose flat slings constructed of 100% heavy-duty polyester webbing. These slings are lightweight, less likely to scratch or damage the load, resist mildew and bacterial growth, and have excellent elongation properties versus their nylon counterparts. For use in choker, vertical and basket hitches.

### KEY FEATURES

- Meets the performance requirements of EN 1492 Part 1:2000
- Minimum breaking load is 7 times the W.L.L
- Manufactured from 100% high tenacity polyester material
- W.L.L from 1 tonne to 50 tonnes available
- Multi leg slings can be produced to order
- Marked with size, manufacturers mark and ID
- A soft alternative to wires and chain
- More sizes available



Size/Colour	Product Code
1 Tonne - Purple	40030201
2 Tonne - Green	40030202

Size/Colour	Product Code
3 Tonne - Yellow	40030203
5 Tonne - Red	40030205

## ROUND SLINGS

Our most versatile sling to date the round sling is constructed of high tenacity polyester fibres which are protected by a durable polyester cover. The very nature of our round slings offer greater flexibility, moulding to irregular loads and have a very low weight to length ratio versus more traditional chain and wire options.

### KEY FEATURES

- Conforms to EN 1492 Part 2:2000
- Manufactured from 100% high tenacity polyester material
- Covered by a seamless close woven, heavy duty polyester tubular sleeve
- Minimum breaking load is 7 times the W.L.L
- Wear sleeves are available to suit all capacities and lengths
- Marked with manufacturers mark, size, length and ID mark
- Supplied with an EC declaration of conformity
- More sizes available



Size/Colour	Product Code
1 Tonne   1m - Purple	4003021013300
2 Tonne   1m - Green	4003021013400


Size/Colour	Product Code
3 Tonne   1.5m - Yellow	4003021113800
5 Tonne   2m - Red	4003021518200

## TIE TAGS

Whether for LOLER, PUWER, Work at Heights, Noise Control purposes or for general identification and ownership this tag will suit your company's needs. With its unique ratchet style fastener (including a ribbed arrow head feeder) this tag is simple to use and extremely robust. The ratchet allows the user to fasten the tag snugly to the equipment or plant being tagged, preventing it from hanging loosely or getting caught or snagged in moving equipment.

### KEY FEATURES

- The ribbed arrow head fastener assists grip when attaching the Easitag
- 61mm (width) x 275mm (length)
- Complete with BCS Group logo



Colour	Product Code	Blue	4003041300004
Yellow	4003041300001	White	4003041300007
Orange	4003041300002	Green	4003041300008

## LIFTING BAG

Made from strong polypropylene material with reinforced base for extra strength.

### KEY FEATURES

- Strong stitched handles
- Each bag has its own serial number & comes with certification
- For lifting loose items up to 30kg, ideal for building sites / scaffolders etc



Sizes	Product Code
30KG	4003041500000

## MANHOLE LIFTING KEY

Heavy-Duty Manhole Cover Lift Keys have rectangular shaped ends.



Sizes	Product Code
500mm (Pair)	1001071504300

## AUTOMATIC MANHOLE PIN

The pin features an automatic drop latch which secures the pin in the manhole.



Sizes	Product Code
2T	4003041800000
1.5T	4003041900000

## MANHOLE LIFTING PIN

M30 Bolt complete with washer.



Product Code
4003040100000

## EYE NUT M30

For use with the Manhole Lifting Pin. Requires approval from Contracts or Operations Manager.



Product Code
4003041100000

## SLING WEAR SLEEVE

Sling Wear Sleeve to protect slings from damage and general wear and tear.



Product Code
4003041018200

## MASTERCONE

Incorporating the Melba Swintex high performance prismatic Starlux™ sleeve, the Mastercone is highly visible to all motorists.

### KEY FEATURES

- 2 Piece cone
- Blow moulded top with easy grip access
- 100% Thermoplastic recyclable PVC base with anti-slip feature
- Fitted with high performance Starlux™ pocketed prismatic sleeve, offering superb daylight luminance and night time reflectivity
- Bases & centres can also be embossed and coloured
- Centre manufactured from recyclable LDPE and HDPE combined
- Option to change the base colour of the cone



Size	Product Code	Option to be Embossed	Embossed Product Code
750mm	3005022400300	Yes (Minimum order quantity)	3005026200300
1M	3005022403000	Yes (Minimum order quantity)	3005026203000



## STARLITE ROAD CONE

The Starlite cone is a two piece cone, with its centre manufactured from virgin HDPE, and base from recycled PVC.

### KEY FEATURES

- 100% Recyclable
- Blow moulded top with easy grip access
- 100% Thermoplastic recyclable PVC base with anti-slip feature
- Fitted with high performance Starlux™ pocketed prismatic sleeve, offering superb daylight luminance and night time reflectivity
- Bases & centres can also be embossed and coloured



Size	Product Code	Option to be Embossed	Embossed Product Code
750mm	3005022500300	Yes (Minimum order quantity)	3005024600300
1M	3005022503000	Yes (Minimum order quantity)	3005024603000



## MPL ROAD CONE

Cost effective one piece cone manufactured from 100% recycled thermoplastic.

### KEY FEATURES

- Recyclable
- Environmentally friendly
- The base can be coloured to suit



Size	Product Code
500mm	3005022607600
750mm	3005022607700
500mm (No Waiting)	3005022800000



## DEMARICATION ROAD CONE

Made from recyclable material and available in a large variety of colours.

### KEY FEATURES

- Variety of different colour options available including cone and base colours
- Variety of sleeve options also available



Size	Product Code
750mm	3005021003421
1M	3005057603021



### 3 SIDED BOLLARD

The tough 3 Sided Bollard is the ideal cone for implementing parking restrictions.

#### KEY FEATURES

- Manufactured from recycled PVC
- Bright yellow colour



Size	Product Code
500mm	3005022700000

### MASTERCONE GREEN ROAD CONE

One of the most practical two piece cones on the market.

#### KEY FEATURES

- Incorporating the Melba Swintex high performance prismatic Starlux™ sleeve, the Mastercone is highly visible to all motorists



Size	Product Code
1m	3005022403008

### ROAD CONE REPLACEMENT SLEEVES

Replacement reflective road cone sleeves for road cones.

#### KEY FEATURES

- Reflective yellow sleeve with Danger Overhead Cables text and symbol
- Reflective white sleeves



	Size	Product Code
Yellow Sleeve	750mm	3005021203400
White Replacement	750mm	3005022907700
White Replacement	1M	3005022903000

### PREMIUM BATTERY

Ecologically improved battery without mercury and cadmium. Suitable for all weather conditions.

#### KEY FEATURES

- Suitable for all weather conditions and suitable for use in road danger lamps, sequential lamps, warning lamps and any other type of lamp requiring a 6V battery



Size	Product Code
6v	1003060600000

### CONILAMP WARNING LAMP

Innovative, robust and durable LED lamps, easy to deploy with automatic switch-on when cone mounted. Up to 400hrs with only one battery.

#### KEY FEATURES

- Single 6V battery LED Lamp with automatic switch on when cone mounted
- Built-in solar switch for daytime energy saving
- Quick and easy deploy; no keys or tools required
- Integrated cone bracket for firm cone grip
- Robust design to meet harsh operational requirements
- Superior and even light output with special polycarbonate lens (186 dia)
- Long operating times with min. power consumption (up to 400 hrs)
- BS EN 12352:2000 & Chapter 8 Compliant



Colour	Product Code
Amber	3005020700000
Magenta	3005020700026




## GATE BARRIER 2M

The Gate is the most popular original Chapter 8 blow moulded HDPE barrier. Incredible strength and durability. Free standing with 360° swivel feet and free from screws and rivets. Available with anti-trip and standard feet.

### KEY FEATURES

- Incredible strength and durability
- Free standing with 360° swivel feet
- Free from screws and rivets
- Stacks in 50mm (2 inch) with location (40 per pallet)
- Moulded in orange as standard, but can be coloured to suit
- Coloured feet if desired
- A moulded lamp connector
- Barrier to barrier connection is quick and easy
- Manufactured in high density polyethylene



Colour	Conformities	Product Code
Red	BSEN8442   BSEN12899-1   Chapter 8   ACOP   Traffic Signs Regulations & General Directions	3005012900000
Blue	BSEN8442   BSEN12899-1   Chapter 8   ACOP   Traffic Signs Regulations & General Directions	3007126000000

## UTILITY BARRIER

The Utility Barrier is a great solution for any variety of Utility Works. Locating lugs are incorporated onto the barrier so that the reflective material is not damaged when the barrier is stacked. Corporate identity can be embossed onto the front & back face of each Barrier panel.

### KEY FEATURES

- Incredibly stable thanks to the D-Hinge™ & D-Clip™
- Facility for a 600 x 450 courtesy sign
- Compatible with existing barriers on the market
- Manufactured from 100% recyclable material
- Higher reflective area to meet various legislations
- Deep channels to prevent collection of rainwater
- Incredibly durable & lightweight



Colour	Size	Conformities	Product Code
Red	750mm	BSEN12899-1   Chapter 8   ACOP   Traffic Signs Regulations & General Directions	3005019800009
Yellow	750mm	BSEN12899-1   Chapter 8   ACOP   Traffic Signs Regulations & General Directions	3005016300301
Red	1M	BSEN12899-1   Chapter 8   ACOP   Traffic Signs Regulations & General Directions	3005016303009
Yellow	1M	BSEN12899-1   Chapter 8   ACOP   Traffic Signs Regulations & General Directions	3005016303001

## ROAD ROCK

The Road Rock is a multifunctional base and the first product of its kind that will allow a temporary pedestrian barrier to pass Class B wind speeds (17.6m/s) by providing the precise weight needed each time, using two Road Rocks.

### KEY FEATURES

- 15kgs in Weight
- Option to be embossed and choose from a range of colours
- Interlocking for continuous runs
- Fits all Melba Swintex Streetworks Barriers
- Barriers pass Class B
- No sandbags required for Class B & C
- Angular movement on interlocking
- Can house a Traffic Cylinder
- Handle for easy lifting
- Manufactured from 100% recycled material




Colour	Conformities	Product Code
White	Chapter 8 - The Traffic Signs Manual / ACOP	3005014500007
Red	Chapter 8 - The Traffic Signs Manual / ACOP	3005014500009

## FIXED LEG CROWD BARRIERS

With a single piece of tube making up the entire frame this reduces the number of welded joints used to fabricate these barriers. In addition a thicker gauge mild steel tube is used which in turn, results in a much stronger crowd barrier.

### KEY FEATURES

- Extremely durable and strong
- Galvanised barrier
- One piece crowd barrier
- Increased product longevity



Size	Conformities	Product Code
2.3M	N/A	3005010200000

## STANDARD FOOT

The Standard Foot is the most common foot for the Melba Swintex Barrier range. 360° movement.



Colour	Product Code
Yellow	3005017900000
Black	3005018200000

## ANTI-TRIP FOOT

The Anti-Trip Foot is designed to prevent stumbles and falls around utility work areas. Unlike standard feet, the foot does not protrude into walkways, or where there is public access.



Colour	Product Code
Yellow	3005017400000
Black	3005018300000

## TUFF FOOT

A modified version of the Standard Barrier Foot. Twice the size, twice the weight, improving stability, which results in greater wind resistance.



Colour	Product Code
Black	3005018900000

## ANTI-TRIP TUFF-AT

The Tuff-AT Foot is a modified version of the Anti-Trip Barrier Foot. The Foot is designed to prevent stumbles and falls around utility work areas.



Colour	Product Code
Black	3005012200000

## SSD GOALPOSTS

HSE GS6 Telescopic Height Barriers for use in various industries to protect height sensitive collisions which may occur during construction or maintenance procedures. The SSD Goalposts are lightweight, affordable and easily transportable.

### KEY FEATURES

- HSE GS6 compliant
- Collapsed pole length: 1.72M | Extended pole length: 7.3M
- Base section OD: 42mm
- Number of sections (per pole): 6 | Pole weight: 5kg
- Safe non-electrically conductive material of construction
- All clamps are hand controlled and adjustable without extra tooling
- High visibility GS6 compliant red and white
- Alternating sections
- Solid steel base weight: 13.5kg | 50cm x 50cm
- Securing tube height: 50cm
- Separates for easy storage and transport



Size	Conformities	Product Code
7.3M	N/A	3005012300000

### SKIPPER RETRACTABLE BARRIER

The award winning Skipper unit has 9m (30ft) of high visibility retractable tape, making it the most cost-effective and easy to use barrier on the market.

#### KEY FEATURES

- Skippers range of applications also make it perfect for sectors such as traffic management, construction, facilities management and so many more
- 9m of high visibility tape
- Range of colours available



Size	Product Code
145mm x 240mm	3005010300000

### BARRIER MESH FENCING

Euromesh™ barrier fencing mesh is an extruded barrier mesh for cordoning off areas.

#### KEY FEATURES

- Euromesh™ safety fence is easy to erect using steel fencing pins
- Provides higher visibility and strength than standard barrier tapes



Colour	Size	Product Code
Orange	1 x 50M	1001240200200
Blue	1 x 50M	1001240200400

### FENCEBRITE REFLECTIVE STRIPS

Available in 2M and 3.5M reflective strips for security fencing.

#### KEY FEATURES

- Fitting straps are included
- Attach to fencing and similar objects to increase visibility for vehicles
- Easily attach and reattach to objects via included fitting straps



Size	Product Code
2M	3005014313300
3.5M	3005014300000

### INSULATED LINE PIN

The Insulated Road Pin Eliminates the risk associated with striking underground power cables.

#### KEY FEATURES

- Used as an alternative to steel line pins
- Comes complete with a reinforced steel point & end cap for use in difficult ground conditions



Size	Product Code
1m	1001241300000

### POINTED ROAD PINS

Steel fencing road form pins, constructed of mild steel.

#### KEY FEATURES

- Strong and durable
- Point at one end to penetrate the toughest of ground conditions



Size	Product Code
16 x 600mm	3005029700000
16 x 1200mm	3005026600000

### REBAR CAPS

For use with rebars.

#### KEY FEATURES

- Pack of 250
- Tough
- Highly visible



Size	Product Code
6-18mm	1001030300000
16-32mm	1001031500000

### BUNTING

Red and white bunting ideal for use as caution markers on site.

#### KEY FEATURES

- Red/white bunting on red string



Colour	Size	Product Code
Red/White	26m	3005021900000

## ENDURAMAT TEMPORARY ROAD SURFACE

Heavy duty ground protection mat suitable for worksites, events and temporary access. The EnduraMat has a small grip on the top and a large grip on the bottom, making it suitable for vehicle access and pedestrian access.

### KEY FEATURES

- Ground protection mat for vehicles & pedestrians
- Temporary walkway & temporary road surface
- Reversible anti-slip surface
- Suitable for heavy traffic up to 80 tonnes
- Lightweight and heavy-duty connectors available
- Colour and logo customisation
- Create a large protected area using the connectors
- Quick and easy to install, 50m<sup>2</sup> covered in 15 minutes
- 100% Recyclable



Product	Size	Product Code
EnduraMat	2440 x 1220mm	3005025800000
EnduraMat Coupler	N/A	3005025900000

## LOWPRO® 12/8 TRENCH COVER

The LowPro 12/8® Trench Cover is a versatile trench cover that is suitable for pedestrians and 2 tonnes vehicles over a 700mm trench. The anti-slide technology, on the underside and edges of the LowPro®, is made from a soft, flexible, rubber material which grips the surface reducing unwanted movement. Use with LowPro Infill to remove trip-hazards.



Size	Conformities	Product Code
1200 x 800mm	HAUC 2018/01	3005021400000

## SUPAGRIP® SAFEKERB RAMP

The SupaGrip® Ramp provides safe access for wheelchair, pushchair, mobility scooter, bicycle and foot traffic up to 350kg. Adapts to varying kerb or step heights (60mm to 160mm). It is also anti-slip and highly visible as well as being 100% recyclable.



Size	Conformities	Product Code
1282 x 760mm	HAUC 2018/01	3005026400000

## SAFEKERB WHEELCHAIR RAMP

The SafeKerb Ramp provides safe access for wheelchair, pushchair, motorised wheelchair, bicycle and foot traffic up to 250kg. The SafeKerb Ramp is commonly used to provide access from kerb to road when the pavement is closed for street works. For use on kerbs between 60 - 160mm in height.



Size	Conformities	Product Code
1265 x 747mm	HAUC 2018/01	3005021700000

## RAMP CABLE PROTECTOR 2 CHANNEL

Straight 2 channel cable protector section. Max speed 5mph. Please note that this cable protector has a height of 105mm and is therefore only suitable for commercial vehicles and vehicles with a high ground clearance.



Size	Product Code
900 x 610 x 105mm	3005020300000



**METAL ROAD PLATES (600MM, 750MM & 900MM)** \* Also available as cone signs.

Metal Road Plates easily fit onto Metal Frames, which can be seen on the following pages. Please note the below is a small selection of Metal Road Plates, we have a wider range available. If you would like to know what others options are available, please feel free to contact us for more information.

**KEY FEATURES**

- Strong and durable Metal Road Plates
- Easily fit onto metal frames
- A range of sizes available for each Metal Road Plate including; 600mm, 750mm and 900mm
- More options available



**ROAD WORKS AHEAD**




Drawing	Product Code
7001	30010201

**LOOSE CHIPPINGS ON ROAD**




Drawing	Product Code
7009	30010210

**ROUNDBABOUT AHEAD**



Drawing	Product Code
510	30010218

**ROAD NARROWS ON BOTH SIDES**



Drawing	Product Code
516	30010203

**ROAD NARROWS LEFT**




Drawing	Product Code
517a	30010204

**ROAD NARROWS RIGHT**



Drawing	Product Code
517b	30010205

**TWO-WAY TRAFFIC**



Drawing	Product Code
521	30010207

**TRAFFIC SIGNALS AHEAD**



Drawing	Product Code
543	30010202

**ROAD HUMP(S) AHEAD**



Drawing	Product Code
557.1	30010219

**METAL ROAD PLATES (600MM, 750MM & 900MM)** \* Also available as cone signs.

More Metal Road Plate options are shown below. Contact us for more information on our Traffic Management products.

**OTHER DANGER AHEAD**



Drawing	Product Code
562	30010208

**TRAFFIC QUEUES LIKELY**



Drawing	Product Code
584	30010216

**GIVE WAY**



Drawing	Product Code
602	30010212

**KEEP LEFT**




Drawing	Product Code
610a	30010101

**KEEP RIGHT**



Drawing	Product Code
610b	30010101

**PASS EITHER SIDE**



Drawing	Product Code
611	30010133

**NO RIGHT TURN**



Drawing	Product Code
612	30010123

**NO LEFT TURN**



Drawing	Product Code
613	30010122

**NO U-TURNS**



Drawing	Product Code
614	30010135

**NO ENTRY**



Drawing	Product Code
616	30010117

**NO OVERTAKING**



Drawing	Product Code
632	30010134

**MAXIMUM SPEED LIMIT**



Drawing	Product Code
670	30010111

METAL ROAD PLATES

Below are a few examples of signs designed for temporary roadworks. All safety signs are manufactured in-house and we routinely produce bespoke signs on request. For special requirements, our sales team are always on hand to assist with the design and creation of the signs you need for your site.

					
645	518	572	7001.1	607	543.1
					
811	7008	7010.1	7010.1	7010.1	7010.1
					
7010.1	7010.1	7010.1	7010.1	7011	7011
					
7011.1	7012	7013	7013	7014	7015
					
7021	7022	7301	7302	7304	7305
					
7017	7018a	7018b	7018c	7018d	7018e
					
7000	BLANK	BLANK	601.1	7024	7019
					
2703	2703	2704	2702	2702	2702

## PLASTIC Q-FRAME

An industry first from Melba Swintex, an all plastic Quick Fit Frame. Implementing the revolutionary Quick-Lock fasteners that are fitted as standard. These remain securely in place allowing a quick and easy sign face installation. The frame takes 300mm and 450mm centre sign plates. Black as standard with corporate branding and various all-through colour options available.

### KEY FEATURES

- Takes 300mm and 450mm centre sign faces
- Revolutionary Quick-Lock fasteners
- Lighter than steel = less weight in vehicle
- Non-Metallic with no scrap value
- Non-Conductive
- 100% Recyclable
- Stackable - 80 to a pallet
- Can be branded with customer logo. Minimum run applies
- Can be manufactured in corporate colours. Minimum run applies
- 25mm Secure webbing prevents leg over splay



Size	Product Code
600mm	3001121400205

## TRIANGLE FRAME

Designed to complement our wide range of metal signs. Featuring cross braced twin back legs for increased stability.



Size	Product Code
600mm	3001090100200
750mm	3001090100300

## TRIANGLE FRAME CW SUP

Designed to complement our wide range of metal signs. Featuring cross braced twin back legs for increased stability.



Size	Product Code
600mm	3001090300200
750mm	3001090300300

## SQUARE FRAME

Designed to complement our wide range of metal signs. Cross braced twin back legs for increased stability.



Size	Product Code
600mm	3001110100200
750mm	3001110100300

## SQUARE FRAME C/W SUP

Designed to complement our wide range of metal signs. Cross braced twin back legs for increased stability.



Size	Product Code
600mm	3001110300200
750mm	3001110300300

## SQUARE FRAME C/W SUP

Designed to complement our wide range of metal signs. Cross braced twin back legs for increased stability.



Size	Product Code
600 x 450mm	3001100100800
1050 x 450mm	3001100100600
1050 x 750mm	3001100100700

## QUICK-FIT STEEL FRAME

Used for high speed signs. The frames are durable and easy to use at the side of any high speed road.



Size	Product Code
600mm	3001120200000
800mm	3001120500000
900mm	3001120600000
1200mm	3001120300000

**\*TALK TO US ABOUT BESPOKE WELDED NAME PLATE OPTIONS AND POWDER COATINGS**



**BARHALE FINGERBOARDS (CORREX)**



Size	Product Code
430 x 200mm	3003013103512
600 x 200mm	3003017003512

Size	Product Code
430 x 200mm	3003016416712
600 x 200mm	3003016401812

Size	Product Code
430 x 200mm	3003013103612
600 x 200mm	3003017003612

**BARHALE SIGN**



Material: Magnetic	
Size	Product Code
450 x 90mm	3003011300100
750 x 150mm	3003011300300
600 x 200mm	3003011301800
900 x 300mm	3003011302200
1220 x 400mm	3003011311500

Material: Correx	
Size	Product Code
600 x 200mm	3003012901800
1200 x 300mm	3003012902500
2440 x 610mm	3003012902700



**BARHALE FLAG**

6m Flag Pole (with rope kit)

Size	Product Code
1800 x 900	3003011100016
Pole Kit	1009020500000




**SCHEME BOARD**

Material: Correx

Size	Product Code
2440 x 1220	3003010900000


**SITE HAZARD SIGN**

To be displayed on site in a prominent location and updated weekly to reflect current site hazards. This information must also be covered during the site specific induction. Material: Correx



Size	Product Code
900 x 600mm	3003013208500

**VISION, MISSION STATEMENT**




Material: Foamex

Size	Product Code
297x420	3003040100000

**3 PILLAR MODEL**

Material: Foamex



Size	Product Code
594x420mm	3003041600000

**SITE SAFETY BOARD (LARGE)**

**Barhale**

**ARRIVE SAFELY**

ALL VISITORS AND DRIVERS MUST REPORT TO SECURITY

Children must not play on this site

**WORK SAFELY**

Construction site

Keep out

Safety helmets and safety boots must be worn on this site

High visibility jackets must be worn beyond this point

No unauthorised persons allowed on this site

No smoking except in designated areas

DANGER HEAVY PLANT OPERATING

**LEAVE SAFELY**

TAKE PRIDE IN WORKING SAFELY

**Barhale**

**SITE SAFETY**

All visitors must report to site office

Construction sites are hazardous areas

Safety equipment must be worn

Unauthorised entry is strictly forbidden

Safety helmets must be worn

Children are prohibited on this site

Health and Safety at Work Act 1974  
Any one entering these premises must comply with the regulations covered by the above act

**SITE SAFETY BOARD (SMALL)**

**Barhale**

**Site Office**

**SITE OFFICE**

Sign	Size	Product Code
Site Safety Board (Large) Correx	900 x 1800mm	3002060808012
Site Safety Board (Small) Correx	800 x 600mm	3002060808112
Site Office Rigid Plastic	450 x 150mm	3002050101611

**SAFE CONDITION SIGNS (ZINTEC)**

**Barhale**

**General**  
General, office & canteen

**Plastic**  
Plastics only


**Wood**  
Wood waste only

**Metal**  
Metal waste only

Sign	Size	Product Code
General waste	600 x 450mm	3003015100828
Plastic waste	600 x 450mm	3003015500828
Wood waste	600 x 450mm	3003015200828
Metal waste	600 x 450mm	3003015300828

## HAZARD WARNING SIGNS (RIGID PLASTIC)

There are many different types of hazard signs available. Hazard signs generally have a black safety symbol on a yellow background and should be installed at a distance that is appropriate for the situation.



Sign	Size	Product Code
Caution Fork Lift Trucks	600 x 900mm	3002151608211
Danger Deep Excavation	600 x 200mm	3002030100011
Warning Confined Space	600 x 200mm	3002030300011
Danger Highly Flammable Store	600 x 200mm	3002037701811
Danger High Voltage Cable Overhead	600 x 200mm	3002030500011
Caution Flammable	600 x 200mm	3002030800011
Caution Chemical Store	600 x 200mm	3002151901811
Danger 415 Volts	600 x 450mm	3002151700811
Caution Cylinder Storage Area	600 x 450mm	3002151800811

## MANDATORY SIGNS (RIGID PLASTIC)


A mandatory sign means a sign prescribing behaviour. These signs shall show only what action is required.



Sign	Size	Product Code
Keep Out	600 x 900mm	3002019408211
Ear Protection Must Be Worn	200 x 300mm	3002010101311
All Visitors and Drivers Must Report to Site Office	600 x 450mm	3002012600811
Drive Slowly	600 x 450mm	3002173400811
Now Wash Your Hands	600 x 200mm	3002051901811
Eye Protection Must be Worn	600 x 200mm	3002010301811
Fire Door Keep Shut	600 x 200mm	3002080701811

## PROHIBITION SIGNS (RIGID PLASTIC)

A prohibition sign is a safety sign prohibiting behaviour likely to cause a risk to health & safety.



Sign	Size	Product Code
No reversing without Banksman	1050 x 750mm	3002160600711
10 mph	750mm	3001170600300
Water Not Suitable for Drinking	300 x 200mm	3002020700011
No Mobile Phones	600 x 200mm	3002021801811
No Parking	600 x 200mm	3002020801811
No Smoking	600 x 900mm	3002020208211
No Naked Flames (sticker)	100mm	3002026200910
No Admittance	600 x 200mm	3002160701811
No Pedestrians	600 x 200mm	3002026701811

## SAFE CONDITION SIGNS (RIGID PLASTIC)

Safety signs giving information on escape routes, emergency exits, first aid or rescue facilities.



Sign	Size	Product Code
First Aid	200 x 300mm	3002070101311
Designated Smoking Area	600 x 200mm	3002052000811
Emergency Assembly Point	600 x 450mm	3002082400811
Fire Exit (right)	600 x 200mm	3002095201811
Emergency Eye Wash	600 x 200mm	3002070601811
Drinking Water	600 x 200mm	3002092001811



COVID-19 SIGNAGE

To support the Barhale COVID-19 response, the below products are available.

**Mandatory Close Proximity Working PPE**

- Gloves**
- Respiratory masks**
- Eye protection**





**Close Proximity Working Zone (Less than 2M)**

**Authorised persons only**

**Barhale** SAFEGUARDING PEOPLE SAFEGUARDING UTILITIES

**COVID-19 Response**



Keeping water running, sewers flowing, power on and preventing flooding.

Key Workers maintaining the nations' critical infrastructure

Safety | Communication | Quality | Integrity | TeamSpirit | Caring | Trust | Pride



**Ensure cab is deep cleaned daily after use**



**Single person hand washing only**



**Keep table surfaces clean after use**



**Now wash your hands**



**Sanitise your hands before entering site**



**Sanitise your hands before leaving site**

**Barhale**

**This work is classified as a Category 3**

Close Proximity Working - Requiring face to face/skin to skin




Display sign indicated above at work zone

- No skin to skin contact authorised - arms must be covered
- Mandated PPE which must be worn at ALL times - Optional use of face masks by individuals
- Personnel to work 'side by side' or facing away from each other, rather than face to face
- Face to Face working to be completed in short durations & minimised where possible

Safety | Communication | Quality | Integrity | TeamSpirit | Caring | Trust | Pride

**Barhale**

**This work is classified as a Category 2**

Close Proximity Working - Within 2M but NOT face to face/skin to skin




Display sign indicated above at work zone


- Pre-start temperature checking
- Assess whether the task is critical and if not DO NOT proceed
- Work completed by 'House Cell' / Cohort Teams only
- Increased hand hygiene provisions at work zone

Safety | Communication | Quality | Integrity | TeamSpirit | Caring | Trust | Pride

**Barhale**

**This work is classified as a Category 1**

Operations which enable Social Distancing i.e. > than 2M



- Normal PPE standards with additional PPE based on task risk assessments
- Social Distancing Marshall observing/monitoring working practices

Safety | Communication | Quality | Integrity | TeamSpirit | Caring | Trust | Pride

Sign	Size	Product Code
Mandatory close proximity working PPE (Foamex)	600 x 400mm	3002130708813
Close proximity working zone (Foamex)	600 x 400mm	3002130408813
Hoarding (Foamex)	841 x 595mm	3002131600013
Ensure cab is deep cleaned daily after use (Foamex)	100 x 150mm	3002131301013
Single person hand washing only (Self Adhesive)	300 x 450mm	3002130101310
Keep table surfaces clean after use (Foamex)	300 x 450mm	3002131117613
Now wash your hands (Foamex)	300 x 450mm	3002131217613
Sanitise hands entering (Foamex)	300 x 450mm	3002130817613
Sanitise hands leaving (Foamex)	300 x 450mm	3002130917613
Category 3 Works (Correx)	500 x 500mm	3002144619412
Category 2 Works (Correx)	500 x 500mm	3002144519412
Category 1 Works (Correx)	500 x 500mm	3002144419412

**#KeyWorker Driving**  
Safeguarding Your Utilities

**KEYWORKER**

**SOCIAL DISTANCING MARSHALL**

**#KeyWorkers**  
in your community  
to maintain your  
utilities

W: Barhale.co.uk E: COVID-19@barhale.co.uk

Sign	Size	Product Code
Key Worker Vehicle Magnetic	600 x 200mm	3002132001827
Key Worker Helmet Sticker	80 x 40mm	3002131800010
Social Distancing Marshall Helmet Sticker	80 x 40mm	3002131900010
Courtesy Sign	440 x 430mm	3002131500013



**FLOOR STICKERS**

**SOCIAL DISTANCE (300mm)**

**ONE WAY ARROW (300mm)**

**MAX PEOPLE (300mm)**

**2M DISTANCE (300mm)**



Colour	Product Code
Yellow	3002132505601
Blue	3002132505621

Colour	Product Code
Yellow	3002139605601
Blue	3002139605621

Text	Product Code
One Person	3002140505621
Max 2 People	3002138805610

Text	Product Code
Workstation	3002141005610
Please Wait Here	3002140105609

**SELF ADHESIVE SIGNS - 200 x 300mm**



Product Code  
3002139501310

Product Code  
3002138501310

Product Code  
3002139201310

Product Code  
3002138901310

Product Code  
3002139301310

Product Code  
3002137901310

Size: A3

Product Code  
3002134808712

Size: 1050 x 750mm (Zintec)

Product Code  
3002140200728

Size: 140 x 297mm

Product Code  
3002140400010

## PSP SURGICAL MASK

The HSD-TYP2 surgical mask is a mask intended for single use. The mask is made of 3-layer polypropylene, the soft inner layer ensures optimal comfort. The mask is provided for a good facial fit mouldable nose piece to optimise and follow the contour of the face.

### KEY FEATURES

- Complies with EN14683 Type II with a BFE% (Bacterial Filtration Efficiency) of minimum 98 and higher, and a breathing resistance mm. H2O/cm2 of 3.0
- Polypropylene non-woven
- Equipped with 2 comfortable ear loops
- Single use product in a handy dispenser box packed with 50 pieces



\*The 3M FFP3 Mask mandated by Barhale has become very scarce due to Covid-19.

We are acquiring good quality CE Certified masks from trusted sources, however the manufacturers vary according the quantity of allocation we can secure. Please speak to the Internal Sales Desk to ascertain the current model. This is expected to remain the case until at least mid-way through 2021.

Size	Product Code
50 Pieces	2008013400000

## SNOOD

Close fitting Thermal Snood in a 1x1 rib stretch fabric. Double layer construction provides warmth for temperatures down to -15°C. The snood is designed to be worn around the neck and can be stretched up over the nose and back of the head.

### KEY FEATURES

- Soft durable polyester blended with VILOFT® offers great thermal & wicking performance
- Wash at 40° with similar colours



Size	Product Code
One Size	2002074500003

## SNEEZE GUARD

Manufactured from 3mm thick clear acrylic. A freestanding desktop screen to protect both employees and customers at desks and trade counters. Comes complete with a curved hatch to enable you to pass through paper documents and PDQ's.

### KEY FEATURES

- 3mm Thick clear acrylic
- 100% Recyclable
- Acts as a physical barrier
- Curved hatch



Size	Product Code
750 x 750mm	2004053008300

## NON-CONTACT IR THERMOMETER

Temperature taking has never been easier with the Infrared non-contact thermometer.

### KEY FEATURES

- Providing convenience, accuracy and precision when taking a temperature
- It instantly and accurately takes a person's temperature without the need of any physical contact



Product Code
1007048200000

## POWDERFREE DISPOSABLE GLOVES

Premium quality extra thick NBR nitrile glove offering good protection against dilute chemicals and oils.

### KEY FEATURES

- The 6mm thickness ensures excellent durability whilst maintaining dexterity.
- Fish scale embossed pattern on both sides for enhanced grip



Size	Product Code
S-2XL	20050219

### SURFACE SANITISER WIPES

Antibacterial surface wipes designed to protect surfaces and prevent contamination. Independently tested to European standards EN1276:2009, EN13697:2001, EN13704:2002 and EN1650:2008+A1:2013.



Size	Product Code
200 Wipes	1006015100000

### HAND WIPES

Removes wet paint, oil, grease, grime etc. For use on hands, tools and surfaces. Antibacterial action - effective against E- coli, Salmonella, MRSA, Listeria and Weils Disease.



Size	Product Code
150 Wipes	1006060500000

### HD HAND WIPES

Heavy duty wipe to quickly and effectively remove oil, grease, grime and wet paint. Antibacterial action and dermatologically tested.



Size	Product Code
50 Wipes	1006060600000

### SANISAFE HAND AND SURFACE WIPES

Keeping your surfaces clean and hygienic is made simple with this pack of 100 x Sanisafe anti-viral wipes. The wet wipes' formula consists of bactericides, surfactants and alcohol, which makes them effective against dirt, grime and bacteria. This makes it easy for you to keep your surface not only spotless, but also held to the highest hygiene standards.

#### KEY FEATURES

- Contains bactericides, surfactants and alcohol to eliminate dirt and microbes
- Complies with the BS EN 1276 standard for antibacterial performance
- Tested to the BS EN 14476 standard for effectiveness against enveloped viruses
- Conforms with the BS EN 1650 standard for effectiveness against fungi
- These versatile wipes can be used to disinfect a huge range of surfaces
- The resealable packaging stops the wipes from drying out
- Individual wipe dimensions: 200(H) x 300(W)mm



Size	Product Code
100 Per pack	1006064000000

### MULTI PURPOSE CLEANER

Specially formulated as an effective, fast acting, bactericidal cleaner to remove grease and grime from all worktops, vinyl, stainless steel and painted surfaces.



Size	Product Code
750ml	1006010711800

### SANISAFE ALCOGEL HAND SANITISER

Sanisafe Alcolgel is an alcohol-based hand sanitiser gel that can kill up to 99.99% of common germs.

#### KEY FEATURES

- Suitable for use in areas where food is prepared
- This hand gel is a fantastic alternative to traditional hand soaps when water is not readily available or preferred



Size	Product Code
500ml	1006066427600



**LIQUID BLEACH**

A clean-smelling, 4% bleach for use in drains, toilets and on floors, keeping them odour free. Use for general disinfection and cleaning. Effective against a wide range of pathogenic organisms. Kills slime and fungi, eradicating unpleasant odours at source. Part of the Hygiene Management System.



Size	Product Code
750ml	100601011800
5 Ltr	1006010110300

**THICK BLEACH**

A clean-smelling, 4.7% thick bleach for use in drains, toilets and on floors, keeping them odour free. Use for general disinfection and cleaning. Effective against a wide range of pathogenic organisms. Kills slime and fungi, eradicating unpleasant odours at source.



Size	Product Code
5 Ltr	1006010310300

**BLEACH TABLETS**

Effervescent, chlorine bleach tablets which dissolve to produce a powerful sterilising solution that kills germs. In a weak solution can be used for baby bottles/teats and food preparation areas.



Size	Product Code
Tub of 200	1006018000000

**CHLORUS TABLETS**

Chlorus Tablets Instachlor PR1000 tablets provide a convenient means of small-scale water chlorination.



Size	Product Code
Tub of 200	1001111800000

**PINE DISINFECTANT**

Specially formulated to eradicate unpleasant odours, leaving a fresh pine fragrance. Use as a general disinfectant for floors, walls and drains. Conforms to BS6464 grade QAP30.



Size	Product Code
5 Ltr	1006010400000

**MULTISURFACE CLEANER**

Specially formulated for effective cleaning of all windows, mirrors, computer screens, ceramic tiles, porcelain, vehicle windscreens, chrome and aluminium.



Size	Product Code
750ml	1006011100000

**10% DETERGENT**

General purpose green detergent with 10% active ingredients. With a mild long lasting foam, it leaves crockery, cutlery and glassware sparkling and streak free.



Size	Product Code
5 Ltr	1006012110300

**HARD SURFACE CLEANER**

Specially formulated all purpose cleaning concentrate for walls, paintwork, tiles and other non-porous surfaces. Suitable for linoleum, PVC, rubber, sealed wood, sealed cork and thermoplastic floor.



Colour	Product Code
5 Ltr	1006010710300

### TOILET CLEANER

Specially formulated effective toilet cleaner which removes limescale and organic deposits, leaving toilets, urinals and sanitary ware clean and fresh.



Size	Product Code
750ml	1006010900000

### LEMON 20% DETERGENT

Highly concentrated lemon detergent with 20% active ingredients. With a mild long lasting foam, it leaves crockery, cutlery and glassware sparkling and streak free.



Size	Product Code
1 Ltr	1006012110100

### CHLORINATION TABLETS

Chlorus Tablets Instachlor tablets provide a convenient means of small-scale water chlorination.



Size	Product Code
200 Tablets	1001111800000

### LAUNDRY POWDER

A specially formulated biological laundry powder for effective cleaning of all fabrics. Can be used either in a machine or for hand washing and is suitable for all water conditions.



Size	Product Code
9kg	1006020300000

### DISHWASHER TABLETS

5-in-1 Dishwasher sachets of water soluble film containing detergent, rinse aid, glass protection, stainless steel protection and salt.



Size	Product Code
Box of 100	1006020900000

### MICROFIBRE CLOTH

High performance microfibre cloth with heat sealed edges for a longer life. Fine denier heavyweight fibre construction gives more effective cleaning. Can withstand repeated machine washing.



Size	Product Code
Green	1006042000000
Red	1006042000009
Blue	1006042000004

### J FOLD CLOTHS

High quality, cost effective lightweight (100 cloths) or medium-weight (50 cloths) all-purpose blue cloths to suit a variety of applications. Cloth size is 50cm x 35cm.



Size	Product Code
50 Cloths	1006040100000
100 Cloths	1006041500000

### STOCKINETTE DISHCLOTH

Traditional cleaning and wiping soft absorbent cloth with a red edge suitable for wet and dry applications. Each cloth measures 12" x 14".



Size	Product Code
10 Cloths	1006040200000

### RAGS

A pack of mixed or white rags for general cleaning purposes.



Colour	Size	Product Code
Mixed	10kg	1006041813200
White	10kg	1006041900000

**STANDARD TOILET ROLLS**

Pack of 36, 2 ply Standard Toilet Rolls with 200 sheets per roll.



Colour	Product Code
White	100605020000

**PREMIUM LUXE TOILET ROLLS C FOLD HAND TOWELS**

Pack of 40 2 ply Premium Luxe Toilet Rolls. Quality toilet rolls.



Colour	Product Code
White	100605170000

Box of C Fold Hand Towels, available in 1 ply or 2 ply.



Size/Colour	Product Code
1 Ply Green	100605050000
2 Ply White	100605150000

**CENTREFEED HAND TOWELS**

Centrefeed Hand Towels, for use with or without dispenser.



Colour	Product Code
White	1006050400007
Blue	1006050400000

**DEODORISER DESCALER**

Specially formulated effective toilet cleaner which removes limescale and organic deposits, leaving toilets, urinals and sanitaryware clean and fresh.



Size	Product Code
1 Ltr	1006014910100
5 Ltr	1006014910300

**URINAL BLOCKS**

Urinal Blocks with a citrus fragrance to help eliminate odours in washrooms.



Size	Product Code
3kg	1006012900000

**C FOLD DISPENSER**

Dispenser for C Fold Towels. For use in washrooms for easy dispensation.



Colour	Product Code
White	1006050600000

**CENTREFEED DISPENSER**

Dispenser for Centrefeed Towels. For use in washrooms for easy dispensation.



Colour	Product Code
White	1006051000000

**TOILET BRUSH**

Standard Toilet Brush for both domestic and industrial use.



Colour	Product Code
White	1006011800000



## STOKODERM® PROTECT PURE

Suitable for a wide range of environments with light-moderate exposure to varying types of water/non-water based substances.

### KEY FEATURES

- Quick drying and perfume free
- A natural mineral which sits in the skin pores to help prevent them from becoming blocked by oil-based substances
- Silicone-Free and non-tainting
- Assessed to HACCP guidelines



Size	Product Code
100ml	1006061629000
1 Ltr	1006061610100

## SOLOPOL® LIME

Solvent-free hand cleaner with natural scrubbers to remove medium to heavy soilings.

### KEY FEATURES

- Contains glycerine to moisturise and condition the skin
- Pleasant lime fragrance



Size	Product Code
2 Ltr	1006062700000
4 Ltr	1006062500000

## ESTESOL® LOTION PURE

Estesol® Lotion PURE is a perfume and dye-free light duty lotion hand cleanser.

### KEY FEATURES

- Contains glycerine to condition the skin
- Ideal for regular use to remove general dirt and grime



Size	Product Code
2 Ltr	1006062110200
4 Ltr	1006062129100

## STOKOLAN® LIGHT PURE

A mild, perfume-free, dye-free, non-greasy, after-work conditioning cream to help maintain healthy skin and avoid dryness.

### KEY FEATURES

- Non-greasy, light formula
- Contains Shea Butter
- Perfume-free and dye-free
- Silicone free
- Glove compatible



Size	Product Code
100ml	1006065229000
1 Ltr	1006063300000

## SWARFEGA® ORANGE

Solvent-free heavy duty hand cleanser containing non-abrasive scrubbers for a deep-down cleaning action and moisturiser.

### KEY FEATURES

- Removes ingrained oil, grease and grime
- Ideal for regular use



Size	Product Code
4 Ltr	1006062900000

## ANTI-BACTERIAL HANDWASH

Anti-Bacterial Handwash that kills 99.9% of bacterial including MRSA.

### KEY FEATURES

- Contains moisturisers for soft, conditioned skin
- Perfect for office and site washrooms



Size	Product Code
500ml	1006100827600

\*Disclaimer: Deb skin care products - Supply will resume as soon as Deb have availability



## DEB VAN CRADLE

Complete 3-step skin care system to protect, cleanse & sanitise the skin. Ideal for mobile vans, work cabins and other areas of limited space.

### KEY FEATURES

- **Protective Cream** combines protection and reconditioning cream for protection against both oil and water based contaminants
- **Hand Cleaner** provide a smooth, creamy hand cleaner for use without water
- **Skin Sanitiser** is an alcohol gel based instant skin sanitiser for the rapid and convenient disinfection of hands of outdoor workers
- **Van Cradle** is easy to mount - holds all three of the above



Product	Product Code
Protective Cream Cartridge (700ml)	1006060100000
Hand Cleaner Cartridge (750ml)	1006060211800
Skin Sanitiser Cartridge (750ml)	1006060300000
Van Cradle Dispenser	1006060400000

## SKIN SAFETY CENTRE 3-STEP LARGE

Contains: 1 x Deb Protect 1 Ltr, 1 x Deb Cleanse Light 2 Ltr, 1 x Deb Cleanse Heavy 4 Ltr, 1 x Deb Restore 1 Ltr dispensers.

### KEY FEATURES

- Robust, yet lightweight board that is readily assembled



Size	Product Code
800mm x 570mm	1006065914200



### PROTECT DISPENSER

Protect dispenser that holds 1 Ltr protect cartridges.

#### KEY FEATURES

- Guaranteed for life
- Biocote protected



Size	Product Code
1 Ltr	1006068300000

### CLEANSE LIGHT DISPENSER

Cleanse Light Dispenser available in different sizes to hold 1, 2 and 4 Ltr cartridges.

#### KEY FEATURES

- Guaranteed for life
- Biocote protected




Size	Product Code
1 Ltr	1006062810100
2 Ltr	1006062810200
4 Ltr	1006062829100

### RESTORE DISPENSER

Restore dispenser that holds 1 Ltr restore cartridges.

#### KEY FEATURES

- Guaranteed for life
- Biocote protected



Size	Product Code
1 Ltr	1006065610100

## STOKODERM® SUN PROTECT 50 PURE

Broad spectrum industrial sun cream with SPF50 protection against UVA, UVB & UVC rays.

### KEY FEATURES

- Perfume & dye- free
- Water resistant
- Sweat resistant
- Protects workers against UVA & UVB sun rays and UVC rays created during industrial processes



**SC Johnson**  
PROFESSIONAL  
A family company™



Size	Product Code
100ml	1006063829000
1 Ltr	1006063810100

## STOKODERM® SUN PROTECT 30 PURE

Broad spectrum industrial sun cream with SPF30 protection against UVA, UVB & UVC rays.

### KEY FEATURES

- Perfume & dye- free
- Water resistant
- Protects workers against UVA & UVB sun rays and UVC rays created during industrial processes



**SC Johnson**  
PROFESSIONAL  
A family company™



Size	Product Code
100ml Tube	1006063129000
1 Ltr Cartridge	1006063100000
1 Ltr Dispenser	1006063200000

## UV CENTRE STARTER PACK

Includes: 1 Ltr sun protect dispenser, 1 Ltr SPF 30 cartridge, 1 mirror, UV level display and pre-drilled holes to make mounting easy.

### KEY FEATURES

- Ensure your workers are protected against the sun
- Mirror to help with easy application of sun cream
- UV level display to show workers when to wear sun cream
- Facts displayed on the board



**SC Johnson**  
PROFESSIONAL  
A family company™



Size	Product Code
1 Ltr	1006063000000

## HENRY HOOVER

Keep your office/workspace clean and tidy with Henry Hoover. Classic well known brand with detachable tools.

### KEY FEATURES

- Includes mattress nozzle, crevice nozzle, upholstery nozzle, dusting brush and floor nozzle
- Stainless steel extension tubes
- 6 Ltr capacity
- Uses disposable vacuum bags
- Suitable for all surfaces



Size	Product Code
H 345 x W 320 x D 340mm	1008010900000
Henry Hoover Bags Per 10	1006011500000

## 2 SLICE TOASTER

Ideal for use in canteens/kitchens.

### KEY FEATURES

- Browning control
- Removable crumb tray
- Cancel function
- White



Size	Product Code
N/A	1008010714300

## 4 SLICE TOASTER

Toast four pieces of bread at once, ideal for canteens.

### KEY FEATURES

- Browning control
- Removable crumb tray
- Defrost, reheat & cancel functions
- Stop function
- White



Size	Product Code
N/A	1008010714400

## ELECTRIC KETTLE

Electric Kettle with the capacity of 1.7 Ltr and 240v.

### KEY FEATURES

- Transparent strip to show the level of water when filling the kettle up
- 240v
- White



Size	Product Code
1.7 Ltr	1008010600000

## DESK FAN

The 90 degree oscillating tilting 3-blade head, circulates the air providing effective cooling for the area required.

### KEY FEATURES

- 12" Desk fan
- White




Size	Product Code
12"	1009020100000

## DISHWASHER

Slimline Dishwasher with 10 place settings, 4 programmes and 4 wash temperatures. Ideal for workplace canteens and kitchens.

### KEY FEATURES

- Reducing the space it takes up in the canteen/kitchen with its slimline design
- 10 Place settings
- 4 Programmes
- 4 Wash temperatures
- Programme progress indicator lights
- Half load function
- Energy rating: A+AA
- White



Size	Product Code
H 850 x W 448 x D 600mm	1008010500000

## WASHING MACHINE

Washing Machine with a 1200rpm spin speed.

### KEY FEATURES

- 1200rpm Spin speed
- 6kg Wash load
- 13 Programmes
- Energy rating: A++B
- White



Size	Product Code
H 845 x W 597 x D 497mm	1008010400000

## FRIDGE

Convenient under counter Fridge complete with ice box.

### KEY FEATURES

- Dial to change increase or decrease temperature
- Includes icebox
- White



Size	Product Code
50cm Wide	1008010300000

## MICROWAVE

700W Microwave, ideal for use in site or office canteens/kitchens.

### KEY FEATURES

- 20Ltr
- 700W
- 7 Power Levels
- Manual/Dial control
- 35 Minute dual speed timer
- Concave reflex system
- Cooking complete alarm
- Push button door opening mechanism
- White



Size	Product Code
H 259 x W 449 x D 318mm	1008010800000



### NESCAFÉ CLASSIC COFFEE

Rich flavour and unmistakable aroma, Nescafe Classic Coffee in a large 750g tin for use in office canteens and on site.



Size	Product Code
750g	1008030100000

### NESCAFÉ GOLD BLEND

Signature smooth, rich instant coffee, with a well-rounded taste and rich aroma.



Size	Product Code
750g	1008030700000

### NESCAFÉ ORIGINAL

The original Nescafe blend providing a rich flavour for use in office canteens or on site.



Size	Product Code
750g	1008031000000

### NESCAFÉ DECAF

Enjoy the great full flavour of Nescafe in a decaf blend. For use in office canteens or on site.



Size	Product Code
500g	1008030900000

### SUGAR TATE & LYLE

Ideal to keep in office canteens or on site, for sweetening food and drink.



Size	Product Code
1kg	1008030300000

### TETLEY TEA BAGS

Tetley Tea Bags for everyday use. The tea leaves are 100% natural and create a refreshing blend that has been perfected for over 180 years.



Size	Product Code
440 Bags	1008030200000
1100 Bags	1008030800000

### YORKSHIRE TEA TEA BAGS

Refreshing Yorkshire Tea, Tea Bags. Ideal for use in office canteens or on site.



Size	Product Code
600 Bags	1008030600000

### CROCKERY

For everyday use.



Product	Product Code
Mug	1008020500000
Dinner Plate	1008020600000
Cereal Bowl	1008020800000

### CUTLERY

Cutlery made from stainless steel.



Cutlery	Product Code
Tea Spoon	1008020400000
Knife	1008020100000
Fork	1008020200000
Dessert Spoon	1008020300000

### CUTLERY TRAY

Cutlery Tray made from plastic.



Product Code
1008021300000

### COOLER CUPS

Vending machine water cooler cups.



Size	Product Code
2000 Cups	1008040900000

### DOOR WEDGE

Hardwood Door Wedge for keeping doors open.



Product Code
1001250703100

### SPONGE SCOURERS

Traditional sponge scourers with a soft spongy side for water absorption and a rougher scourer side for effective cleaning. Size: 150 x 65 x 40mm.



Size	Product Code
10 Sponges	1006080200000

### VEGA™

Latex rubber gloves with a cotton flock lining to increase comfort. EN 374 Type A.



1.01.0.X



Size	Conformities	Product Code
7 - 10	EN388:2016   EN374	10060116

### WASHING UP BOWL

Round Washing Up Bowl, ideal for use in the canteen.



Product Code
1006012000000

### TEA TOWEL

Checked Tea Towel for canteen use.



Product Code
1006011700000

**PLASTIC DUSTBIN WITH LID SWING BIN**

A sturdy 80 Ltr Plastic Dustbin with Lid. This bin can be used inside or outside.



Size	Product Code
80Ltr	1006070511200

Plastic Swing Bin ideal for both office and home use. Takes up little space.



Size	Product Code
50 Ltr	1006070600700

**PLASTIC WASTE PAPER BIN**

Plastic Waste Paper Bin ideal for both office and home use. Takes up little space.



Size	Product Code
N/A	1006070700000

**PEDAL BIN LINERS**

White Pedal Bin Liners for bins that can hold up to 20 Ltr of waste.



Size	Product Code
100 per pack	1006012400000

**MEDIUM DUTY BIN LINERS**

Strong and durable black Medium Duty Bin Liners. Ideal for domestic or industrial use.



Size	Product Code
200 per pack	1006011400000

**DUSTPAN AND BRUSH**

Standard Dustpan and Brush set for everyday cleaning and sweeping.



Colour	Product Code
May Vary	1006091400000

**4 ROW WIRE BRUSH**

4 row wire scratch brush with wooden handle. Ideal for removing rust or scale and generally preparing rough exterior surfaces. Suitable for mechanics, engineers, decorators.



Product	Product Code
C/W Scraper	1006092200000
W/O Scraper	1006091600000

### COCO BROOM

Flat top soft bristle Coco Broom Head for general day to day sweeping duties. Complete with handle.



Size	Product Code
11"	1006090203400
24"	1006094804800

### BASSINE BROOM

Flat top hard bristle Bassine Broom Head for general day to day sweeping duties. Complete with handle.



Size	Product Code
11"	1006090103401
24"	1006090104800

### PLATFORM BRUSH

Complete with handle and stay, coco head (soft bristle).



Size	Product Code
24"	1006090323000

### HD NYLON BRISTLE

Complete with handle and metal broom clamp.



Size	Product Code
13"	1006093900000

### MOP HEAD


Standard No.12 and No.16 Mop Head for use with Broom Shaft Handle.



Size	Product Code
No.12	1006097000000
No.16	1006094300000

### BROOM SHAFT

Broom Shafts to suit broom heads on the opposite page.



Size	Product Code
48" x 15/16"	1006094923000
54" x 1 1/8"	1006094900000

### GALVANISED BUCKET

Standard metal Galvanised Bucket. Ideal for cleaning and washing.



Material	Product Code
Metal	1006070900000

### JUMBO SPONGE

Jumbo Sponge ideal for cleaning and washing vehicles.



Product Code
1006080100000

### SCOURERS

Strong and durable green scouring pads.



Size	Product Code
Per 10	1006080300000




**PLANTMAT®**

The PlantMat® has been designed to offer absorption and total immobilisation of oils and fuels, particularly in high mobility areas.

**KEY FEATURES**

- Top mesh - A durable UV stable mesh can withstand the harshest of site conditions and protect the inner workings of PlantMat®
- Convenient loops for placing and retrieving the product, they also help with handling and storage
- The heart of the product, brand new soliditex technology turn oils and fuels into a solid mass within a textile



Size	Absorbency	Product Code
440mm x 625mm (Small)	Up to 3 Ltr	100128000000
940mm x 625mm (Medium)	Up to 6 Ltr	100128100000
1940mm x 1310mm (Large)	Up to 24 Ltr	100128200000

**PLANT NAPPY®**

Plant Nappy sits under a huge range of plant machinery and hand held equipment to adsorb oil and prevent it from reaching the ground, protecting the environment.

**KEY FEATURES**

- The side wall allows rainfall to escape at a considerable rate but also filter out any oil residue that may have been picked up by water
- The base offers rapid adsorption of oils and fuels, but more importantly traps the oil in one place
- Can also hold a Plant Nappy® Liner




Size	Absorbency	Product Code
500 x 685mm (Small)	Up to 2 Ltr	100120116000
1000 x 685mm (Medium)	Up to 4.5 Ltr	100120116100
2000 x 1370mm (Large)	Up to 16 Ltr	100120116200

**PLANT NAPPY® LINER**

Liners offer the same features as the internal base but with one key difference, the liner is removable.

**KEY FEATURES**

- The liner can be used for added protection
- Easily removable



Size	Absorbency	Product Code
500 x 685mm (Small)	Up to 2 Ltr	100120216000
1000 x 685mm (Medium)	Up to 4.5 Ltr	100120216100
2000 x 1370mm (Large)	Up to 16 Ltr	100120216200

**20 LTR OIL & FUEL SPILL KIT**

An ideal quick response solution for laboratories, stores, warehouses and vehicles. Perfect for containing small spills. The transparent carry bag will help you to keep track of its contents.

**KEY FEATURES**

- The spill kit includes: socks, pads, disposal bags and ties



Product Code

1001120510800

**30 LTR OIL & FUEL SPILL KIT**

An ideal quick response solution for laboratories, stores, warehouses and vehicles. Perfect for containing small spills. The transparent carry bag will help you to keep track of its contents.

**KEY FEATURES**

- The spill kit includes: socks, pads, disposal bags and ties



Product Code

1001120511000

**40 LTR OIL & FUEL SPILL KIT**

40 Litre oil & fuel Spill Kit in clip-top bag for quick response to spills of oils, fuels and solvents. Contains absorbent socks to contain spills and protect drains and absorbent pads to soak up spilled liquids. Disposal bag and zip-tie included.

**KEY FEATURES**

- The spill kit includes: socks, pads, disposal bags and ties



Product Code

1001120511100

**50 LTR OIL & FUEL SPILL KIT**

50 Litre oil & fuel Spill Kit in hi-vis shoulder bag with zip closure. For quick response to spills of oils, fuels and solvents. Contains absorbent socks to contain spills and protect drains and absorbent pads to soak up spilled liquids.

**KEY FEATURES**

- The spill kit includes: socks, pads, disposal bags and ties



Product Code

1001126128100

**90 LTR OIL & FUEL SPILL KIT**

90 Litre Oil & Fuel Spill Kit supplied in a plastic container with lid and clip in place handles. The spill kit contains absorbent socks to contain spills and protect drains and absorbent pads to soak up spilled liquids as well as disposable bags.

**KEY FEATURES**

- The spill kit includes: socks, pads, disposal bags and ties



Product Code

1001120400000

**125 LTR OIL & FUEL SPILL KIT**

Highly mobile spill kit in a wheeled bin. Easy to move to the affected area by one person. Easy open flip-top lid. Quick and portable method of responding to a spill or leak. Can be used on oils and fuels.

**KEY FEATURES**

- The spill kit includes: socks, pads, disposal bags and ties



Product Code

1001125328400

## 240 LTR OIL & FUEL SPILL KIT

Highly mobile spill kit in a wheeled bin. Easy to move to the affected area by one person. Easy open flip-top lid. Quick and portable method of responding to a spill or leak. Can be used on oils and fuels.

### KEY FEATURES

- The spill kit includes: socks, pads, disposal bags and ties



Product Code

1001125311400

## ABSORBENT SPILL GRANULES

Environmentally friendly loose absorbent made from 100% recycled gypsum. Use of 100% recycled gypsum reduces environmental impact compared to traditional mining methods and reduces levels of CO<sup>2</sup> during manufacturing.

### KEY FEATURES

- 100% Recycled Gypsum
- Non flammable
- Instant Absorbency
- For use indoors and outdoors
- 20 Ltr bag



Product Code

1001121500000

## OIL & FUEL PADS

Pack of 50 Oil and Fuel Pads that can hold up to 30 Litres of oil or fuel.

### KEY FEATURES

- Pack of 50
- 30 Litres
- 39 x 48cm



Product Code

1001121100000

## OIL SPILLAGE EMULSIFIER GENSOL

Emulsifies oil and is safe to use on tarmac/asphalt.

### KEY FEATURES

- Biodegradable
- Solvent free
- Powerful and user friendly



Product Code

1001120910300

## POWDER FIRE EXTINGUISHER

Powder Fire Extinguishers available in a variety of sizes. A versatile extinguisher that is safe for use on wood, paper, textiles, flammable liquids, gaseous fires and live electrical equipment.

### KEY FEATURES

- Easy to use spray nozzle
- Instructions of how to use the extinguisher correctly is displayed on the side
- Available in a variety of sizes



Size	Product Code
1kg Powder Fire Extinguisher	1007010319300
2kg Powder Fire Extinguisher	1007010312600
6kg Powder Fire Extinguisher	1007010313100
9kg Powder Fire Extinguisher	1007010313200

## FOAM FIRE EXTINGUISHER

Foam Fire Extinguishers available in a variety of sizes. Safe for use on wood, paper, textiles and flammable liquids. Not safe to use on electrical equipment or flammable metal fires.

### KEY FEATURES

- Easy to use spray nozzle
- Instructions of how to use correctly displayed on the side of the extinguisher
- Available in a variety of sizes



Size	Product Code
6 Ltr Foam AFFF Fire Extinguisher	1007010210400
9 Ltr Foam AFFF Fire Extinguisher	1007010210500

## CO2 FIRE EXTINGUISHER

Safe for use on flammable liquids and live electrical equipment. Not safe to use on wood, paper and textiles. Do not use these extinguishers within confined spaces.

### KEY FEATURES

- Easy to use spray nozzle
- Instructions of how to use correctly displayed on the side of the extinguisher
- Available in a variety of sizes



Size	Product Code
2kg Co2 Fire Extinguisher	1007010112600
5kg Co2 Fire Extinguisher	1007010113000

## WATER FIRE EXTINGUISHER

Safe for use on wood, paper and textiles. Not safe to use on flammable liquid fires, live electrical equipment or flammable metal fires.

### KEY FEATURES

- Easy to use spray nozzle
- Instructions of how to use correctly displayed on the side of the extinguisher



Size	Product Code
9 Ltr Water Fire Extinguisher	1007010410500



## 600G BC POWDER EXTINGUISHER

Part of our aerosol range, the 600g BC Powder Aerosol Extinguisher is quality kitemark certified to BS6165.

### KEY FEATURES

- Operating temperature: -20°C to +50°C
- The stored pressure ABC powder aerosol extinguisher is suitable for use on class B and C fires meaning that it's ideally suited for domestic and leisure use



Product Code

1007010700000

## 1.2 X 1.2M JACPACK FIRE BLANKET

The Jacpack fire blanket has the essential performance requirement in that they must extinguish a cooking oil fire (as detailed in BS EN 1869:2019).

### KEY FEATURES

- Compact and practical
- 3-ply material; two layers of woven glass fibre fabric with an inner layer of fire retardant film
- One piece



Product Code

1007030100000

## DOUBLE TROLLEY WITH SITE MASTER

Trolley with the ability to hold two fire extinguishers at once. Complete with Site Master alarm.

### KEY FEATURES

- Red for easy visibility



Product Code

1007010800000

## AIR HORN

200ml Hand held Air Horn with gas canister.

### KEY FEATURES

- Filled with non-flammable gas



Product Code

1007030400000

## FIRE BUCKET

Plastic Fire Bucket with handle for added ease of lifting.

### KEY FEATURES

- Suitable for water or sand
- Ideal for use in spillage clearance
- Holds up to 2.5 gallons or 25lb
- Lid sold separately



Product

Product Code

Fire Bucket

1007030700000

Fire Bucket Lid

1007030800000

## DOUBLE BOX

Hold up to two fire extinguishers at any one time. Double windows for visibility.

### KEY FEATURES

- Strong plastic construction
- Bright red for easy visibility



Product Code

1007020415000

## ANTI-TAMPER TAG

Anti-Tamper Tag to highlight if a fire extinguisher has been previously used or tampered with.

### KEY FEATURES

- One size fits all
- Easy to fit



Product Code

1007020500008

## SMOKE ALARM

The alarm has a high performance, tamperproof battery which is not activated until the alarm is mounted on the base plate.

### KEY FEATURES

- Designed for easy installation and a guaranteed 10 years life
- No need to change batteries power source lasts units life-span
- Rather than chirping and beeping, an LED light will flash at the early signs of the battery running out



Product Code

1007030500000

## BATTERY POWERED SMOKE ALARM

A battery operated and has a loud 85 dB alarm that will sound when smoke is detected. It also features a test button to allow for regular testing of the alarm function.

### KEY FEATURES

- The alarm can be easily installed in most locations within your home, particularly in bedrooms and living areas
- Approved to EN 14604 and CE marked



Product Code

1007030900000

## HOWLER ALARM

The Howler Alarm is designed for industrial premises, portable buildings and ideal for smaller sites. With linking technology, up to 20 alarms can be interconnected via a simple 2 core cable.

### KEY FEATURES

- Safe, reliable and loud
- Battery test facility
- Can be linked together (up to 20 units)



Product Code

1007030600000

## CARBON MONOXIDE ALARM

Continuously monitors for the presence of deadly carbon monoxide (CO), providing a constant protection against the effects of this deadly gas.

### KEY FEATURES

- The 5CO features two LED's A red LED illuminates when the alarm has detected CO in the atmosphere and the green LED confirms that DC power is present
- The alarm can either be installed on a wall or just placed on a tabletop or shelf for added convenience



Product Code

1007031000000

**WORKPLACE & STATUTORY KITS HSE COMPLIANT - STANDARD**

The HSE Standard First Aid Kit is from our economy range which comes complete with its own durable plastic first aid box. The kit will ensure that you are compliant with the standard HSE recommendations for low risk environment. Every first aid kit listed below comes in a hard plastic carry case with handle. The case folds open due to hinges. It also has clips on the top to make sure the case is securely fastened when transporting it.



Size	Contents	Product Code
10 Person	6 x Safety Pins   4 x Triangular Bandages   2 x Eye Pad Sterile Dressings   6 x Medium Sterile Dressing   2 x Large Sterile Dressing   1 Pair x Nitrile Disposable Gloves   6 x Saline Cleaning Wipes   1 x 20 Washproof Plasters   1 Guidance Leaflet	1007040115600
20 Person	12 x Safety Pins   6 x Triangular Bandages   4 x Eye Pad Sterile Dressings   9 x Medium Sterile Dressings   3 x Large Sterile Dressings   2 Pairs x Nitrile Disposable Gloves   10 x Saline Cleaning Wipes   2 x 20 Washproof Plasters   1 Guidance Leaflet	1007040115700
50 Person	12 x Safety Pins   8 x Triangular Bandages   6 x Eye Pad Sterile Dressings   19 x Medium Sterile Dressings   4 x Large Sterile Dressings   3 Pairs x Nitrile Disposable Gloves   20 x Saline Cleaning Wipes   3 x 20 Washproof Plasters   1 Guidance Leaflet	1007040115800

**PERSONAL FIRST AID KIT**

The BS 8599-1:2019 Personal First Aid Kit contains all the first aid essentials needed when working away from the main workplace.

**KEY FEATURES**

- 1 x Guidance leaflet
- 6 x Safety pins
- 2 x Triangular bandages
- 2 x Sterile saline wipes
- 2 x 10 Assorted washproof plasters
- 1 x Pair of vinyl powder free gloves
- 1 x Large flow wrapped dressing



Size	Product Code
1 Person	1007040115500

**WALL BRACKET**

Wall Bracket to hold First Aid Kit. Easily attach to wall to display First Aid Kit at a visible eye level.

**KEY FEATURES**

- To hold 10 person, 20 person or 50 person First Aid Kit



Size	Product Code
N/A	1007043000005

## EYE WASH KIT

Eye Wash Kit including 500ml bottles of eye wash and eye pad dressings.

### KEY FEATURES

- 2 x 500ml Bottles
- 2 x Eye pad dressings



Product Code

1007042700000

## GREEN EYE WASH STATION

Green Eye Wash Station made from moulded plastic. Can be easily wiped clean.

### KEY FEATURES

- 1 x Shatterproof mirror
- 2 x 500ml Bottles of saline eyewash solution



Product Code

1007040500000

## EYE WASH SOLUTION 500ML

Sterile, single use emergency eye wash solution for ocular topical irrigation and wound cleansing.

### KEY FEATURES

- Sterile
- Single use
- Ocular topical irrigation
- Wound cleansing



Size

500ml

Product Code

1007040400000

## EYE WASH PODS 20ML

Sterile, single use emergency eye wash solution for ocular topical irrigation and wound cleansing.

### KEY FEATURES

- Sterile
- Single use
- Ocular topical irrigation
- Wound cleansing
- Twist off cap



Size

25 Pods

Product Code

1007040300000

## EYE POD STATION

Highly visible, hard wearing, wall fixing with display board giving instruction on use.

### KEY FEATURES

- 1 x Instructions on how to use eye pods
- 1 x Mirror
- 10 x Eye pods
- 2 x Eye pads



Product Code

1007043100000



## WASHPROOF ADHESIVE PLASTERS

These lightweight quality plasters conform easily to the body to stay firmly in place. Designed for working in wet or moist environments. The highly flexible fabric is low allergy and latex free.

### KEY FEATURES

- Low allergy, latex free
- Sterile and comfortable
- Washproof, ideal for working in wet environments
- Breathable
- Cushions and protects



Size	Product Code
Box of 100	1007041100000

## BURNS KIT

Burns are one of the most serious types of injuries that can occur in the workplace. Ensure that you are always prepared with a high quality Burn Care Kit.

### KEY FEATURES

- 3 x Burn dressings
- 4 x Low adherent dressings
- 8 x Burn blot sachets
- 5 x Eye wash pods
- 1 x Crepe bandage
- 2 x Conforming bandage
- 2 x Pairs of gloves
- 1 x Microporous tape
- 1 x Pair of scissors



Size	Product Code
N/A	1007040800000

## STERILE SALINE WIPES

Compliant Sterile Saline Wipes that can be used on broken skin to clean wounds.



Size	Product Code
Box of 20	1007041414100
Box of 100	1007041414200

## REVIVE AID RESUS

A one way valve that minimises the risk of cross infection when giving mouth to mouth.



Product Code
1007044000000

## HIRE

## 117

## HIRE EQUIPMENT

Accommodation & Storage	118
Generators & Compressors	120
Compacting Equipment	122
Power Tools	123
Mixers	129
Breakers	130
Electrical Equipment	132
Pokers	133

## PLANT

Dumpers	134
Excavators	136
Telehandlers	138
Cranes	139
Lights	140
Rollers & Trailers	141
Tanks & Washers	142
Pumps	144
Specialist Plant	146

## SAFETY &amp; SURVEY

Cable Avoidance	150
Gas Detection	152
Communication	153
EDM, Levels & Lasers	154
Fall Arrest	156
Breathing Equipment	160
Fork Lift & Crane Accessories	162
Lifting	164
Safety Equipment	167

## RISK FACTORS

Any plant that is listed as high risk will have a category number next to it to denote the key below and what needs to be considered when hiring it:

- 1 Barhale Ban Imposed
- 2 Contracts Manager or Operations Manager Approval before hire confirmation
- 3 OK to use following Management Systems Requirements



\* Specifications may differ as equipment is updated.

## COSHH BOX

Lockable vault for storing hazardous chemicals and flammables. Designed to comply with all relevant COSHH regulations, ensuring that your hazardous substances are securely protected 24/7.

### KEY FEATURES

- Keyed alike 5-lever deadlocks both sides, with heavy-duty chubb-style keys, welded security ID numbers and 6mm reinforcement around the lock
- Built to specification for 1/2 hour fire resistant
- Strong gas struts and safety catch fitted as standard and conforms to industry standards
- Suitable for chemicals or flammables
- Fully welded and tested sump base to prevent leakage



Product	Size	Product Code
TRB4 (Standard)	900mm x 500mm x 550mm	680607
FBC4 (Large)	1275mm x 675mm x 1270mm	680608

## TOOL VAULTS

Hardened steel plates and anti-jemmy. Tested and certified by Sold Secure and Secured by Design.

### KEY FEATURES

- Adhere to rigorous test standards required by the police
- Robust, 5-lever deadlocks with extra reinforced protection
- Unique internal anti-jemmy system prevents the lid being forced open
- Hydraulic gas arms assist with the lid opening



Product	Size	Product Code
OX1 Van Vault (Standard)	915mm x 490mm x 450mm	680306
Tool Vault (Large)	1200mm x 610mm x 700mm	680301

## BOTTLE STORAGE CAGE

One-piece folding security cage for storing your gas cylinders and costly equipment. Galvanized heavy duty steel.

### KEY FEATURES

- One-piece construction with no removable parts
- Folds down to a height of just 180mm
- Easily stacked when folded down - with fork skids on base
- 2 Secure padlock points
- Galvanized for maximum durability in all weather conditions
- Suitable for securing tools and equipment as well as gas cylinders
- Quick and easy to erect and dismantle
- Sizes may vary



Product	Size	Product Code
TC1.2	1300mm x 1240mm x 1800mm	680609



## WELFARE UNIT 12 FOOT ECOSMART

The Ecosmart 12 towable welfare units provide canteen and welfare facilities on-site for up to 8 persons, with a separate toilet, drying room and ample space to rest and eat.

### KEY FEATURES

- Large worktop space in canteen with seating for 6 people
- 1650kg Unladen weight and 1900kg gross weight
- Quick and easy set up
- Up to 6 hours LED 12v lighting without generator
- Running hot water
- Stainless steel sink
- USB charging sockets
- Microwave/kettle
- Drying room with electric 230v heating
- Toilet with flush tank 80 Ltr capacity



Size	Product Code
3545mm x 2300mm	680210

## PORTABLE CANTEEN UNIT 24 FOOT ECOSMART

The NEW Ecostatic 24 has modern canteen facilities for up to 20 people with toilet/ wash room, drying room and separate office.

### KEY FEATURES

- All day lighting and warm water without generator
- Easy to use canteen facilities; 2x kettles or 2x microwaves
- Built in refrigerator
- Comfortable spacious seating area
- Running hot water
- Stainless steel sink
- USB charging sockets
- All interior and exterior surfaces are durable and wipe clean
- Dual heavy duty locking system per door
- WC included



Size	Product Code
7315mm x 2490mm	680211

## INTERCEPTOR DRIP TRAYS

The only system available which uniquely allows rainwater to pass through whilst securely retaining oil, fuel and oil-based chemicals.



Size	Product Code
4' x 4'	680602
6' x 4' (175kg)	680603
8' x 5' (300kg)	680604

## INTERCEPTOR DRUM STORE

Store a range of drums and gas bottles in a secure environment safe in the knowledge that any leaks will be contained by the built in drip tray.



Size	Product Code
4' x 4'	680606
6' x 4' (500kg)	680611
8' x 5' (600kg)	680605



**GENERATORS**

These portable power Generators have been designed to comply with the latest European emission regulations. They will be your reliable electrical power supply for job site needs, whatever the application is. From small road work or construction sites, fairs and events, camping areas, to the front line of disaster relief, these generator will power your productivity.

**KEY FEATURES**

- 4 Cylinders in line
- Available in 3 sizes



Size	Product Code
20KVA	560207
40KVA	560206
60KVA	560205

**GENERATOR 6KVA DIESEL**

Complete with close fitting acoustic canopies and long run fuel tanks. Providing super silent, highly portable and versatile power for demanding applications including hire and construction sectors. Excellent maintenance access and two wheel site trolley.

**KEY FEATURES**

- 230V - Earth/Neutral bond | 115V - Centre Tap Earth (CTE)
- Frequency 50Hz
- Fuel tank capacity 24 Ltrs
- Single cylinder
- Industrial two wheeled trolley kit
- Low oil pressure, high engine temperature and low fuel level shut-downs




Size	Product Code
6KVA	560203

**GENERATOR 3.4KVA**

Light, compact and easy to transport 3.4KVA Generator.

**KEY FEATURES**

- 3 Ltr fuel tank capacity
- 4 x 110V Sockets
- Light yet durable Generator



Size	Product Code
3.4KVA	560201

## COMPRESSOR 2 TOOL

This portable air compressor is the perfect product for use in roadworks and light demolition. The optional polymer canopy will provide rugged protection for your investment.

### KEY FEATURES

- 141 CFM
- Pressure 7 bar (100 psi)
- Easy to transport



\*Anti-whip check sold separately

Size	Product Code
7 Bar	500102

## COMPRESSOR & GENERATOR 2 TOOL

This portable air compressor is found in applications such as roadworks and general construction & demolition. With an output of 3.0 m<sup>3</sup>/min and a pressure range of 5.5 to 8.6 bar, the portable air compressor can power two lightweight paving breakers DCT25 or one DCT40.

### KEY FEATURES

- 105 CFM
- Pressure 7 bar (100 psi)
- Easy to transport
- Complete with generator 5kva



\*Anti-whip check sold separately

Size	Product Code
7 Bar	500105

## COMPRESSOR 4 TOOL

Whatever the job, this Infracore Portable Power air compressor has the solution. Combining advanced engineering with cost effective features, the “Dual Mode” portable air compressor provides the ultimate in serviceability, durability and convenience.

### KEY FEATURES

- 247 CFM
- Pressure 7 bar (100 psi)
- Easy to transport
- By pushing the button on the key pad, the operator can switch between:
  - “LO” (low pressure mode: rated pressure 7bar free air delivery 7m<sup>3</sup>/min) and
  - “HI” (high pressure mode: rated pressure 10.3bar / free air delivery 5.3m<sup>3</sup>/min)



\*Anti-whip check sold separately

Size	Product Code
7 Bar	500104

## COMPACTOR PLATE

Single direction vibratory plate for soil compaction. Sturdy design for minimal maintenance effort.

### KEY FEATURES

- The V-belt drive with all-round protection provides for a particularly long operating duration of the V-belt
- The base plate is made from wear resistant nodular cast iron
- A large sturdy lifting eye allows for secure transport
- The guide handle that can be folded forward converts the unit into a compact unit in no time

\*Two stroke oil sold separately



Product Code

560301

## TRENCH RAMMER

Two-stroke, gasoline Rammer with 150mm ramming shoe for soil compaction in narrow trenches.

### KEY FEATURES

- Powered by a two-stroke engine, for rugged rammer applications
- Low emissions, falls below all air emission standards
- Automatic shut-off will shut down engine if left idling for 10 minutes, saves on fuel and emissions
- Easy to start
- Unique four-stage air filtration system provides longer life and improved durability

\*Two stroke oil sold separately



Product Code

560308

## COMPACTOR PLATE (FORWARD/REVERSE)

Reversible vibratory plate with a diesel engine. The flexible all-rounder for soil, asphalt and paving stone compaction.

### KEY FEATURES

- Uniquely mobile: the integrated, very sturdy transport gear allows for easy transport on the construction site.
- Intuitive control handle
- Low hand-arm vibrations (HAV) (well below 2.5 m/s<sup>2</sup>)
- Height adjustable centre pole
- Safety setting: machine moves away from the operator if the control handle is released
- Large-sized engine for a long service life
- Thick, wear resistant base plate made from nodular cast iron



Size	Product Code
16"	560304
20"	560307

Size	Product Code
24"	560306
28"	560309

## GRINDER WITH VIBRATION CONTROL & KICKBACK STOP 110V

KickBack Stop detects when the disc is jammed and shuts down the tool immediately.

### KEY FEATURES

- Powerful 2200 W champion motor and straight handle
- Low weight for optimum handling
- Vibration reduced by up to 50% thanks to Vibration Control main handle and auxiliary handle, for low-fatigue working (EN 60745)
- Restart protection prevents the tool from automatically restarting after a power cut
- Mains powered



\*Blade sold separately

Size	Product Code
5"	540205
9"	540206

## ANGLE GRINDER 110V

The most durable tool in its class. The 4.5" is a slim Grip Grinder.

### KEY FEATURES

- High work efficiency due to long lifetime and carbon brush lifetime
- Ergonomic shape for maximum control in various grip positions
- Direct cooling for high overload capability and long lifetime
- Anti-rotation protective guard
- Mains powered



\*Blade sold separately

Size	Product Code
4.5"	540201
9"	540202

## ANGLE GRINDER CORDLESS

Highest material removal rate and cutting performance in its class per battery charge.

### KEY FEATURES

- Extremely robust and durable 4-pole high-performance motor for a long lifetime
- Compact design and low weight
- Practical battery charge level indicator: constantly shows how much energy is left in the battery
- Gear head can be rotated in 90 degree steps
- Handle can be used on right or left
- Anti-rotation protective guard



\*Blade sold separately

Size	Product Code
4.5"	540204



## CORDLESS DRILL

The compact 18 volt endurance runner with impact drilling function.

### KEY FEATURES

- Extremely compact due to short design (only 195 mm) and low weight (only 1.9 kg) for perfect handling
- Integrated impact drilling function for drilling in masonry up to 13 mm
- Powerful 67 Nm due to newly developed gearbox design and new 4-pole Bosch high-performance motor



Size	Product Code
18 V	540307

## SDS DRILL 110V

Fast drilling rate due to 1150 W motor and powerful impact mechanism vibration control ensures more comfortable working, even in time-intensive applications.

### KEY FEATURES

- Setting wheel for variable adjustment of the speed and impact rate for optimum performance
- Automatic switch lock for the best convenience in continuous chiselling applications
- Constant electronic, service display and standby display for maximum convenience
- Ball grommet for high movement radius and for preventing cable breaks



Size	Product Code
1150w	540304

## SDS DRILL CORDLESS

Endless power and absolute control in the Cordless Drill.

### KEY FEATURES

- Up to 50% faster work rate due to higher single impact energy and 100% more lifetime (compared to predecessor GBH 36 VF-LI)
- Absolute control if the drill bit jams thanks to KickBack Control (KBC) and in sensitive materials thanks to Electronic Precision Control (EPC)
- Comes complete with a keyless chuck, making it also suitable for straight-shank drill bits in wood and metal



Size	Product Code
36V	540309

## IMPACT WRENCH AIR POWERED

Expert quality, lower noise, low vibration high torque twin hammer action with easy forward and reverse one-hand operation.

### KEY FEATURES

- Fitted with rotating air inlet preventing air line tangling
- The composite body makes this a lightweight but rugged tool which reduces operator fatigue and the 'cold sink' effect



\*In Line Oil Lubricator recommended

Size	Product Code
1/2"	520201
3/4"	520202

## IMPACT WRENCH CORDLESS

Powerful torque for heavy duty applications. Rocker type reversing switch for easy one handed forward or reverse operation.

### KEY FEATURES

- Slide handle adjusts 360 degrees for operation convenience at any angle
- Externally accessible carbon brushes for easy maintenance.
- Heavy duty construction
- High torque capacity
- Ideal for industrial applications
- Reversible



Size	Product Code
1/2"	540603
3/4"	540604

## IMPACT WRENCH 110V

The TW0350 is an impact wrench with the following features. Incredibly high torque of 350 N.m (260 ft.lbs). Equipped with palm-fitting soft grip for comfortable work.

### KEY FEATURES

- Forward/reverse rotation
- Double Insulation



Size	Product Code
1/2" (110v)	540601
3/4" (110v)	540602

## CIRCULAR SAW 110V

This Circular Saw is equipped with riving knife, electric brake, more powerful motor, more efficient chip/sawdust ejection port, and extremely durable aluminium base. It complies with CENELEC.

### KEY FEATURES

- Dust extraction facility
- Ideal for general timber cutting
- Powerful motor
- Quick release height adjustment



\*Blade sold separately

Size	Product Code
235mm	540101

## CIRCULAR SAW CORDLESS

Best-in-class cutting performance from the mobile, portable, powerful tool. Can cut up to 50 chipboards with only one battery change.

### KEY FEATURES

- Electronic cell protection (ECP)
- Electronic Motor Protection (EMP)
- Lock-off button
- 1 x Circular saw blade, speedline wood, 165 x 30 x 2.4 mm, 12
- Quick charger
- Parallel guide



\*Blade sold separately

Size	Product Code
228mm x 340mm	540109

## JIGSAW CORDLESS

Most compact cordless jigsaw to allow cutting in hard to reach areas. Smallest circumference handle with soft grip for comfortable working. One-hand SDS system for easy saw blade change.



\*Blade sold separately

Size	Product Code
260mm x 190mm	540106

## JIGSAW 110V

High power reserves, even in hard and thick beams, due to powerful and overload-capable 780-watt motor. Extremely robust and bend-resistant sole plate for the toughest jobs. High cutting precision due to new saw blade clamping system.



\*Blade sold separately

Size	Product Code
250mm x 214mm	540102

## FLOOR SAW

Offering a cutting performance second to none in this class of machines. The torque transmitted to the diamond blade and the centre of gravity located directly over the cutting shaft have been matched so efficiently, that the majority of the engine's power output goes there where it is needed: into the asphalt or the concrete.

### KEY FEATURES

- The machines provide excellent directional stability due to the high tensile strength of the protective cage. The roller bearing mounted wheels make for smooth running of the floor saws
- Individually adjustable handle makes fatigue-free positioning possible for ease of operation
- The lightest floor saws in their class, these units offer easy manoeuvrability around any job site
- The 32 litre water tank allows extended wet cuts and is the largest in this class of equipment

\*Blade sold separately



Size	Product Code
18" Diameter	560402

## DISC CUTTER PETROL 12"

Long-life filter system with cyclone pre-separation makes on site maintenance unnecessary. Extremely low vibration levels (3.9m/s<sup>2</sup>). High performance engine with stratified charge system.

### KEY FEATURES

- Compact design and optimised balance for excellent cutting and guide characteristics
- For use with 300mm cutting wheel
- ElastoStart, primer pump and decompression valve
- Bayonet filler cap for tool free opening

\*Two Stroke Oil sold separately

\*Blade sold separately

\*Complete with Dust Suppression kit



Size	Product Code
300mm Cutting Wheel	560101

## PADDLE MIXER 110V

Designed for use in mixing materials of high viscosity such as prefab mortar and plaster, cement, lime, concrete, quartz filled epoxy resins, screed, pastes, sealing compounds as well as gypsum and granulates in batches up to 80kg.

### KEY FEATURES

- Double insulation
- Compact and lightweight
- Two speed gear box
- 80kg Mixing capacity
- Max paddle diameter 180mm

\*Paddle sold separately



Weight	Product Code
80kg	540310



## HAVS MONITORING STATION

The Docking Station can house 15 HAVWEAR modules at once. The Docking Station re-charges the HAVWEAR module as well as download and transmits online the data collected by the HAVWEAR.

### KEY FEATURES

- The Docking Station is powered by a mains power cable/adaptor
- Can house 15 modules at once



Size	Product Code
4 Bay	540926
12 Bay	540921

## SCABBLER TRIPLE HEADED

Triple Headed Air Scabblers designed for medium duty work. Simple and robust.



Product Code  
520603

## MULTI TOOL CORDLESS

A Multi Tool that has a powerful EC motor, creates fast work progress and low vibration. Battery voltage 18V.



Product Code  
540914

## PAT TESTER

PAT Tester with a variety of power outlets, USB point, keyboard and plug for power.



Product Code  
540904

## CONCRETE TESTER

The shotcrete penetrometer provides accurate readings of the forces required to penetrate sprayed or poured concrete during the first few hours of development, giving a reliable indication of compressive strength and curing progress.



Product Code  
540925

## CONCRETE MIXER DIESEL

Heavy gauge, box section gives clean lines and less material traps. Fitted with lifting points. Two piece, spun steel drum assures long life and easy replacement. Highly efficient drum design and twin fast-acting blades ensure thorough mixing and eliminate clogging and wasteful 'build-up'.

### KEY FEATURES

- Yanmar L48 electric start diesel engine
- Totally enclosed, heavy duty drive line through roller chain, bevel wheel and cast steel pinion
- Good all round access to daily check points, service items and all replaceable components
- Careful design ensures maximum working space around the machine for charging, mixing and discharging
- Fixed rear axle and swivelling front axle fitted with four rubber cushion tyres and towbar



Size	Product Code
150 Ltr Bowl Capacity	560503

## CONCRETE MIXER & STAND

Built for site durability, this mixer is a quality built, portable mixer for all small to medium building projects.

### KEY FEATURES

- Used with the stand, it allows barrow-height mixing and tipping
- Enclosed electric, sealed to IP 45 (Electric Model)
- Safety NVR (no volt release) switch (Electric Model)
- Full thermal overload protection
- Reliable smooth tipping action
- Complete with stand



Type	Size	Product Code
Petrol	136 Ltr Bowl Capacity	560501
Electric	136 Ltr Bowl Capacity	540701

## HYDRAULIC PACK & BREAKER

Lightweight yet with the power to operate the full range of breakers and tools. A powerful high output breaker.

### KEY FEATURES

- Weighing 26kg
- Reliable and robust
- Durable steel case



Product	Product Code
Hydraulic Breaker	520107
Hydraulic Breaker Pack	520106

## HEAVY BREAKER

Lightweight rugged road breakers designed for light to medium construction and plant maintenance work, such as light demolition of floors, pavements and roads as well as various other service jobs. These tools are very popular for bridge deck jobs and utility work. Although classed as a 35 pound tool, the new CP 1210 has high hitting power and the performance of a bigger tool.

### KEY FEATURES

- Improved swivel design for increased manoeuvrability
- Improved valve system and percussive mechanism, giving 20 percent more power
- Lubrication groves on the piston to increase wear properties of the impact mechanism
- Speak to our sales team for more information on accessories

\*In Line Oil Lubricator recommended



Product Code
520103

## HAUSHERR H11 PICK

This medium duty H11 Pneumatic 'German' Jigger Pick is the ultimate in hand held construction and demolition tool. The professionals choice for working on general concrete breaking and foundation pilings. Incredibly powerful and ideal for confined environments where manoeuvrability is key.

### KEY FEATURES

- High power to weight ratio
- Easy manoeuvrability
- Speak to our sales team for more information on accessories

\*In Line Oil Lubricator recommended



Product Code
520102

## FL22 CLAY DIGGER

It is the ideal tool for any operation that involves the digging of soil and soft ground. The exhaust port is at the top of the barrel so it can be buried almost to the handle. The FL22 is also used without silencer for tunnelling and underground mining, making it a very slim and easy tool to handle.

### KEY FEATURES

- Very powerful blow at relatively low frequency (1300 bpm)
- Special features for mining applications inc. machined barrel, exhaust port at top of barrel and high quality valve for regular blow and less blockage in dirty air environment
- Slim design with machined barrel and screw-on retainer to work in tight spaces
- Speak to our sales team for more information on accessories



\*In Line Oil Lubricator recommended

Product Code

520108

## FL22SVR CLAY DIGGER

Strong and durable FL22SVR Clay Digger ideal for any tool operation that involves the digging of soil and soft ground.

### KEY FEATURES

- Strong and durable Clay Digger
- Low vibration
- Speak to our sales team for more information on accessories



\*In Line Oil Lubricator recommended

Product Code

520101

## SOIL PICK

The Soil Pick offers selective excavation, enabling soils to be excavated without running the risk of damaging underground utilities.

### KEY FEATURES

- Strong and durable Soil Pick
- Easy to use



Product Code

520105



## TRANSFORMER 3.3KVA DUAL SOCKET

The 3.3KVA Dual Socket Transformer has a 16 Amp 3.3kVA Twin Outlet transformer, ideal for site use.

### KEY FEATURES

- Heavy duty GRP weatherproof case which is rated to IP44
- Resettable thermal overload protection and is fitted with BS approved 13 amp plug
- Includes a unique blue LED 'Power On' indicator
- 2 x 110V 16 Amp sockets
- 240V Input



Size	Product Code
3.3KVA	540801

## TRANSFORMER 5KVA DUAL SOCKET

5KVA Transformer with inputs of 240V and outputs 110V with 3 sockets.

### KEY FEATURES

- 3 Sockets - 2 x 16 Amp and 1 x 32 Amp
- Continuous use - 2.5KVA
- IP44 (Ingress Protection Rating)
- Pair of carry handles either side for easy transportation
- 240V Input



Size	Product Code
5KVA	540802

## TRANSFORMER 10KVA

Portable site 10KVA Transformer with robust IP23 painted steel case complete with carry handles.

### KEY FEATURES

- Designed to reduce the chance of overload
- 4 Outputs - 16A 3 pin sockets
- 2 Outputs - 32A 3 pin sockets (BSEN 60309)
- 2 x 110V 16 Amp sockets
- 240V Outlets also available



Size	Product Code
240V	540803
415V	540803

## DISTRIBUTION BOX

415 Volt input to 240 Volt outlets. Available with a number of various outlets to suit your requirements.

### KEY FEATURES

- Distribution box with a variety of outlet options available
- Our electrical distribution equipment meets all major industry standards



Product Code
680401

## POKER DRIVE UNIT

A mechanical Poker Drive Unit with a Honda petrol engine.

### KEY FEATURES

- Petrol
- Strong and robust unit
- Poker flex not included



Size	Product Code
2"	520304

## POKER HIGH FREQUENCY

Vibrating High Frequency Poker that can operate within a range of voltages.

### KEY FEATURES

- For concrete compaction
- Protection hose
- Resistant head
- Made of sturdy rubber



Size	Product Code
2"	540503

## POKER AIR

Air Pokers offer a high level of power and reach. Designed to compact wet concrete.

### KEY FEATURES

- Different sizes available to suit any requirement



Size	Product Code
1.5"	520301
2"	520302
3"	520303

## DUMPER SWIVEL TIPPING SKIP

These two Swivel Dumpers make it easier than ever for operators to swivel and tip with great accuracy

### KEY FEATURES

- Option to deliver a load to the side of the machine
- The Power Swivel function makes it easy
- Operators can take their loads through 180° via a single access dual-control lever, with safety lock, on its powered turntable



Size	Payload	Engine	Unladen Weight	Product Code
3 Tonne	3000kg	Yanmar 3TNV88, 24.8 kW	2190kg	500203
6 Tonne	6000kg	Deutz TCD 3.6 L4 55.4kW	4420kg	500202

## DUMPER SWIVEL TIPPING SKIP (DUAL VIEW)

The driver's cab concept allows the operator to turn the seat and console 180 degrees to determine the viewing and driving direction. The rotation can be conveniently performed from the driver's seat by simply unlocking the seat console and then turn it around.

Size	Product Code
6 Tonne	500207





## DUMPER STRAIGHT TIPPING SKIP

The 9 Tonne range gives them vast capacity – 4600 litres heaped or 2155 litres of water – in a beautifully articulated vehicle. The Kinglink frame is a big plus, making the 9 Tonne operate as easily as a much smaller vehicle.

### KEY FEATURES

- Heavy duty axles and 12 ply tyres
- ROPS frame fitted as standard in UK Comfort and convenience are big factors for any operator
- Up to 15mph
- 12 Ply track grip tread
- Power shuttle transmission
- One-touch sticks for skip and optional power steering are close at hand, while audible alarms and light up LED screens help ensure safe operation at all times



Size	Payload	Engine	Unladen Weight	Product Code
9 Tonne	9000kg	Deutz TCD 3.6 L4 55.4kW	4740 kg	500204

## DUMPER CABBED

9 Tonne or 6 tonne Cab Dumpers with forward tip and powerswivel.

### KEY FEATURES

- Compliant to ISO 5006 and waterproof to IP67
- The system provides the operator with 360o all round visibility
- Tinted side and rear glass to reduce solar gain for operator comfort and safety
- Fully controllable cab heater and ventilation system with both dust and pollen filters to remove airborne irritants

Size	Product Code
6 Tonne Swivel	500205
9 Tonne Straight	500206





## EXCAVATOR WHEELED 2

High quality and fully detailed to offer a true replica of the real thing.

### KEY FEATURES

- High quality
- Genuine merchandise
- Fully detailed



\* Category 2 applies to any Hitachi Excavators between 13 - 17 Tonne

Size	Product Code
10 Tonne (JCB)	500402
14 Tonne	500400
18 Tonne	500403

## EXCAVATOR RUBBER TRACKED

Ideal for working in narrow or confined spaces, the Rubber Tracked Excavators are easy to transport from site to site.

### KEY FEATURES

- Ideal for a variety of activities including utilities, foundation work, landscaping, indoor demolition and construction projects
- Trailers available - See Trailer section



Size	Product Code
3 Tonne	500303
6 Tonne	500305
9 Tonne	500307

## EXCAVATOR TRACKED 2

A medium Excavator providing compact size and short tail swing.

### KEY FEATURES

- Two tilt models as standard
- Suitable for wider jobs
- Retains powerful lifting force
- Rubber tracks available

\* Category 2 applies to any Hitachi Excavators between 13 - 17 Tonne



Size	Product Code
1.5 Tonne <b>1</b> Ban on lifting with the 1.5 Tonne Excavator	500301
14 Tonne	500308
22 Tonne	500310

## EXCAVATOR PALLET FORKS

Pallet forks enable you to maximise the productivity of your excavator whilst improving safety on construction sites.

### KEY FEATURES

- Suited to machines between 5 & 50t
- Adjustable pin centres
- Self-levelling
- Adjustable forks
- Storage slots for pins
- Supplied with two sets of pins
- Flip back forks for site safety



\* Banned on all Anglian Water Sites

Size	Product Code
2 Tonne	500717

## EXCAVATOR BREAKER

This range of Excavator Breakers from Prodem offer easy maintenance due to fewer components and wide appropriate openings.

### KEY FEATURES

- The through bolt reduces internal torsion stress to increase fastener life
- Optimized by high grade steel and heat treatment
- Extremely durable welded structure
- Reduces noise
- Minimizes recoil, eliminates mechanical springs, special heat-treated and hardened piston




Size	Product Code
1.5 Tonne	500718
3 Tonne	500706
6 Tonne	500707
14 Tonne	500712

## POLE GRABS & EXTENSIONS 3

The Pole Grabs features piston rod protection, mechanical opening and closing limit stops and replacement teeth. The Extensions are available in 3 different sizes.

### KEY FEATURES

- Interchangeable digging shells
- Ram guard offering full protection
- Fully protected rotation motor
- Forged 3-hole bolt-on teeth
- Side and ground cutting edges made from high-strength fine-grain steel (450 HB)



Product	Size	Product Code
Pole Grabs	N/A	500713
Pole Grabs Extension	1M	500714
Pole Grabs Extension	2M	500715
Pole Grabs Extension	3M	500716



### 560-80 WASTEMASTER

The highest capacity machine in the Loadall range. With a massive 6,000kg of lifting capacity and a powerful EcoMax engine, the operational output will be higher than ever. The optional 5m<sup>3</sup> bucket providing superb bulk handling also helps this campaign. 8M reach.



Size	Product Code
6 Tonne	501006

### TELEHANDLER 3

A Telehandler that's designed to meet the challenges of any site head-on. Compact dimensions, unrivalled manoeuvrability, unparalleled build quality and all-day operator comfort all come as standard. That means you can take on the very narrowest spaces, slipperiest surfaces and heaviest workloads. 5M reach.



Size	Product Code
3 Tonne	501005



## MOBILE CRANE 35 TONNE

Hydraulically telescopic and tilting jib approach to wide range. The latest ACS (Automatic Crane System) and various monitor cameras are available to support safe crane operation.

### KEY FEATURES

- Efficient jib work brought by 3-section hydraulically telescopic and tilting jib
- Various safety monitor cameras ensure safe driving and operation
- Comfortable reclining seat and wide foot space

Size	Product Code
35 Tonne	700202





## TOWERLIGHT X-ECO

The X-Eco Towerlight provides guaranteed light for 50,000 hours. Safety vertical mast with a 48 volt coiled cable.

### KEY FEATURES

- Light sensors featured as standard
- Galvanised body with durable anti-corrosion protection
- Fork lift pocket
- Rotates
- Adjustable height and light direction
- Auxiliary outputs
- Diesel fuel



Product Code

500806

## TOWERLIGHT HYBRID LED

The X-HYBRID MOBILE is the best solution to your needs and guarantees 3000 sqm of illuminated area. 7 Units can be loaded on a standard truck. To all of this, we added the technology that allows for maximum fuel efficiency and reliability.

### KEY FEATURES

- Multi-directionally adjustable and tiltable floodlights
- 7 Sections hydraulic vertical tower 8,5m, 340° rotatable
- Standard light sensor for machine power on and off
- Galvanized metalworks
- 80 µm powder coating
- Very compact dimensions for easy handling & transportability, up to 7 units per truck
- Central lifting eye longitudinal and transversal forklift pockets for effective handling
- Plug & play, colour coded cables and connectors
- Guided main coiled cable to avoid damage during tower operation
- Control panel alarms for engine protection and fuel level indicator
- Circuit breaker for electrical protection against overload
- External emergency stop button
- Fully bunded tank, 110%
- Certified wind stability up to 110 km/h
- 4 Extendible & height adjustable stabilizers
- On board levels for guidance during stabilization



Product Code

500807

## ROLLER 120

This is the next generation of Rollers, it fits the operator's requirements of power, ease of use and compact go-anywhere design.

### KEY FEATURES

- 47.2 Inch drum
- Kubota engine
- Unobstructed view of drum edge
- Two position throttle which is perfectly positioned for easy control. And it offers dual vibration frequencies
- The heavy tandem roller itself assures exceptional compaction



Product Code

501217

## PLANT TRAILER

Known for its strength, versatility and unbeatable value, the Tipper Trailer is every builders best friend. Effortlessly tips heavy loads to save time and money, whilst also being versatile enough to transport machines.

### KEY FEATURES

- Spare Wheel
- Heavy duty jockey wheel
- Aluminium floor
- Full drop side kit
- Electric hydraulic power tip & remote system
- Lockable toolbox
- Double hinged swing rear tailboard
- Full 13 (8) pin EU lighting system



Product Code

501218

## FUEL TANK

Fuel Cube with a lockable cabinet that protects all equipment and ports whilst keeping spills contained. Secure hose access enables fuelling whilst the cabinet is locked.

### KEY FEATURES

- Stackable corner brackets
- Double-walled
- Removable inner tank
- Four way forklift pockets
- 110V Pump available



Size	Product Code
500 Ltr	660101
1000 Ltr (c/w Generator Feed)	660102
2000 Ltr (c/w Generator Feed)	660103

## FUEL BOWSER WHEELIE BIN

The Bowser 110 Ltr does not require ADR approval under ADR exemption 1.13.1 c. due to its smaller capacity.

### KEY FEATURES

- Outer bund tank contains over 110% of inner tank contents
- Heavy duty grab handle, bonnet style lid fastener
- Inner tank is constructed from heavy duty translucent polyethylene, fitted with vent valve and filler cap.
- GROZ lever action barrel hand pump c/w 3m of 3/4" diesel hose & trigger nozzle



Size	Product Code
1.5 Tonne	660203

## FUEL BOWSER

The ultimate off road fuel bowser, that can be configured for multiple industries. The fully welded trailer with flotation tyres ensures adventurous off road capabilities. The trailer can be built to suit bespoke requirements or can be configured for containing fuel.

### KEY FEATURES

- Constructed from 5mm pressed steel section fully welded with a 100 x 50 RSC 'A' frame drawbar and a front stand plate
- 110V Pump available



Size	Product Code
1000 Ltr Road Tow	660204
1000 Ltr Site Tow	660201
2000 Ltr Site Tow	660202

## CURING TANK

Supplied complete with a bottom rack, heating element & thermostat with digital display.

### KEY FEATURES

- The tank will accept: 30 x 150mm or 64 x 100mm cubes
- Conforms to BS1881-111 and EN12390-2
- Manufactured from plastic




Size	Product Code
Accepts 30x150mm or 64x100mm	680304

## PUMP DOUBLE DIAPHRAGM

Driven by compressed air, they are simple to use and are available in surface-mounted or submersible versions. Manufactured from cast iron, are hardwearing, easy to use and are particularly suitable for pumping dirty water.

### KEY FEATURES

- Intrinsically safe
- Solids handling
- Surface-mounted or submersible
- Robust design for difficult environments
- Double diaphragm or centrifugal versions



Size	Product Code
2"	540402



## POWER PACK DIESEL

To suit 2" & 3" Hydraulic Pumps.

### KEY FEATURES

- Baffled hydraulic oil reservoir with diffuser
- Full flow return line filter with condition indicator & suction strainer
- High pressure relief valve for maximum safety
- Simple "ON/OFF" control
- Automatic engine shut down for low oil level and automatic resetting excessive oil temperature
- Handed quick release couplings to eliminate incorrect hose connection
- Easily installed using non skilled labour
- 35 Ltrs



Size	Product Code
3"	540410

## POWER PACK DIESEL

To suit 3" & 4" Hydraulic Pumps.

### KEY FEATURES

- Closed loop system for efficient compact power transmission & minimum volume of hydraulic oil.
- Enclosed in the reservoir, the variable displacement hydraulic pump gives the submersible pump variable impeller speed
- Full flow filters on flow & return lines for long component life
- High and low pressure relief valves for maximum safety
- Simple adjustable ratchet handle controls
- Automatic engine shut down for low oil level and automatic resetting excessive oil temperature
- Handed quick release couplings to eliminate incorrect hose connection
- Easily installed using non skilled labour



Size	Product Code
4"	540411

## PUMP HYDRAULIC 2

Simple & reliable, can be driven by road breakers, excavators etc.

### KEY FEATURES

- High volume, high head, variable impeller speed
- Easily portable
- Simple construction, requires little maintenance
- Safe, no risk of electric shock or explosion
- Runs dry – grease lubricated seal
- Solids handling open impeller with adjustable wear plate to maintain peak performance
- Quiet, pump can be remote from power source
- Bauer quick release discharge as standard
- Adjustable discharge, horizontal or vertical
- Category 2 on the 4" Pump



Size	Product Code
2"	540408
4"	540409

## PUMP PUDDLE 110V

Ideal for complete drainage of flat surfaces where a sump is not available: rooftops, parking garages, roadways underpasses, service utility pits, basements, plant maintenance clean-up pools, and spas.

### KEY FEATURES

- Prime pump through discharge outlet for start up at any water level
- Internal check valve holds prime and prohibits back flow through pump when stopped
- 3/4" Discharge ideally suited for use with a garden hose



Size	Product Code
1"	540407

## PUMP 2" SUBMERSIBLE 110V

For use on construction site, excavations, well casings, general dewatering, utilities, manhole and vault draining, as well as residential, draining of basements, crawl spaces and swimming pools.

### KEY FEATURES

- Comes with a 10 meter power cable
- Impeller and casing are manufactured from a blended rubber compound
- Water is channelled through the outer wall to cool the motor for maximum endurance
- Compact, light-weight, easy to carry and handle
- The built-in thermal protector turns off the power supply in case of overload operation thus protecting the motor



Size	Product Code
2"	540401

## PUMP SUBMERSIBLE 415V

The Sub Pump is available as a 3" or 4" dewatering pump. It has excellent wear resistance due to the hydraulic system.

### KEY FEATURES

- Dewatering pump
- Plug in seal
- Handle for easy transportation
- Excellent wear resistance
- Pump starter available upon request




Size	Product Code
3"	540413
4"	540405



## JACKING GALLOWS 2

Strong and durable Jacking Gallows manufactured from robust material. Complete with two retaining pins. Associated products also listed below.



Product	Product Code
Jacking Gallows	640201
Jacking Leg	640204
Hydraulic Hose	HOS020A



## JACKING STATION

Manufactured in house at BCS Group. Strong and durable to suit Jack & Gallows.



Product Code

640202

## POWER PACK HYDRAULIC

Diesel Hydraulic Power Pack.



Product Code

640203

## GROUT MIXING PLANT

Bespoke Grout Mixing Plant for Barhale with safety rails and hooks.



Product Code




640402

## SHAFT LADDER SYSTEM 3

2M Shaft Ladder manufactured in house at BCS Group with accessories to suit listed below.

### KEY FEATURES

- Strong and durable
- Sturdy construction
- Manufactured by the BCS Group team
- Images opposite shown in order of the tables below
- Follow fixing instructions prior to use
- Fixings required when ordering




Product	Product Code
2M Shaft Ladder	640101
Shaft Ladder Landing	640103
Shaft Ladder Top	640104

## SHAFT COVER

Strong and durable Shaft Covers available in a variety of sizes.

### KEY FEATURES

- Strong and durable shaft covers
- Sturdy construction
- Manufactured by the BCS Group team



Size	Product Code	Product Code	Product Code
2.55M	640301	5M	640306
3.66M	640303	6M	640308
4.5M	640305	7.5M	640309
		8M	640311



## SETTLEMENT TANK

Settlement Tanks available in two different sizes with accessories also listed below.

### KEY FEATURES

- Strong and durable
- Sturdy construction
- Manufactured by the BCS Group team




Product	Product Code
Settlement Tank (4x4)	660402
Settlement Tank (6x4)	660404
Settlement Tank Silt Trapper (8x4)	660403

## SEGMENT STORAGE FRAME

A Segment Storage Frame with retaining bars and lifting lugs for ease of transportation.

### KEY FEATURES

- Lifting lugs to be used for transporting only
- Approx mass 875kg



Product Code  
680303

## TANK-PUMPSAFE ULTRA 100

A strong and durable Tank-Pumpsafe Ultra 100. Manufactured by BCS Group.

### KEY FEATURES

- Sturdy construction
- Lifting loops for ease of transportation



Product Code  
660501

## ROAD PLATE


Made from a suitable material and with an appropriate skid resistant surface where necessary. Flat steel plates supplied complete with lifting eyes cut into 4 corners.



Product Code  
680501

## ROAD PLATE ANTI-SLIP

Anti-Skid paint system and fitted with a central lifting point. The Anti-Skid coating has a Pendulum Test Value of 56 (PTV) and offers a longer lasting surface than the bauxite surface coating.



Product Code  
680502

## SAFETY CABINET

This Safety Cabinet is strong and durable. It is lockable and secure to ensure that your items are kept safe.

### KEY FEATURES

- Strong and durable
- Secure and lockable
- Plenty of space and room for storage
- Includes shelving
- Lifting loops are included in every corner on the top of the Safety Cabinet
- It comes complete with steel arm on the right hand side to hold stretchers



#### Product Code

680302

## WATER BOWSER

This standard 2000 litre Water Bowser is fully approved for towing on the road and has unrivalled off road capabilities. It is a very important trailer within the construction industry as not only can it be used to transport water but it can also be used for dust control on building sites. There are many dust suppression products available for this trailer including spray bars, splash plates and the new pressure washer / rainmaker combo. This trailer can be extended for pressure washers. There are also options to convert this water bowser into a flower watering bowser or animal feeding water bowser.

### KEY FEATURES

- Height: 1.600m (63"), length: 3.530m (139"), width: 1.982m (78"), towing height (Level) 480mm, unladen weight: 515kg approx, laden weight: 2800kg Max
- 110V Pump available



Type		Product Code
Site Tow	2000Ltr	660303
Road Tow	2000Ltr	660302

## PRESSURE WASHER BOWSER

Fitted onto a robust highway tow able trailer, complete with a polyethylene water tank.

### KEY FEATURES

- Constructed from 80 X 80 RSA. Fully welded with a 'T' frame drawbar
- 5mm Sheet front mounting plate
- 3000psi
- Complete with road tow
- 1125 Ltr



Type		Product Code
Site Tow		560702
Road Tow		560704



# CABLE AVOIDANCE

## G.C.A.T4 & GENNY4

G.C.A.T4® and Genny4® products provide a comprehensive range of cable avoidance tools helping professionals to drive best locating practice, to reduce the number of cable strikes and to dig more safely.



Copyright © 2019 Radiodetection Ltd. All rights reserved.

### G.C.A.T4

This model adds GPS position to the usage data recorded. Bluetooth connectivity allows seamless transfer of usage data to the C.A.T manager online cloud based system, for near real-time monitoring of operators' performance.

### Genny4

Genny4's patented simultaneous dual-frequency signal output facilitates location of small diameter cables such as telecoms, street lighting and spurs. All C.A.T4 locator models have patented technology to detect both signals simultaneously. The power boost function in Genny4 enables the locate signal to travel further and deeper, and couple onto utilities more easily.

### C.A.T Manager

C.A.T Manager is a software suite designed to offer online or local analysis of usage behaviours, explore surveyed locations using Google Maps, and produce surveys and usage reports. Data can be exported and shared as KML or CSV files.

The PC version offers the ability to keep fleets up-to-date with the latest firmware and in calibration. Near-real time monitor of g.C.A.T4 and Genny4 fleets is possible using the Android or iOS app and the cloud based C.A.T manager online.



**RADIODETECTION®** 

## G.C.A.T4

A sophisticated cable avoidance tool featuring advanced search functions. The C.A.T4 Avoidance Mode™ lets the operator check an intended excavation area for power, radio & genny signals. It also allows you to pinpoint located utilities in a single scan.

### KEY FEATURES

- Bluetooth options, datalogging & GPS location system available
- Allows user to quickly spot a peak response
- Simultaneous dual-frequency locate signal output (33kHz locate signal)
- Power boost function enables the locate signal to travel further



## RADIODETECTION

Product Code

620115

## GENNY4

To complement the enhanced digital features of the Radiodetection C.A.T4, Radiodetection has developed the Genny4 to provide a new integrated logic design with a simultaneous dual-frequency signal output.

### KEY FEATURES

- Integrated logic design
- Simultaneous dual-frequency signal output design
- Transmits a second frequency (131kHz) designed to facilitate location of small diameter cables such as telecoms & street lighting



## CARRY BAG

This soft bag can hold a C.A.T, Genny and their accessories. Suits either a Mk2, Mk3, Mk4 C.A.T4 & Genny4 kits. Hard wearing and will keep your kit safe, and your accessories together.

### KEY FEATURES

- Can hold a C.A.T4, Genny4 and their accessories
- Hard wearing



## RADIODETECTION

Product Code

620203

## RADIODETECTION

Product Code

620801

## GENNY LIVE PLUG CONNECTOR (LPC)

This accessory is used to easily apply a Genny4 signal to a street distribution cable using a standard mains socket.

### KEY FEATURES

- Available with either UK or EU style mains plug or a ROW style
- Maximum operating voltage 254Vrms and CAT II rated



## GENNY SIGNAL CLAMP

This clamp is used to apply a Genny4 signal to a specific cable or pipe.

### KEY FEATURES

- Particularly useful where direct connection is not possible, or on live cable when these cannot be de-energized
- Available in 2" and 4"



## RADIODETECTION

Product Code

620802

## RADIODETECTION

Size

100mm

Product Code

620803



**GAS DETECTOR 4 GAS**

The TWA Resume function ensures toxic gas exposure is calculated accurately over an entire shift, even if T4 is switched off for a break or during travel to another site.

**KEY FEATURES**

- Robust product
- Portable
- Large buttons for use with gloves
- Detects oxygen, methane, H2S and CO



Abilities	Product Code
Able to detect a variety of gases	600113

**GAS DETECTOR SINGLE GAS**

Single gas personal monitors designed for use in the toughest environments. Compact and lightweight design makes it ideal for use in industries such as oil and gas, chemical plants (with exotic gases), steel works (special CO sensor), hospitality (CO2) and waste and water works.

**KEY FEATURES**

- Custom LCD with backlight
- 95dB Audible alarm
- Operates -20°C to +65°C
- Available for chlorine and ammonia



Information
Contact us for more information on the models available

**GAS DETECTOR PID**

Gas Detector PID gives you full flexibility with a wide range of gas types to choose from. With an optional pump, the Gas Detector PID is the perfect product addressing the requirements of a wide range of applications.

**KEY FEATURES**

- For use in environments with high levels of solvents, glues, paints & general VOCs
- Measures volatile organic compounds and other gases in concentrations from sub parts per billion to 10000 parts per million (ppm)



Abilities	Product Code
Able to detect a variety of gases	600106

## HAND HELD RADIO

Two way radio that is reliable, easy to use and robust. Made for many different industries, this is used the world over.

### KEY FEATURES

- 1 Year warranty as standard
- Specification includes:
  - Frequency range: 446.0 to 446.1MHz
  - Channel capacity: 16 channels
  - Channel spacing: 12.5KHz
  - Operating voltage: 7.5V  $\pm$ 20%
  - Dimensions (H X W X D) (radio only): 54 x 117 x 14.6mm
  - Weight radio only: 140g
  - Frequency stability:  $\pm$ 2.5ppm
  - Battery life: Batt Save Off 14hrs/ Battery Save On 20hrs
- Complete with charger



Product Code

600701

## HAND HELD RADIO LICENSED

This digital two way radio is the next generation in radio technology. It has a multitude of safety features and is safeguarded against a range of factors.

### KEY FEATURES

- Can be used on both UHF and VHF frequencies
- Emergency button
- Transmit interrupt option
- IP68 ingress protection
- Continuous operation even in dusty environments
- Protection against immersion underwater
- Built to Military standard MIL-STD-810 D/E
- Robust and reliable
- Bluetooth
- Battery life up to 28 hours
- 32 Channels
- LED visual display
- Analogue and digital compatibility



Product Code

600705

## EDM FOCUS 35 TOTAL STATION

The FOCUS 35 robotic instrument moves the power of the observer from the instrument to the range pole, improving efficiency.

### KEY FEATURES

- StepDrive motion technology controls the horizontal and vertical motion of the motors, eliminating the need for traditional motion locks
- Includes a tracking sensor that uses LockNGo FastTrack tracking technology, enabling the instrument to constantly lock onto the prism



\*Complete with Tripod & Staff

Product Code

620513

## EDM PRISM HALF TRAVERSE

Mini reflector prism with built in levelling bubble, pole and set of spikes.

### KEY FEATURES

- High positional accuracy
- Comes with a four section pole



Product Code

620507

## EDM PRISM-MINI C/W POLE

Prisms with a copper coating on the reflection surfaces. The copper creates a high reflectance of infrared beams.

### KEY FEATURES

- Robust and resistant to corrosion
- Inc: Circular prism, prism holder, target plate and carrying case



Product Code

620511

## EDM LEICA TOTAL STATION

Built with a wide range of features that can be seen below.

### KEY FEATURES

- MGUIDE application on-board
- MA TRACKER application on-board
- GEOCOM Robotics application on-board
- GEB221 Battery int. Li-Ion 7.4V/4400mAh
- GDF121 Tribrach PRO, w/o opt. plummet
- MSD1000, SD memory card 1GB
- GKL311 single Charger Prof 3000
- GEV192 AC/DC-Adapter GKL112/311 EU
- Various models available including 1 man robotic systems



\*Complete with Tripod & Staff

Product Code

620518

## PIPE LASER

A robust design with cast aluminium housing making it ideal for harsh site conditions.

### KEY FEATURES

- Fully waterproof
- Perfect for use in gravity flow pipe lines, storm and sanitary sewer construction or anywhere requiring line and grade
- Includes remote control battery charger and battery



Product Code

620401

## ROTATING LASER LEVEL

Robust design with a metal sunshade that provides superior drop and weather protection. Built to withstand severe drops of up to 1 metre directly onto concrete, or up to 1.5 metre when pushed over on a tripod

### KEY FEATURES

- Laser Accuracy:  $\pm 2.2$  mm at 30 m
- Dual LCD's on front and rear are ideal for general outdoor applications



\*Complete with Tripod & Staff

Product Code

620302

## ROTATING LASER LEVEL DUAL GRADE

Two way full function remote control and superior grade, level and vertical plane capabilities. The required grade for each axis is entered via the keypad on the instrument or RC402N remote control, and is displayed on the LCD panel.

### KEY FEATURES

- High accuracy:  $\pm 1.5$ mm at 30 metres
- Fast setup, minimal training time and autoself-levelling



\*Complete with Tripod & Staff

Product Code

620304

## DUMPY LEVEL

The Leica NA720 automatic level is extremely popular within the construction industry being known for its increased robustness and precision when working in tough environments.

### KEY FEATURES

- On-site hazards such as falling to ground from a low height, exposure to water and vibrations caused by heavy machinery are no problem
- With no need to re-adjust this level carries on working and measuring precisely, day in and day out
- The horizontal circle and circular bubble are easily read, both being positioned next to the telescope and the external sight allowing for easy targeting
- 20 x Magnification, 30mm objective diameter and 50cm short focus distance
- Upright telescope image
- Gas filled telescope
- 360 Degree / 400 gon selectable angle measurement

\*Complete with Tripod & Staff

Product Code

620301





## BOSUNS CHAIR

This is a lightweight (3.8kg) and comfortable unit, which serves as a stable work platform for the user. The user should always wear a fall arrest harness in addition to the Bosuns Chair.

### KEY FEATURES

- Capacity 141kg/310lbs maximum
- Includes tool pockets, neoprene seat cover and foot bar



Product Code

600405

## RESCUE TRIPOD

It has adjustable lower and middle legs at 80mm intervals to adapt and adjust to the most demanding surfaces and varying ground conditions.

### KEY FEATURES

- Extremely versatile
- Portable, lightweight and easy to erect on site



\*Bracket required to suit arrest block or winch

Product Code

600301

## RESCUE HARNESS

The RGH5 is designed for use as a confined access harness. The front and rear attachment points can be used as standard fall arrest points and the rescue strap can be used for lifting and lowering. When used, the rescue strap keeps the operative in a near vertical position, which is preferred when recovering an unconscious casualty.

### KEY FEATURES

- Suitable for use with fall arrest/recovery blocks
- The harness is fully adjustable
- Fitted with rip stitch indicators
- Rescue strap with additional D ring



Product Code

600402

## LANYARD RETRACTABLE

The retractable Mini Web Block is ideal for personal issue to operatives working at height. The unit is designed to be connected and worn directly on a fall arrest harness.

### KEY FEATURES

- Instant lock off in the event of a fall
- Built in shock pack
- Working length of 2.4M



Product Code

600404

## FALL ARREST INFLATABLE BAG

A fall arrest system utilising an inflatable air cushion, designed to protect operatives working at first-floor joist level.

### KEY FEATURES

- Once inflated the bags form a cushioned surface 750mm from floor level and offers protection from a fall up to 3.25 metres above the floor level



Product Code

600318

## MAN RIDING WINCH

Manufactured from steel with a baked enamel finish, this Winch Rescue has a 50cm or 6cm per handle turn allowing for rapid retrieving/lowering of cable.

### KEY FEATURES

- Integral winch mechanism
- This unit has many applications such as confined space entry, manholes and chemical vessels
- Energy absorbing unit



Size	Product Code
30M	600307
45M	600309
50M	600310
60M	600325

## FALL ARREST BLOCK

A multi purpose fall arrest block which allows uninhibited movement during normal working activity. The carrying handle is part of the cast alloy housing and can be connected to the anchorage point using soft slings or a karabiner.

### KEY FEATURES

- Carrying handle



Size	Product Code
10M	600311
15M	600312
20M	600322

## FALL ARREST RECOVERY BLOCK

A three way retrieval block fitted with an up/down winch mechanism and the standard fall arrest capability. This unit can be used as a standard fall arrest block, but in the event of a fall, the operative can be winched up or down to safety almost immediately.

### KEY FEATURES

- Fall indicating connector
- Winch feature for recovery



Size	Product Code
15M	600302
20M	600304
30M	600307

## LIFTING GANTRY

The Xylem Easylift system is a 500kg WLL portable lightweight aluminium gantry complete with two trolleys, each dual-rated for load and man-riding as well as two fall arrest anchor points.

### KEY FEATURES

- Each leg is telescopically adjustable in 50mm increments, to a maximum height of 2160mm
- The footprint of the 3 legged section is 1300mm square at minimum leg extension and 1700mm square at maximum leg extension
- Rated to 500kg WLL for load lifting, the Easylift system is also suitable for two person fall arrest
- 500kg capacity



Size	Product Code
1600mm	580845

## DAVIT ARM

Large Upper Davit, with an adjustable offset. To be used with a Lower Davit and Base.

### KEY FEATURES

- Certified to EN795 Class B
- Base weight 12kg
- Strong and durable larger upper davit
- 711mm (reach) x 1676mm (height)
- Use in conjunction with a Davit base



Product Code
600317

## DAVIT BASE COUNTERWEIGHT

The counterweight has independently adjustable legs for use on uneven ground.

### KEY FEATURES

- Certified to EN795 Class B
- Base weight 60kg
- 1.5M x 2.08M
- Inc. 24 counterweights




Product Code
600314

## ADJUSTABLE BARREL MOUNT

A robust adjustable barrel mount for fitting onto shoring and trench boxes.

### KEY FEATURES

- Designed to be used with Davit Arms
- Adjusts from 2.25" - 25" (57mm - 635mm)
- Certified to EN795 CLASS B
- Weight: 45kg
- Mild Steel with CS-500 finish



Product Code

600315

## DAVIT SOCKET FLOOR MOUNT

Designed to be used with Davit Arms. To be bolted onto level ground

### KEY FEATURES

- Certified to EN795 Class B
- Mild Steel with CS-500 finish
- Installation test required before use



Product Code


600324

## DAVIT BASE TRENCH SHEET

Barrel mount model designed to be used with Davit Arms. For mounting onto shoring and trench boxes. To fit shoring with a max width of 5" (127mm).

### KEY FEATURES

- Certified to EN795 Class B
- Mild Steel with CS-500 finish
- 5" throat



Product Code


600315

## LORRY LOADING PLATFORM - 2 PIECE

Strong and sturdy Lorry Loading Platform with steps up to the platform and wheels for ease of movement.

### KEY FEATURES

- Strong and durable steel Lorry Loading Platform
- Wheels for ease of movement
- Steps up to the platform level



Product Code

600321



## RE-BREATHERS

A oxygen self-rescuer providing a simple robust respiratory device ideal for all escape applications where toxic gases, particles or oxygen deficiency must be expected suddenly.

### KEY FEATURES

- Low maintenance
- The oxygen supply always adjusts itself to the demand
- Donning and starting up for use are very easy and done within seconds
- The principle of generating oxygen from the chemical potassium superoxide (KO<sub>2</sub>) provides an oxygen supply controlled by the user's consumption
- Available in a variety of duration sizes



Model Number	Duration	Product Code
MSA 30/100	20 - 30 Minute Duration	600207
MSA SAVOX	30 - 45 Minute Duration	600208
MSA SSR90	60 - 90 Minute Duration	600210

## RESUSCITATOR

The Resuscitator is based around two central components: the control module and the patient valve. The gas supply passes through the automatic channel and is delivered to the patient as a specific breathing programme in accordance to the patients size as per the flow selector.

### KEY FEATURES

- Manual and automatic resuscitation system
- Selectable tidal volume/patient settings for automatic mode
- Demand valve delivers 100% oxygen upon inspiratory phase, shutting down the automatic breathing programme
- Conforms to BS6850:1987
- An audible alarm will sound if; the airway reaches 45 cm H<sub>2</sub>O, the patient airway pressure becomes over pressurised/blocked or the automatic breathing senses the zero flow



Product Code

600206

## ESCAPE SET

The Escape Set Emergency Escape Breathing Apparatus allows safe, effective and uncomplicated escape from hazardous environments. Simple to put on and featuring automatic operation, constant flow breathing device can be used with minimal training.

### KEY FEATURES

- Highly visible, even under adverse conditions
- Complies with EN1146:2005
- Requires very little servicing and maintenance



Model Number	Description	Product Code
CF10	10 Minute Hooded Set	600201
CF15	15 Minute Hooded Set	600202
PP10	10 Minute Masked Set	600214

## BREATHING APPARATUS SET

Allows safe, effective and uncomplicated escape from hazardous environments, even if H2S is present. Simple to put on and featuring automatic operation, this positive-pressure breathing device features an integrated full-face mask and can be used in conjunction with other safety equipment such as ear protectors or helmets.

### KEY FEATURES

- Ergonomic carrying system
- Service friendly & easy to maintain
- Integrated and versatile hose routing
- Complete with mask



\*Cylinder hired separately

Product Code
600204

## BREATHING CYLINDER CARBON

Designed using leading technology and advanced materials, Dräger's range of Composite Cylinders can be used in any application where breathing becomes difficult or impossible.

### KEY FEATURES

- Ultra lightweight
- Manufactured from a seamless aluminium liner
- This external layer of glass fibre is applied to enhance the resistance of the cylinder to impact and abrasion
- 9 Ltr air/200 lightweight bar carbon fibre
- Double cylinders available to double the duration from 45 - 90 mins



Size	Product Code
9 Ltr	600213

**MAN RIDING BASKETS**

Man Riding Cages in a variety of sizes to suit your requirements. Made from heavy duty metal offering a high level of protection as the cages are fully enclosed.

**KEY FEATURES**

- Detachable mesh
- Hooks on top of cages for ease of movement
- Forklift slots for easy transportation
- CE marked



Size	Product Code
1 Person (Enclosed)	580915
2 Person (Enclosed)	580916
4 Person (Enclosed) *Pictured	580914
6 Person	580911

**PALLET TRUCK**

Easy to use Pallet Truck for everyday use when heavy loads are required to be moved on site or in warehouses.

**KEY FEATURES**

- Break handle for added stability
- Simply pump the handle in order to raise the truck
- Transport heavy loads easily and safety
- Strong and durable Pallet Truck
- For everyday use



Product Code
581004

**FORKLIFT TIPPING SKIP**

A tipping skip for moving materials and waste around a site. The Conquip Forklift Tipping Skip is primarily for moving materials and facilitating waste management on site.

**KEY FEATURES**

- Standard width fork pockets reduces the need for adjustment of forks
- Comes complete with a safety restraint chain as standard
- Easy tipping mechanism
- Side entry fork pockets for manoeuvrability
- Designed and manufactured within the United Kingdom from British and European steel



Product Code
580906

## CRANE PALLET FORKS

Self balancing adjustable Crane Forks. Net bars and hooks to secure a protection net. Self balancing facility allows the load to stay level during lifting. Designed and constructed from high quality steel to insure safety.

### KEY FEATURES

- Height adjustable
- Fork width adjustable
- Confirms to EN13155 CE
- Forks self level
- WLL 2 tonne
- Locking mechanism to secure fork position



Product Code


580907

## FORK LIFT ATTACHMENT

The adjustable fork mounted hook provides a quick and economical method of the lifting and positioning of unpalletised loads. Multiple lifting positions can be achieved by the correct positioning of the attachment along the fork blade

### KEY FEATURES

- Completely adjustable along the fork blade (except taper)
- Supplied complete with single swivel hook and bow shackle
- Maximum fork section 150 x 60mm at 355mm centres
- Zinc plated twist screws for safe attachment to Forklift Truck




Size	Product Code
2 Tonne	580908
3 Tonne	580912
5 Tonne	580913

## STRETCHER CAGE

A crane lift frame for collecting and transporting injured personnel on a stretcher around a construction site. The Stretcher Cage is designed as a safe method to transport injured or immobile personnel from a building structure or excavation. It is a safe alternative to lifting a stretcher up or down temporary stairways.

### KEY FEATURES

- Half-height, solid metal sides offer maximum protection for the injured person, as well as visibility for the crane operator and attendant
- Internal harness points, handrails and an 'up and over' door ensures safety, stability and maximum space for personnel
- Complete with fork pockets to make moving the cage short distances around site for storage easy



Product Code

580910



## LIFTING GANTRY

The Easy-Rig Aluminium Gantry is a complete, lightweight, fully customizable portable device designed for lifting loads. This Gantry is ideal for lifting applications such as confined spaces, silos, rooftops, lift-shafts, water treatment works, clean environments and many more. Can be used with manual Chainblock, Leverhoist, Electric Hoist or RUP502-T Lifting Winch.

### KEY FEATURES

- A-Frames are supplied with 160mm diameter 360° castors with brake
- Beam is supplied with External Trolley for lifting applications and hitch for raising the support
- Beams are interchangeable which means longer or shorter beams can be added



Size	Product Code
3000kg	580845

## DEHA LIFTER

The Grade 80 Lifting Clutch is perfect for a wide range of lifting applications with precast concrete products such as Staircases or Columns.

### KEY FEATURES

- Grade 80
- Available in 4 sizes to suit your requirements



Size	Product Code
1.3T	580802
2.5T	580803
6T - 10T	580805
10T - 20T	580806

## PULL LIFT

AS lightweight professional quality leverhoist that is easy to operate and has a rubberised handle for comfort.

### KEY FEATURES

- Ease of use due to optimal gear ratio
- Rubberised handle for comfort
- Quality high strength load chain, 360° swivel latch hooks
- Lifting chain length can be altered
- Heavy duty safety catch
- Length to be specified



Size	Product Code
0.5T	580829
1.5T	580831
3T	580832

## CHAIN BLOCK

Ergonomically designed load chain end stop allows the operative to secure a firm grip when using the end stop to adjust the chain.

### KEY FEATURES

- Compact lever hoist is tested and certified at 2% of the lever hoist rated capacity
- Double safety; fitted as standard
- Fitted with heavy duty cast steel latches
- The latch and hook tips are integrated creating a strong and robust hook closure
- Please specify length when ordering




Size	Product Code
0.5T	580603
1T	580605
2T	580608
3T	580606
6T	580613

## LIFTING CHAINS 3

Chain slings are available in various grades and are fully certified to comply with current lifting legislation within the UK and European Union (inc. the machinery (safety) directives, Loler and Puwer). Most chains sling are supplied in single, two, and four leg configurations, with a range of bottom hooks or fittings. Most systems have shortening devices for equal load distribution.

### KEY FEATURES

- Grade 8, alloy steel, quenched and tempered
- Black lacquered finish
- Minimum breaking load is 4 times the W.L.L
- Proof tested to 2.5 times the W.L.L
- Marked with the manufacturers identification and material grade
- Larger sizes available upon request



• Category 3 for 1 Leg Lifting Chains

## Grade 8 Chain Sling Working Load Limit Chart


Chain Size mm	Grade	Single Leg	Choke Hitch	Endless	Two Leg		Two Leg Choke Hitch		Three and Four Leg	
					0°-45°	45°-60°	0°-45°	45°-60°	0°-45°	45°-60°
7	8	1.5	1.2	2.5	2.1	1.5	1.7	1.2	3.1	2.2
8	8	2.0	1.6	3.1	2.8	2.0	2.2	1.6	4.2	3.0
10	8	3.15	2.5	5.0	4.25	3.15	3.4	2.5	6.7	4.75
13	8	5.3	4.2	8.5	7.5	5.3	6.0	4.2	11.2	8.0
16	8	8.0	6.4	12.5	11.2	8.0	9.0	6.4	17.0	11.8
20	8	12.5	10.0	20.0	17.0	12.5	13.7	10.0	26.5	19.0
22	8	15.0	12.0	23.6	21.2	15.0	17.0	12.0	31.5	22.4
26	8	21.2	17.0	33.5	30.0	21.2	24.0	17.0	45.0	31.5
32	8	31.5	25.2	50.0	45.0	31.5	36.0	25.2	67.0	47.5

## MANHOLE RING LIFTER

An additional operator is not necessary as the driver of the lifting machine “switches” the SVZ-uni from gripping to releasing by a slight movement of the lifting hook.

### KEY FEATURES

- Surface protection by galvanizing
- 900 - 1500 Capacity
- Efficient & economic handling of all kinds of manhole elements
- Complete with lifting chain
- Carrying capacity 2500kg



Description	Product Code
Up to 1500 Diameter	580839
Up to 1800 Diameter (Extension bars)	MAN003A

## PIPE HOOK

Pair of pipe lifting hooks. Supplied with certification. For lifting multiple types of pipe. Complete with lifting shackle.

### KEY FEATURES

- Hired in pairs
- Strong and durable pipe hooks
- Complete with lifting shackle



Product Code
580801

## BOAT SKIP

The Conquip Boat Skip has a low loading height and drop-down bale making loading the skip very easy. It is designed with a slotted bale arm, lifting point and latch for automatic emptying of the skip by the crane operator, eliminating the need for an assistant to manually operate a release mechanism.

### KEY FEATURES

- Heavy duty skip for general muck and waste removal
- Ideal for heavy loads
- Low loading height
- Slotted bale arm
- Lifting point and latch for automatic emptying of skip by crane operator



Size	Product Code
2000 Ltr	580715
3000 Ltr	580718

## KETTLE SKIP (HYBRID) 2

A traditional crane lift skip used for muck and waste removal. The Conquip Circular Muck Skip is a traditional skip for muck and waste removal using a crane.

### KEY FEATURES

- Fitted with two safety catches which are designed by hand
- Self tips and empties automatically when lifted
- For muck and waste removal
- Lifting bale arm
- Self tipping hybrid



Size	Product Code
200 Ltr	580716
500 Ltr	580717

## LIFTING BOTTLE CAGE

The Conquip Gas Bottle Lifting Cage is designed as a safe method of transporting gas bottles around site. It is tested, approved and fully certified, constructed to the highest standard and complete with securing chains for extra safety.

### KEY FEATURES

- A secure frame for transporting and lifting gas bottles around site



Size	Product Code
0.65 Tonne	580842

## ECHO BARRIER

Noise Defender Barrier is a portable barrier that attaches to temporary fencing panels and provides a barrier against construction noise. The barrier is 1300mm x 2050mm so three barriers are required to every standard Temporary Fencing Panel.

### KEY FEATURES

- The Echo Barrier can reduce noise by up to 33dB and absorbs 97% of noise
- All individual materials used in the Noise Defender are fire resistant to B1
- Easy to install with simple hook on design



Size	Product Code
1300 x 2050mm	ECH001A

## CLEGG HAMMER

For measuring and controlling soil strength and consolidation levels in both road applications and sports surfaces.

### KEY FEATURES

- Compaction hammer with a vertical guide tube
- Feeds output into a hand held digital device



Product Code
620702

## GPS SYSTEM

Offering a high level of flexibility to cover any demand from GIS all the way up to sophisticated RTK and Trimble RTX™ capable solutions.

### KEY FEATURES

- Extended scalability
- Z-Blade GNSS-centric technology
- 240-Channel 6G ASIC
- Anti-theft technology
- Long Range Bluetooth
- Trimble CenterPoint® RTX



Product Code
620717

## NOISE METER

A data logging sound meter with four measurement ranges (three manually selectable and one auto range).

### KEY FEATURES

- 4 Measurement Ranges
  - 30 to 80dB
  - 50 to 100dB
  - 80 to 130dB
  - 30 to 130dB (Auto range)



Product Code
620703

## POGO STICK

Easy to use heavy duty pogo stick with red and white markings for high visibility.

### KEY FEATURES

- Complete with twist lock that provides easy and secure tightening



Product Code
620804



## DEFIBRILLATOR

The iPAD NF1200 is the latest in the range of intelligent public access defibrillators from one of the worlds leading manufacturers of clinical defibrillator monitors.

### KEY FEATURES

- Highest IP 54 rating which means that iPAD is protected against dust and water
- Metronome function
- CPR instructions
- Daily self tests
- Software can be updated
- Complete with a set of pads

\*Pads sold separately



Product Code

600809

## RESCUE STRETCHER

A quick and easy method to ascend or descend to a position of safety. Must never be used where there is a risk of shock loading.

### KEY FEATURES

- Kit supplied with:
  - The Sked® Stretcher
  - Cordura backpack
  - Horizontal lift slings (pair)
  - Sked® Tow Strap
  - Removable webbing handles
  - Steel locking 'D' karabiner
  - Sked® vertical lift sling



Product Code

600605

## BASKET STRETCHER

The Basket Stretcher is a rigid stretcher with multiple handholds & lifting points as well as a foot plate, designed for hand, rope or helicopter rescue.

### KEY FEATURES

- Shell is built from high density cross linked polyethylene which is resistant to cracking
- The surface is impervious to body fluids and petroleum products making it easy to keep clean
- Will not rust or corrode
- Complete with lifting harness



Product Code

600601

## LIFE JACKET INFLATABLE 275N

Ideal for heavy-duty industrial use when working near a marine environment. The bright colour allows the wearer to be seen easily.

### KEY FEATURES

- Auto inflation with a manual option
- Wipe-clean PVC
- Reflective tape & whistle
- Adjustable waist belt and crotch strap
- 275N Buoyancy
- Ideal for wearers with heavy clothing or tool belts
- Suitable for lone workers or when working at height



Product Code

600804

## LIFE BUOYANCY JACKET

Life Buoyancy Jacket for use in marine areas, industrial use, hardwearing material.

### KEY FEATURES

- Zip up jacket
- Water safety product



Product Code

600803

## TRAINING DUMMY - STANDARD ADULT 50KG

Constructed in the same flame retardant polyester used in Police ballistic/stab vests, which typically has 4 times the strength and abrasion resistance of 16oz canvas or P.V.C (the materials previously used) – making the manikins even stronger than before.

### KEY FEATURES

- Eliminates the risk of pinch welts and bruising being inflicted on trainees
- These training dummies are tough enough to be buried under concrete, have steel lintels, concrete slabs, trees or motor vehicles laid upon them to present a realistic scenarios for rescuers



Product Code

600807

## FAN-VENTILATION 110V 12"

The VAF-300 is a 110v ventilator and extractor fan that can move up to up to 3400 m<sup>3</sup>/hr, using 300mm diameter ducting which can be joined together to form longer lengths. The VAF-300 works on positive and negative airflow and can be used as a stand alone fan for cooling, drying or used with the ducting to inject fresh air or extract contaminated air from confined spaces.

### KEY FEATURES

- Made from a dual wall polythene rotational moulding
- Can withstand the rigours of an industrial setting
- The fans can be easily stacked on top of one another for storage and during operation (max. 3 high) which reduces the floor space required
- Ductin to be ordered separately, please specify length



Description

12" Fan

12" Ducting x 7.5M

Product Code

600801

DUC001A

# BARHALE

## DELIVERY DAYS

Below and on the opposite page the delivery days for each postcode can be seen to give you an idea of when your order will be received. If you have a high priority delivery that you need sooner than your allotted timeslot, please contact us to arrange this. Please note deliveries outside designated days will be charged

Postcode	Postcode Area	Delivery Days
AB	Aberdeen	Monday & Thursday
AL	St Albans	Monday, Wednesday & Friday
B	Birmingham	Daily
BA	Bath	Tuesday & Thursday
BB	Blackburn	Tuesday & Thursday
BD	Bradford	Tuesday & Thursday
BH	Bournemouth	Contact Logistics
BL	Bolton	Tuesday & Thursday
BN	Brighton	Contact Logistics
BR	Bromley	Monday, Wednesday & Friday
BS	Bristol	Tuesday & Thursday
BT	Belfast	Contact Logistics
CA	Carlisle	Contact Logistics
CB	Cambridge	Tuesday & Thursday
CF	Cardiff	Contact Logistics
CH	Chester	Tuesday & Thursday
CM	Chelmsford	Monday, Wednesday & Friday
CO	Colchester	Tuesday & Thursday
CR	Croydon	Monday, Wednesday & Friday
CT	Canterbury	Monday, Wednesday & Friday
CV	Coventry	Daily
CW	Crewe	Tuesday & Thursday
DA	Dartford	Monday, Wednesday & Friday
DD	Dundee	Monday & Thursday
DE	Derby	Daily
DG	Dumfries	Monday & Thursday
DH	Durham	Contact Logistics
DL	Darlington	Contact Logistics
DN	Doncaster	Tuesday & Thursday
DT	Dorchester	Contact Logistics
DY	Dudley	Daily
E	East London	Monday, Wednesday & Friday
EC	East Central London	Monday, Wednesday & Friday
EH	Edinburgh	Monday & Thursday
EN	Enfield	Monday, Wednesday & Friday

Postcode	Postcode Area	Delivery Days
EX	Exeter	Contact Logistics
FK	Falkirk	Monday & Thursday
FY	Blackpool	Contact Logistics
G	Glasgow	Monday & Thursday
GL	Gloucester	Tuesday & Thursday
GU	Guildford	Monday, Wednesday & Friday
HA	Harrow	Monday, Wednesday & Friday
HD	Huddersfield	Tuesday & Thursday
HG	Harrogate	Tuesday & Thursday
HP	Hemel Hempstead	Monday, Wednesday & Friday
HR	Hereford	Daily
HS	Outer Hebrides	Contact Logistics
HU	Hull	Tuesday & Thursday
HX	Halifax	Tuesday & Thursday
IG	Ilford	Monday, Wednesday & Friday
IP	Ipswich	Tuesday & Thursday
IV	Inverness	Monday & Thursday
KA	Kilmarnock	Monday & Thursday
KT	Kingston upon Thames	Monday, Wednesday & Friday
KW	Kirkwall	Monday & Thursday
KY	Kirkcaldy	Contact Logistics
L	Liverpool	Tuesday & Thursday
LA	Lancaster	Tuesday & Thursday
LD	Llandrindod Wells	Daily
LE	Leicester	Daily
LL	Llandudno	Contact Logistics
LN	Lincoln	Monday & Friday
LS	Leeds	Tuesday & Thursday
LU	Luton	Monday, Wednesday & Friday
M	Manchester	Tuesday & Thursday
ME	Rochester	Monday, Wednesday & Friday
MK	Milton Keynes	Monday, Wednesday & Friday
ML	Motherwell	Monday & Thursday

Please note the ordering code will be required on all requisitions in order to be processed. For any item not listed in the catalogue please forward requirements with full description using the same approved requisition form (CF460-50) V7.



Postcode	Postcode Area	Delivery Days
N	North London	Monday, Wednesday & Friday
NE	Newcastle upon Tyne	Contact Logistics
NG	Nottingham	Daily
NN	Northampton	Tuesday & Thursday
NP	Newport	Contact Logistics
NR	Norwich	Tuesday & Thursday
NW	North West London	Monday, Wednesday & Friday
OL	Oldham	Tuesday & Thursday
OX	Oxford	Monday, Wednesday & Friday
PA	Paisley	Monday & Thursday
PE	Peterborough	Tuesday & Thursday
PH	Perth	Monday & Thursday
PL	Plymouth	Contact Logistics
PO	Portsmouth	Contact Logistics
PR	Preston	Tuesday & Thursday
RG	Reading	Monday, Wednesday & Friday
RH	Redhill	Contact Logistics
RM	Romford	Monday, Wednesday & Friday
S	Sheffield	Tuesday & Thursday
SA	Swansea	Contact Logistics
SE	South East London	Monday, Wednesday & Friday
SG	Stevenage	Monday, Wednesday & Friday
SK	Stockport	Tuesday & Thursday
SL	Slough	Monday, Wednesday & Friday
SM	Sutton	Monday, Wednesday & Friday
SN	Swindon	Tuesday & Thursday
SO	Southampton	Contact Logistics
SP	Salisbury	Contact Logistics
SR	Sunderland	Contact Logistics
SS	Southend-on-Sea	Tuesday & Thursday
ST	Stoke-on-Trent	Daily
SW	South West London	Monday, Wednesday & Friday
SY	Shrewsbury	Tuesday & Thursday



Postcode	Postcode Area	Delivery Days
TA	Taunton	Monday, Wednesday & Friday
TF	Telford	Tuesday & Thursday
TN	Tunbridge Wells	Contact Logistics
TQ	Torquay	Contact Logistics
TR	Truro	Contact Logistics
TS	Cleveland	Contact Logistics
TW	Twickenham	Monday, Wednesday & Friday
UB	Southall	Monday, Wednesday & Friday
W	West London	Monday, Wednesday & Friday
WA	Warrington	Tuesday & Thursday
WC	Western Central London	Monday, Wednesday & Friday
WD	Watford	Monday, Wednesday & Friday
WF	Wakefield	Tuesday & Thursday
WN	Wigan	Tuesday & Thursday
WR	Worcester	Tuesday & Thursday
WS	Walsall	Daily
WV	Wolverhampton	Daily
YO	York	Tuesdays & Thursday
ZE	Lerwick	Contact Logistics



# Steel Fabrication Solutions

Fully accredited and quality assured, we are confident in the ability of our highly skilled fabricators/welders to provide projects that exceed our customers' objectives.



## Experts in fabrication and installation

Professional manufacture and installation of safety critical access metalwork solutions including: flooring, walkways, staircases, platforms, ladders, fire escapes, handrails, balustrades, general and bespoke steel fabrications.





### Quadruple accreditation

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 and ISO 50001:2011 standards, which means our customers can have complete confidence that we have an ongoing commitment to being a safe, efficient and a responsible partner.

### CE marking legislation

Our fabricators and welders are certified up to execution class 4 of BS EN ISO 1090-2 (2018) which allows us to comply fully with current CE Marking regulations. This means that our Factory Production Control (FPC) process, as well as supplementary quality assurance procedures, are appropriate for the manufacture and installation of permanent structures and temporary works in various material types and to the highest standard.



### From tailor-made fabrications to expert installations

With a reputation nationwide for high quality metalwork solutions, we have an extensive portfolio of successful projects. From bespoke footbridges, walkways and guardrails to professional installation of access metalwork for the water industries.

Our construction capabilities mean we can provide almost any request for custom-made steel fabrication. We have the flexibility to produce both large, bespoke fabrications and medium to large batch fabrications to customer requirements.

BCS Group's continued commitment to industry standards, specifications gives our customers the total confidence to continue to request our help in providing standard and engineered fabrication solutions which meet their project requirements, time scales and budgets.





# Fleet & Commercial Vehicles

BCS Group are the appointed Fleet Service provider to Barhale and as such look after everything from policy, vehicle provision to in life asset management.

## In-Life Vehicle Support Services

**The BCS Fleet team in partnership with our carefully selected supply chain network will deliver a comprehensive support service, providing assistance and consultation when required.**

Whilst keeping you mobile we ensure that your vehicle is safe and legal for use on the public highway by checking services are carried out on schedule, vehicle MOT's are undertaken and all vehicles are road taxed and insured.

We will also register vehicles required to go through the London Congestion Zone and arrange payments to travel over the Dart crossing. If you are taking a company vehicle abroad then we will provide guidance and the required supporting documentation to allow you to do this.

Fuel Cards are provided by BCS Fleet which are allocated to the car driver or the vehicle registration number if a commercial vehicle. Your fuel card will enable you to purchase fuel, oils and Adblue from over 3000 UK locations. In addition, should you drive a Hybrid or Full Electric vehicle, our new Fuel and Charge card will enable charge your vehicle to be used at over 7000 public charging sites across the UK.





## Fleet Compliance

Whilst providing a safe vehicle solution is one of our main focuses, BCS Fleet are also responsible for ensuring that all vehicles are operated in a legal manner. To support this we created the Commercial Vehicle Operating Procedure along with a number of guidance documents and the Barhale Driver Handbook, together these documents provide the support for both drivers and management to ensure safe and legal vehicle operation. We will support you by ensuring all drivers are inducted and issued with a driver pack. BCS Fleet is also responsible for ensuring all driver licences are checked on a regular basis. All driver licences will be checked at least once per annum, commercial vehicle drivers and at risk drivers will be checked more frequently.



## Company Cars

BCS Fleet together with Human Resources are responsible for ensuring Barhales company car policy is current and fit for purpose whilst also being followed. We monitor and update the company car choice list on a regular basis ensuring the latest models and environmentally friendly vehicles are available for drivers to choose. With support from our fleet provider we will arrange procurement of company cars and all associated in life services as detailed. In addition to long term company vehicles, we also provide short term rental cars.



## Contact

If you require any further information on the Barhale Fleet then please contact the BCS Fleet team as below:

**Email Address** | [fleet@bcsgroup.co.uk](mailto:fleet@bcsgroup.co.uk)



# BCS Group Fleet & Commercial Vehicles

BCS are the appointed Fleet Service provider to Barhale and as such look after everything from policy, vehicle provision to in life asset management. Below you will find details of our product offering and management service

## Long and Short Term – Commercial Vehicle Provision

BCS specialise in commercial vehicle solutions to meet the need of the business. A wide choice of vehicles are available and the vehicle specification will be designed to suit the business requirement. Below is a selection of the main types of vehicles currently widely used within the company all of which are available on long term contracts and short term rental.

## Examples of Barhale Owned Vehicles

The vehicles detailed below and adjacent are typical examples of Barhale owned vehicles and short term rental vehicles will differ in type and specification. Other vehicles such as 4x4's, Welfare Vans and Specialist vehicles are also available.

(Note, these are examples and the data shown is the typical spec of a vehicle in this range and may not be precisely the specification of the vehicle you are provided).



### Small Van | Renault Kangoo

Kangoo LL21 dCi 90 Euro VI	ENERGY dCi 90
Gross Vehicle Weight	2200
Maximum Payload	800
Loading height	1,129
Loading length	1,862
Standard Features	
Electrically operated door mirrors and front windows	
Full steel bulkhead (Not available on Crew Vans)	
Manual air conditioning with pollen filter	
Rear Parking Sensors	
Alarm	

### Medium Van | Renault Trafic

Renault Trafic SL27 Energy Van (L1H1)	ENERGY dCi 145
Gross Vehicle Weight	2820
Maximum Payload	1077
Load height	1476
Load length	2537
Standard Features	
Manual Air Conditioning	
Driver's seat with armrest – height adjustable, lumbar adjustment	
Electric front windows / Doors mirrors	
ESC (Electronic Stability Control) with HSA (Hill Start Assist) and Grip Xtend	
Full steel bulkhead	



### Large Van | Renault Master

Renault Master LM35 Energy Van (L3H2)	ENERGY dCi 145
Gross Vehicle Weight	3500
Maximum Payload	1476
Cargo area length at floor	3733
Headroom (load area height)	1894

#### Standard Features

- Alarm and immobiliser
- Full steel bulkhead
- Electric front windows and mirrors
- Radio with DAB, Bluetooth CD & USB
- ESC with Grip Xtend, Hill Start Assist and Trailer Swing Assist
- Manual Air-conditioning
- Rear Parking Sensors



### Single Cab Tipper | Renault Master

Master SC ML35 RWD Tipper D145 Business Twin Wheel	ML35
Gross Vehicle Weight	3500
Maximum Payload	1014
Body length	3280
Load length	2537

#### Standard Features

- Alarm and immobiliser
- Electric front windows and mirrors
- Radio with DAB, Bluetooth CD & USB
- ESC with Grip Xtend, Hill Start Assist and Trailer Swing Assist
- Manual Air-conditioning



### Double Cab Tipper | Renault Master

Master DC LL35 RWD Tipper D145 Business	LL35
Gross Vehicle Weight	3500
Maximum Payload	913
Body length	3280
Loading length	1,862

#### Standard Features

- Alarm and immobiliser
- Electric front windows and mirrors
- Radio with DAB, Bluetooth CD & USB
- ESC with Grip Xtend, Hill Start Assist and Trailer Swing Assist
- Manual Air-conditioning



### Single Cab Dropside | Renault Master

Master DC LL35 Dropside D145 Business	LL35
Gross Vehicle Weight	3500
Maximum Payload	1180
Body length	3230
Load length	2537

#### Standard Features

- Alarm and immobiliser
- Electric front windows and mirrors
- Radio with DAB, Bluetooth CD & USB
- ESC with Grip Xtend, Hill Start Assist and Trailer Swing Assist
- Manual Air-conditioning

Typically, all company owned vans will be standard with Air Conditioning, Bluetooth, Parking Sensors, Full Steel Bulkhead and Plylined load area. In addition, all vehicles will be Chapter 8 compliant (emergency relief vehicles may be standard) and vehicles required on medium and long term contracts will have telematics and forward facing cameras installed. They will also have either Barhale or client specific branding applied. Vehicles on long term contracts will be built to the contracts specification where we can include additional items such as internal racking.



# Training Courses & Venue Hire

Whatever your needs, our hands-on training courses are interactive and practical to provide your workforce with the necessary skills to perform their jobs productively and safely.





# Lead them with education

**We have a professional and highly skilled team of instructors, all possessing extensive experience in both training and practical application of skills for working safely on-site and confined space applications.**

Safety does not happen by itself, it takes smart preparation, quality equipment and a well-trained workforce. We are dedicated to helping you build a culture of safety with comprehensive, behaviour based training that leverages best practice and is tailored to the needs of your workforce.

BCS Group provides a modern conference & training centre which has been designed to help host the perfect event, course or meeting. Training is focused on providing employees with the skills and knowledge to work safely in high risk working environments.

Whether you are an operative who has to locate underground apparatus for work on roadways and highways, or you simply require regulatory training such as confined spaces, manual handling, fire risk or first aid as part of your workplace requirements, BCS Group can develop a suitable training program to meet your needs.

The success of our training has created a demand for us to develop and extend our course portfolio into wider industries and fulfil more of your training needs.

Our own dedicated Confined Space and Streetworks facilities offers a chance for trainees to get real hands-on experience in safe conditions. The outdoor training area is located to the rear of the training centre and has direct access to the Stephenson Suite and Brunel Suite on the ground floor which gives a good mix of theory and practical training.

## Fully approved centre

BCS are a fully accredited training provider, recognised as specialists in the learning and development of construction safety. The centre offers a wide range of expertly-run training courses associated with accreditations and awarding bodies including City & Guilds, CITB, UKATA and EUSR.





# Training Courses & Venue Hire

Whatever your needs, our hands-on training courses are interactive and practical to provide your workforce with the necessary skills to perform their jobs productively and safely.

**BCS Group provides a modern conference & training centre which has been designed to help host the perfect event, course or meeting.**

**Training is focused on providing employees with the skills and knowledge to work safely in high risk working environments.**

Whether you are an operative who has to locate underground apparatus for work on roadways and highways, or you simply require regulatory training such as confined spaces, manual handling, fire risk or first aid as part of your workplace requirements, BCS Group can develop a suitable training program to meet your needs.

For more information or to schedule a date for your next training course, contact our training centre on **01922 726732** or you can email: **[training.enquiries@bcsgroup.co.uk](mailto:training.enquiries@bcsgroup.co.uk)**



Our own dedicated Confined Space and NRSWA facilities offers a chance for trainees to get real hands-on experience in safe conditions. The outdoor training area is located to the rear of the training centre and has direct access to the ground floor training suites which gives a good mix of theory and practical training.

BCS Group's service & inspection division operates a purpose built maintenance and calibration facility for gas detection, cable avoidance, breathing apparatus and lifting equipment. Technicians offer comprehensive after sales service and support on all products supplied.

Specialist re-certification programs ensure all BCS Group equipment remains in test and fully functioning throughout the life of the product.

Training Course	Course Certificate	Course Duration
Abrasive Wheels	Attendance Certificate	½ Day
Confined Space – Medium Risk	City & Guilds	2 Days
Confined Space – Medium Risk Reassessment	City & Guilds	1 Day
Confined Space – High Risk Only	City & Guilds	3 Days
Confined Space – High Risk & Rescue	City & Guilds	4 Days
Confined Space – High Risk & Rescue Reassessment	City & Guilds	3 Days
Location & Avoidance of Buried Services	Attendance Certificate	1 Day
Manual Handling	Attendance Certificate	1/2 Day
National Water Hygiene	EUSR	1 Day
NRSWA Operatives	City & Guilds	5 Days
NRSWA Supervisors	City & Guilds	5 Days
NRSWA Operatives Reassessment	City & Guilds	5 Days
NRSWA Supervisors Reassessment	City & Guilds	2 Days
NRSWA Signing, Lighting & Guarding	City & Guilds	1 Day

## BARHALE MUG

The Barhale branded mug is perfect to have in canteen on site and in offices. It displays the Barhale logo clearly and is accompanied by the values underneath.

### KEY FEATURES

- Branded Barhale mug
- White ceramic mug
- Ideal for holding hot drinks



Product Code

1008021800000

## BARHALE RULER

Flexible plastic Barhale branded Ruler in both centimetres and inches.

### KEY FEATURES

- 15cm/ 6 inches long
- Barhale logo and values visible



Product Code

1009024200000

## BARHALE PEN

Barhale branded plastic push pen.

### KEY FEATURES

- Plastic Barhale pen
- Push top of pen to release or retract the ink



Product Code

1009024500000

## BARHALE PENCIL

Barhale branded pencil for use in offices or on site.

### KEY FEATURES

- Handy rubber tip for erasing errors



Product Code

1009024300000

## BARHALE COASTER

Barhale branded Coaster with Barhale logo visible and values listed underneath. Ideal for offices & on site.

### KEY FEATURES

- Easy clean coaster for offices and on site



Product Code

1009024600000

# A

Accommodation	118
Air Test Kit	46
Alarms	112-113
Appliances	102-103

# B

Bags	41,71,73,77
Balaclavas	41
Barriers	80-82
Bars	49,54-55
Baskets	162
Batteries	69,79
Bins	106
Bits	61
Body Warmers	25,35
Bolsters	55
Boot Scraper	7
Boots	4-7
Bowsers	149
Breakers	130-131
Breaking Equipment	130-131
Breathing Equipment	160-161
Brooms	107
Brushes	98,106-107
Buckets	73,107
Bunting	82
Burns Kit	114

# C

Cable Avoidance	150-151
Cable Ties	71
Canteen	104-105
Car care	67
Cars	174-177
Chains	164-166
Chapter 8 Signs	84-87
Chest Wader	7
Chisel	49,55
Cleaning	11,96-98
Clothing	22-41
Coats	26-27,29-30,36,40

Coffee	104
Communication	153
Compaction Equipment	122
Compressors	121
Cones	78-79
Contractor Tools	42-77
Coveralls	30-31,33,41
Covid-19	92-93
Cranes	139
Crockery	105
Cube Mould	47
Cutlery	105

# D

Decorating Equipment	62-63
Defibrillator	116,168
Delivery	170-171
Discs	60
Drain Testing	46
Drill Bits	61
Drills	124
Drum Store	115
Dummy	169
Dumpers	134-135
Dustbins	106
Dye	46

# E

Ear Defenders	19-20
Ear Plugs	19-20
EDM	154
Electrical Equipment	68-69,102-103,132
Excavators	136-137
Expanding Foam	63

# F

Fabrications	172-173
Fall Arrest	156-159
Fan	68,169
Fastenings	59
Fencing	82
Fire Safety	111-113

First Aid	114-116
Fixings	59
Fleeces	39-40
Fleet	174-177
Foot protection	4-7
Fork Lift	163
Fuel Spill Kits	108-111

# G

Gas Detection	152
Generators	120-121
Genny	151
Gloves	12-15,105
Goalposts	81
Goggles	10-11
Grinders	123

# H

Hammers	48-49,167
Hand protection	12-15
Hand Towels	98
Harnesses	156
Hats	41
Head protection	16-18
Hearing protection	19-20
Helmets	16-18
Hex Keys	57
Hi Vis	22-37
Hire	115-169
Hygiene	94-101

# I

Impact Wrenches	125
Industrial Skincare	99-101

# J

Jackets	26-27,29-30,36,40,
Jacking Gallows	146
Jumpers	25,28-29,39

# K

Knee Pads	41
-----------	----

<b>L</b>		PPE	4-41	Sun Cream	101
Landscaping Tools	42-45	Pumps	143-145	Survey	1510-151,154-155
Lasers	154-155	<b>R</b>		<b>T</b>	
Levels	52, 154-155	Radios	153	Tags	77
Life Jackets	169	Rake	45	Tanks	142-143,148
Lifting Equipment	76-77,156-159, 162-165	Rammers	54	Tape	52-53,64-66
Lights	69,79,140	Road Cones	78-79	Tape Measures	52-53
Line Marker	74	Road Plates	83, 148	Telehandler	138
Liners	106	Road Safety	78-87	Testing Equipment	46-47
<b>M</b>		Road Signs	84-87	Toilet Rolls	98
Man Riding Baskets	162	Rollers	62,141	Tool Accessories	128
Masks	21,94	Rope	71	Toolbox Essentials	48-58
Maternity Range	37	<b>S</b>		Tops	24-25,28,34,38,40
Mixers	127,129,147	Saws	50,60,126-127	Traffic & Road Safety	78-87
Mops	107	Screwdrivers	57	Traffic Signs	84-87
Moulding Equipment	47	Screws	59	Trailers	141
<b>N</b>		Sealant	63	Training	178-180
Nails	59	Security	70-71	Trench Covers	83
Netting	71	Setting Out	74-75	Trousers	30-33,37,39-40
<b>O</b>		Shackles	76	Trowels	51
Oil Spill Kit	108-110	Shaft Accessories	147	T-Shirts	24-25,28,34,38,40
<b>P</b>		Sheeting	71	<b>V</b>	
Padlocks	70	Shoes	6-7	Vans	174-177
Painting Equipment	62	Shovels	42-44	Vests	24,35
Parabolts	59	Signage	84-93	Vibration Plate	122
Pegs	75	Site Equipment	72-73	<b>W</b>	
Pencils	53	Site Set Up	88-93	Walkie-Talkies	153
Petrol Can	72	Skincare	99-100	Washers	149
Pins	75,82	Skips	162	Washroom	95-98
Plant	134-141	Slings	76-77	Waste Management	106
Plant Nappy	108	Smoke Alarms	112-113	WD-40	63
PlantMat	108	Sockets	68	Weedkiller	45
Pliers	56	Socks	7	Wheelbarrows	72
Pokers	133	Spanners	58	Winches	157
Power Tools	123-127	Specialist Plant	146-149	Winter care	67
		Specs	8-11	Wipes	11,95,116
		Spill Management	108-110	Workwear	22-43
		Sprayers	45	Wrecking Bars	54-55
		Sprayline	74	Wrenches	56,58,141
		Storage	118-119, 144-149		
		Stretcher	164		





### **BCS GROUP WALSALL**

Bescot Crescent, Walsall, West Midlands WS1 4NN

Tel. 01922 726726

Email. [walsall.sales@bcsgroup.co.uk](mailto:walsall.sales@bcsgroup.co.uk)

[www.bcsgroup.co.uk](http://www.bcsgroup.co.uk)

### **BCS GROUP GLASGOW**

60 Woodhead Road, South Nitshill, Glasgow, G53 7NX

Tel. 0141 881 8155

Email. [glasgow.sales@bcsgroup.co.uk](mailto:glasgow.sales@bcsgroup.co.uk)

[www.bcsgroup.co.uk](http://www.bcsgroup.co.uk)

