

ABOUT US

BCS Group, a subsidiary of Barhale Holdings PLC, is a privately-owned company and a leading provider of safety products and services. With depots in the Midlands and Glasgow, we are committed to delivering exceptional service by ensuring the timely and accurate delivery of the right products and solutions. Offering a core range of over 5,000 items, we fulfil orders efficiently through our dedicated transport fleet or trusted delivery partners.

OUR EXPERTISE, YOUR PEACE OF MIND

Our tagline, "Serious about Safety", highlights our unwavering commitment to providing customers with a comprehensive, one-stop solution for all safety and specialist construction needs. As a full-service supplier, we take pride in staying ahead in safety standards while delivering excellent service to our customers.

EXTENSIVE STOCK & PRODUCT RANGE

We are a distributor of leading industry brands in PPE & clothing, traffic management, safety & spill management, contractor's tools & site equipment products. These include, but are not limited to: Carters, Crowcon, Dräger, Globus, JSP, Melba Swintex, Nissen, Orafol, Oxford Plastics, Plant Nappy, Portwest, ProGARM, Pulsar, Radiodetection, Ridgegear and Rock Fall. Our extensive stock holding of all leading manufacturers and suppliers core lines ensure that we can distribute from our warehouses to suit your schedule. Specialist and bespoke products can also be sourced and delivered to you in a timely manner by our dedicated team.

CUSTOMISATION

When it's done professionally, company profiling really pays off - building a strong brand, reflecting your values and promoting a consistent message. Corporate branding of PPE and Workwear is readily available at BCS Group, with our in-house design team providing a quality service for both heat seal transfer and embroidery options. In partnership with our supply chain, we also offer traffic management branding, giving you a complete solution for all your customisation requirements. Additionally, we create bespoke signage designs tailored to meet your specific needs.

MANUFACTURING SKILLS

BCS Group are proud to have in-house capabilities for manufacturing both Signage and Fabrications. Our Signage department includes all standard and bespoke signage, labels, banners, and temporary and permanent road traffic signage. Our Fabrications division manufactures and installs projects to agreed cost, quality and delivery standards. We have many years of experience producing permanent structures and temporary works of varying sizes and configurations to the construction and civil engineering industries, specialising in the utilities and rail sectors.

SAFETY EQUIPMENT SERVICING

Our extensive range of safety and rescue equipment has been developed to assist customers nationwide in meeting safety requirements, maintaining a safety-first culture and minimising risk in the workplace. Our staff are trained and fully qualified in maintenance, calibration and inspection of a full range of specialist and market leading brands in gas detection, cable avoidance, breathing apparatus and lifting equipment. All service and maintenance work is carried out at our very own purpose built facility and we have the systems in place to also manage your assets through scheduled servicing.

OUR PEOPLE

With a direct work force philosophy, the company culture is driven by our core 8 values: safety, communication, quality, integrity, teamspirit, caring, trust and pride. Each value describes how we act day to day. We ensure all your needs are met through our dedicated Account Management Team.

ACCREDITATIONS

ISO 14001:2015, ISO 9001:2015, ISO 45001:2018, ISO 50001:2018 standards and UKCA certification execution class 4 which means our customers can have complete confidence that we have an ongoing commitment to being a safe, efficient and responsible partner.

04

PERSONAL PROTECTIVE EQUIPMENT

Footwear | Hand Protection | Head Protection | Eye Safety
Hi-Vis Clothing

26

SIGNAGE

Machinery | Materials | Bespoke Signs | Health & Safety Signs

38

TRAFFIC & ROAD SAFETY

Road Signs | Road Cones | Covers & Ramps | Barriers

72

SAFETY EQUIPMENT

Cable Detection | Gas Detection & Breathing Sets
Rescue & Fall Arrest | Chains | Servicing | Spill Management

84

TOOLS & SITE EQUIPMENT

Landscaping Tools | Security & Tapes | Hand Tools
Blades | Site Equipment

98

JANITORIAL & CANTEEN

Waste Management | Janitorial | Canteen Supplies

104

WORKPLACE SAFETY

First Aid | Fire Safety

PERSONAL PROTECTIVE EQUIPMENT

06 FOOTWEAR



09 HAND PROTECTION



12 HEAD PROTECTION



14 EYE SAFETY



16 HI-VIS CLOTHING



ROCK FALL SAFETY FOOTWEAR

Rock Fall provide high quality safety footwear across a multitude of industries. Their safety footwear is designed to include a wide range of excellent components that enhance the wearer's experience. A broad range of safety footwear is available including; safety boots, safety trainers, safety wellington boots, specialist safety footwear and safety footwear specially designed to provide a secure and safe fit.



ROCK FALL SAFETY COMPONENTS


ANTI-STATIC	PROTECTIVE TOECAP	PROTECTIVE MIDSOLE	OIL RESISTANT	LADDER GRIP	SRC SLIP RATED	FULLY WATERPROOF
WATER REPELLENT UPPER	HI RESISTANT OUTSOLE UP TO 150°C	HEAT RESISTANT OUTSOLE UP TO 300°C	METATARSAL PROTECTION	INTERNAL DIGGING PLATE	100% NON METALLIC CONSTRUCTION	ZIP FASTENING
ESD CERTIFIED	SMALL SIZES (2+)	LARGE SIZES (14+)	WIDE FIT	WOMENS FIT	VEGAN FRIENDLY	

ROCK FALL TITANIUM

100% non-metallic, developed with specialist durability materials including impact Shield Technology.

KEY FEATURES

- Protective fibreglass toecap
- Composite anti-penetration flexi-midsole
- Black full grain waxy leather



Colour	Conformities	Sizes	Product Code
Black	EN ISO 20345:2022 S7S HI CI HRO FO SC SR	3 - 14	BC02A(FY-GJ)

ROCK FALL SILT RF290 SAFETY WELLINGTON

100% non-metallic, with protective toecap and midsole, Silt is highly robust and developed with specialist durability materials including FORCE10® components, an Activ-Step® PU footbed and 5mm neoprene upper.

KEY FEATURES

- Waterproof 5mm neoprene upper - certified to -40°C
- Protective fibreglass toecap and composite anti-penetration flexi-midsole
- Moisture wicking breathable mesh fabric lining
- Activ-Step® PU anti-fatigue comfort footbed



Colour	Conformities	Sizes	Product Code
Navy	EN ISO 20345:2011 S5 CI HRO SRC	3 - 13	BC03A(EY-FS)

ROCK FALL ONYX WOMEN'S

Onyx is also part of the family of boots built for longevity, 100% non-metallic and fully waterproof with an Activ-Tex® membrane. Available in two colours.

KEY FEATURES

- Protective fibreglass toecap and composite anti-penetration flexi-midsole
- Waterproof and breathable Activ-Tex® membrane
- Solid rubber outsole
- Specialist ladies fitting



Colour	Conformities	Sizes	Product Code
Honey	EN ISO 20345:2011 S3 HRO WR SRC	3 - 9	BC02A(JS-JY)
Black	EN ISO 20345:2011 S3 HRO WR SRC	3 - 8	BC02A(KG-KL)

ROCK FALL MONZONITE RF540

100% non-metallic, with protective toecap, midsole and internal metatarsal guard, Monzonite is highly robust and developed with specialist durability materials including FORCE10® components, Moisture-tech by Sympatex® waterproof membrane, IMPACT SHIELD™ and R-TEN™ thread. It features a No. 8 YKK side zip for convenience.

KEY FEATURES

- Protective fibreglass toecap, composite anti-penetration flexi-midsole and internal metatarsal guard
- Premium American black full grain waxy leather
- FORCE10® components including scuff cap and outsole used for incredible durability
- Waterproof and breathable Sympatex® Moisture-Tech membrane



Colour	Conformities	Sizes	Product Code
Black	EN ISO 20345:2022 S3 HI CI HRO WR M SRC	5 - 14	BC02A(DX-EG)

ROCK FALL RHYOLITE TC3000

100% Non-Metallic, developed with specialist durability materials including FORCE10® components, an Activ-Tex® Membrane, R-Ten™ thread and Impact Shield Technology.

KEY FEATURES

- Protective fibreglass toecap
- Composite anti-penetration flexi-midsole
- Internal metatarsal guard



Colour	Sizes	Conformities	Product Code
Black	4 - 14	EN ISO 20345:2022 S3 HI HRO WR M SRC	BC02A(AQ-BA)

PROMAN UTAH PM100

Utah is lightweight and ideal for price sensitive contracts, it features a shock absorbing dual density PU outsole.

KEY FEATURES

- Protective steel toecap
- Protective steel midsole
- Water repellent buffalo black leather



Colour	Sizes	Conformities	Product Code
Black	3 - 14	EN ISO 20345:2022 S3 FO SR	BC02A(QD-QO)

ROCK FALL SLATE RF460

100% non-metallic, with protective toecap and midsole, Slate is wide fitting and developed with specialist durability materials including FORCE10® components, an Activ-Tex® waterproof membrane and our unique dual footbed system.

KEY FEATURES

- Water repellent full grain black leather
- Protective fibreglass toecap
- Composite anti-penetration flexi-midsole
- Activ-Tex® waterproof and breathable bootie membrane – Tested for 8 hours (6 times longer than EN requirement)
- FORCE10® scuff cap and dual density PU nitrile rubber Outsole – Tested to extraordinary abrasion, heat and cold performance levels
- Activ-Step® dual footbed



Colour	Conformities	Sizes	Product Code
Black	EN ISO 20345:2011 S3 HI CI HRO WR SRC	3 - 15	BC02A(EW-FI)

BEE Swift TRENCHER BOOT

Internal metatarsal boot made with Poron XRD technology, designed for comfort and to carry out the same tasks as a normal, less flexible external metatarsal boot.

KEY FEATURES

- 200 Joule composite toe cap
- Composite reinforced midsole protection
- Metatarsal impact protection
- Shock absorber heel
- Anti-static and anti-slip sole
- Heat resistant sole unit to 300°C
- Water resistant leather upper
- Waterproof membrane lining



Colour	Conformities	Sizes	Product Code
Black	EN ISO 20345:2011 S3 WR M SRC HRO	3 - 14	BC02B(HX-II)

BEE Swift TRENCHER PLUS SIDE ZIP BOOT

Internal metatarsal boot made with Poron XRD technology, designed for comfort and to carry out the same tasks as a normal, less flexible external metatarsal boot.

KEY FEATURES

- YKK H/Duty side zip for easy on/off action
- 200 Joule composite toe cap
- Composite reinforced midsole protection
- Metatarsal impact protection
- Shock absorber heel
- Anti-static
- Winter grip compound within the outsole for enhanced slip resistance
- Heat resistant sole unit to 300°C
- Water resistant leather upper
- Waterproof membrane lining



Colour	Conformities	Sizes	Product Code
Black	EN ISO 20345:2011 S3 M HRO WR SRC	4 - 13	BC02B(IL-IW)

CLASSIC GRIP GLOVE

The Classic Grip Glove offers the necessary hand protection with both comfort and grip at an affordable price.

KEY FEATURES

- CE certified
- Crinkle latex grip offers excellent grip
- No 1. choice for general assembly work
- Knitted cuff for comfort



EN 388:2016

2.1.2.1.X **PORTWEST**

Size	Conformities	Product Code
7 - 11	EN 388:2016 + A1:2018 (2.1.2.1.X)	BE01A(AA-AE)

FULLY DIPPED WORKING GLOVE

The Fully Dipped Working Glove with knitted wrist and cotton interlock lining has a smooth finish with excellent abrasion resistance.

KEY FEATURES

- CE certified & ANSI cut level A1
- Fully coated for maximum liquid protection
- Superb abrasion and tear resistance



EN 388:2016

4.1.2.1.X **PORTWEST**

Size	Conformities	Product Code
8 - 11	EN 388:2016 + A1:2018 (4.1.2.1.X)	BE01A(BE-BH)

SKYTEC SAPPHIRE BLAST™

Forged with flame-resistant materials, Skytec Sapphire Blast provides high performance protection against arc flash burns, flames & cuts.

KEY FEATURES

- Durable sponge neoprene coating allows good grip in challenging environments
- Cut resistant: Level D/A4
- Protects against arc flash burns



EN 388:2016

4.X.4.3.D **SKYTEC**

Size	Conformities	Product Code
8 - 10	EN 388:2016 + A1:2018 (4.X.4.3.D)	BE01A(OK-OM)

SKYTEC TONS FIVE FOAM TF-5

The Tons Five Foam TF-5 has very good mechanical resistance and excellent cut protection, made from recycled polyester with nitrile palm.

KEY FEATURES

- Durable foam nitrile palm coating grips in dry, damp & light oily conditions
- Cut resistant: Level D/A4
- Excellent dexterity
- Breathable



EN 388:2016

4.X.4.3.D **SKYTEC**

Size	Conformities	Product Code
8 - 10	EN 388:2016 + A1:2018 (4.X.4.3.D)	BE01A(IG-II)

SKYTEC NINJA LITE

Ninja Lite are ultra-lightweight gloves ideal for the most delicate of tasks.

KEY FEATURES

- Breathable through front and back of hand
- Secure grip in wet, oily or dry environments



EN 388:2016

3.1.2.1.X **SKYTEC**

Size	Conformities	Product Code
7 - 11	EN 388:2016 + A1:2018 (3.1.2.1.X)	BE01A(FA-FE)

SKYTEC TEAL

Single use 100% nitrile powder free glove that has a higher chemical and puncture resistance than standard nitrile gloves.

KEY FEATURES

- High resistance to penetration & projections of many chemicals
- Chlorinated inside to offer more comfort & reduce friction
- Anti-static properties



SKYTEC

Size	Conformities	Product Code
6 - 11	EN 374-1:2016 Type B J/K/P/T	BE02A(AZ-BE)

NCN-FC FULLY COATED NITRILE

Lightweight with a tough nitrile coating for excellent dexterity & abrasion resistance.

KEY FEATURES

- Close fitted, knit wrist style
- Built in Sanitized® hygiene function
- Back hand protection and water resistance



Size	Conformities	Product Code
9 - 11	EN 388:2016 (4.1.2.1.X)	BE01A(BU-BW)

SHOWA 406

SHOWA's 406 water-repellent gloves are designed to protect hands from liquid and freezing temperatures.

KEY FEATURES

- Fluorescent
- Insulated
- Dual rubber latex coating



Size	Conformities	Product Code
7 - 10	EN 388:2016 + A1:2018 (2.1.3.1.X)	BE01A(FF-FI)

MAXIFLEX® ULTIMATE™

Lightweight general purpose glove with durable palm coating offering assured grip and long service life.

KEY FEATURES

- 360° Breathable
- Unique Ad-apt® technology keeps hands cool & dry
- Class-leading fit, form, & feel, reducing hand fatigue
- Washable at 60°C against viruses and/or bacteria
- Touchscreen compatible



Size	Conformities	Product Code
5 - 12	EN 388:2016 + A1:2018 (4.1.3.1.A)	BE01A(ON-OU)

MAXIFLEX® ENDURANCE™

Lightweight general purpose glove with durable palm coating offering assured grip and long service life.

KEY FEATURES

- 360° Breathable
- Unique Ad-apt® technology keeps hands cool & dry
- Raised dots for increased dry grip and extra cushioning
- Washable at 60°C against viruses and/or bacteria
- Touchscreen compatible



Size	Conformities	Product Code
5 - 11	EN 388:2016 + A1:2018 (4.1.3.1.A)	BE01A(OV-PB)

MAXIFLEX® CUT™

Lightweight, medium cut protection with reinforced thumb crotch for extended life.

KEY FEATURES

- 360° Breathable
- DMF free and free from SVCHs (REACH)
- Class-leading fit, form, & feel, reducing hand fatigue
- Washable at 40°C
- Touchscreen compatible



Size	Conformities	Product Code
6 - 11	EN 388:2016 + A1:2018 (4.3.3.1.B)	BE01A(PC-PH)

MAXICUT® ULTRA™ IMPACT

Impact resistant glove with durable palm coating offering assured grip and long service life.

KEY FEATURES

- 360° Breathable
- Unique Ad-apt® technology keeps hands cool & dry
- Class-leading fit, form, & feel, reducing hand fatigue
- Washable at 40°C
- Touchscreen compatible



Size	Conformities	Product Code
6 - 12	EN 388:2016 + A1:2018 (4.2.4.3.FP)	BE01A(PU-QA)

MAXICUT® ULTRA™ PALM

High cut protection and high abrasion resistant glove for dry environments with reinforced thumb crotch for extended life.

KEY FEATURES

- 360° Breathable
- Micro-cup finish allows for a controlled grip, decreases hand fatigue and increases safety
- Washable at 40°C
- Touchscreen compatible



Size	Conformities	Product Code
6 - 12	EN 388:2016 + A1:2018 (4.4.4.2.C)	BE01A(PI-PN)

MAXIDRY® ZERO™ THERMAL

Fleece lined thermal gloves to keep hands warm and dry, double dipped to protect hands from oils and hydrocarbons.

KEY FEATURES

- Thermal resistance to -10°C/14°F inside glove under high activity
- Coating designed to remain flexible in temperatures as low as -30°C/-22°F
- Washable at 40°C



Size	Conformities	Product Code
6 - 11	EN 388:2016 + A1:2018 (4.2.3.2.B)	BE01A(PO-PT)

MAXIDRY®

Lightweight liquid repellent glove with excellent dexterity, ideal for working in wet and oily environments.

KEY FEATURES

- Double dipped to keep hands protected from oils and hydrocarbons
- Micro-cup grip coating gives assured grip in wet & oily environments
- Washable at 60°C against viruses and/or bacteria



Size	Conformities	Product Code
7 - 11	EN 388:2016 + A1:2018 (4.1.2.1.A)	BE01A(QB-QF)

POWERFORM® TEAL

Fully textured surface provides excellent wet and dry grip and the beaded cuff allows for easy donning and removal.

KEY FEATURES

- EcoTek® Biodegradable in Landfill to ASTM D5526-12
- 1.5 AQL offering high-performance protection
- Silicone-free formulation prevents contamination
- Touchscreen compatible



Size	Conformities	Product Code
7 - 11	EN 374-1:2016 Type B J/K/T	BE08A(BP-BT)

ORANGE GRIPPER®

Orange nitrile, disposable glove with tyre tread that provides amazing slip protection in wet conditions.

KEY FEATURES

- Chemical resistant
- Powder free
- Extra thick (0.18mm)
- AQL 1.5
- Touchscreen compatible



Size	Conformities	Product Code
8 - 11	EN 388:2016 (O.X.0.0.A)	BE08A(BU-BX)

EVO®5 DUALSWITCH™ HELMET - VENTED

The Concept SecurePlus Safety Helmet offers high safety with low weight. Reassuring strength with feel good comfort and complete with SecurePlus quick release chinstrap for total ease.

KEY FEATURES

- JSP have delivered an innovative helmet which can be used at ground level (EN397) or at height (EN12492).
- EPP liner offers side, front and rear impact protection
- Tough ABS shell
- Alternative colours available, please contact a member of the team



Colour	Conformities	Product Code
White	EN 397 EN 50365 EN 12492	BF01ABB

EVO®3 COMFORT PLUS™ HELMET

This helmet combines a super strong shell for superior all day protection in the widest range of environments.

KEY FEATURES

- Conforms to EN 397 industrial helmet standard
- Tough HDPE shell
- OneTouch™ Slip Ratchet
- Alternative colours available, please contact a member of the team



Colour	Conformities	Product Code
White	EN 397:2012	BF01AAF

PW50 HELMET

High-density polypropylene shell helmet, 4 points plastic suspension harness.

KEY FEATURES

- Buckle adjustable size 55-62cm
- Soft sweat band included
- Alternative colours available, please contact a member of the team



Colour	Conformities	Product Code
White	EN 397:2012 EN 50365	BF01AAM

HELMET HARNESS

Ideal for working at height. A 4-point chin strap harness that fits the EVO-Lite® & EVO2/3/5® Safety Helmets.

KEY FEATURES

- Fully elasticated
- Easy to fit



Product Code	BF02ABI
--------------	---------

H7R HEADLAMP

The Ledlenser H7R CORE Rechargeable Headlamp is powerful and features a dimming function.

KEY FEATURES

- 3 brightness levels
- Adjustable headstrap



Product Code	BF02ABY
--------------	---------

UC-P3V MASK

Available in a valved version ONLY to reduce heat build up within the mask for greater worker acceptance.

KEY FEATURES

- Adjustable nose bridge
- Fully UK certified to EN149:2001 + A1:2009



Product Code	BH01AAN
--------------	---------

VISIONARY PROTECTION

INTEGRATED PERFORMANCE

EVO® VISTA®

The EVO® VISTAshield® and EVO® VISTA lens® helmets incorporate fully retractable optical class 1 eye protection that is easy to deploy, adjust and maintain.

- ✓ Respirator Compatibility
- ✓ Reduced Fit Testing
- ✓ Sustainability
- ✓ Cost Savings
- ✓ Enhanced Protection
- ✓ Increased Compliance
- ✓ Prescription Eyewear Compatibility
- ✓ Hearing Protection Compatibility

INCREASE LIFESPAN

REDUCE WASTE

Use of safety spectacles produces a high volume of waste which can be reduced by using EVO® VISTA®.

MORE DETAILS

www.jsp-safety.com
sales@jsp-safety.com Tel: +44 (0)1993 826050

JAVA™ SAFETY GLASSES

Modern wrap around design and styling with hard coated lenses.

KEY FEATURES

- Class 1 optical for all day use
- Economical stylish protection



Lens Colour	Conformities	Product Code
Clear	EN 166	BD01AAA
Smoked	EN 166	BD01AAB

BOLLÉ CONTOUR FLASH SAFETY GLASSES

21g of strength: sturdy, protective, stylish, comfortable and lightweight safety glasses.

KEY FEATURES

- Ultra-lightweight
- Non-slip bridge
- Thin TIPGRIP temples for better support
- Platinum coating: anti-scratch & anti-fog



Lens Colour	Conformities	Protects Against	Product Code
Clear	EN 166 EN 170	Impacts, UV radiations	BD01AAJ
Smoke	EN 166 EN 172	Impacts, UV and solar radiations	BD01AAR
ESP (Copper Flash)	EN 166 EN 172	Impacts, UV radiations	BD01AAI
Polarised	EN 166 EN 172	Impacts, UV radiations	BD01AAS

BOLLÉ SILIUM SAFETY GLASSES

The pure curves of the metal frame offers a design that is sleek and attractive while providing the wearer with optimal protection and panoramic vision.

KEY FEATURES

- Metal frame
- 160° flex temples
- Non-slip TIPGRIP temples
- Adjustable non-slip pads
- Anti-static



Lens Colour	Conformities	Product Code
Clear	EN 166 EN 170	BD01AAE

CLEAR AND EASY
THE NEW SIMPLE WAY TO ORDER YOUR SAFETY GLASSES

ALL
INCLUSIVE
PRESCRIPTION
PACK

ENJOY WEARING YOUR PROTECTION !

PRESCRIPTION SAFETY GLASSES EASY AS 1, 2, 3...

- 1 Take the pack to your local optician**
It includes everything you need!
- 2 Choose your frame**
16 styles to pick from!
- 3 Your optician will order them**
and tell you when they are ready*



(* excludes eye test fee)

bolle-safety.com



HI-VIS FEATURES



FLAME
RETARDANT



RAILWAY
STANDARD



WINDPROOF



WATERPROOF



UPF
40+



WOMEN'S
FIT

ROCKHAM ECOVIZ PERFORMANCE POLO SHIRT

100% recycled polyester offers durability and good wicking performance for the wearer, whilst significantly reducing the emissions and energy used to make it.

KEY FEATURES

- Generous fit
- Split-hem design
- Strategically positioned reflective tape for optimal wearer movement



Colour	Conformities	Size	Product Code
Orange	EN ISO 20471 Class 2 RIS-3279-TOM (Rail Standard)	S - 6XL	BA02A(MM-MU)
Yellow	EN ISO 20471 Class 2	S - 6XL	BA02A(MC-MK)

PIPPACOTT HI-VIS WOMEN'S COOLVIZ POLO SHIRT

The Pippacott hi-vis polo shirt is beautifully designed and features subtle grey detailing. Constructed from a lightweight quick drying polyester and benefiting from segmented stretch reflective tape.

KEY FEATURES

- Hydrophobic fabric draws moisture to the outer where it is evaporated
- Split hem design with extended back
- 3 button placket with contrast grey lining and buttons



Colour	Conformities	Size	Product Code
Orange	EN ISO 20471 Class 2 RIS-3279-TOM (Rail Standard)	XS - 6XL	BA02A(OP-OY)
Yellow	EN ISO 20471 Class 2	XS - 6XL	BA02A(OF-OO)

CROYDE HI-VIS COMFORT POLO SHIRT

Manufactured from a comfort polyester/cotton fabric which has moisture wicking fibres that channel moisture away from the body, the Croyde polo shirt has a generous fit and strategically positioned reflective tape for optimal wearer movement.

KEY FEATURES

- Generous fit
- Split-hem design



Colour	Conformities	Size	Product Code
Orange	EN ISO 20471 Class 2 RIS-3279-TOM (Rail Standard)	M - 6XL	BA02A(HP-HV)
Yellow	EN ISO 20471 Class 2	S - 6XL	BA02A(HE-HM)

LOVACOTT ECOVIZ PERFORMANCE+ MATERNITY POLO SHIRT

Designed to make life safer and more comfortable for pregnant women at work, elasticated side seams ensure you are visible throughout maternity.

KEY FEATURES

- Ecoviz® recycled polyester, 150gsm
- Split hem design with extended back
- Lightweight and quick drying
- 3 button placket with contract grey lining & buttons



Colour	Conformities	Size	Product Code
Orange	EN ISO 20471 Class 2 EN 13758-2 UV Protection RIS-3279-TOM (Rail Standard)	10 - 14	BA02A(SW-SY)
Yellow	EN ISO 20471 Class 2 EN 13758-2 UV Protection	10 - 14	BA02A(SL-SN)

HI-VIS S477 POLO SHIRT

Thoughtful details and a high quality construction mean our polo shirt is more comfortable and longer lasting than leading competitors. Ideal for warmer working conditions.

KEY FEATURES

- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable
- Quality wicking fabric finish enhances fabric drying and aids stain removal
- 50+ UPF rated fabric to block 98% of UV rays
- Superior styling with a contrast collar and fluorescent stripe



Colour	Conformities	Size	Product Code
Yellow	EN ISO 20471 Class 2	S - 7XL	BA02A(BC-BL)

HI-VIS RT22 POLO SHIRT

The RT22 has a stylish contrasting grey collar ensuring dirt and stains are less noticeable and features HiVisTex reflective tape to keep you visible and safe.

KEY FEATURES

- Breathable fabric
- Quality wicking fabric finish enhances fabric drying and aids stain removal
- 50+ UPF rated fabric to block 98% of UV rays



Conformities	Size	Product Code
EN ISO 20471 Class 2 RIS-3279-TOM (Rail Standard)	XS - 5XL	BA02A(ER-EZ)

HI-VIS S478 T-SHIRT

The lightweight sports-type fabric provides unbeatable wearer comfort and great ventilation on those hot summer days.

KEY FEATURES

- Breathable fabric
- Quality wicking fabric finish enhances fabric drying and aids stain removal
- 50+ UPF rated fabric to block 98% of UV rays



Conformities	Size	Product Code
EN ISO 20471 Class 2	S - 3XL	BA02A(AB-AG)

HI-VIS PULSAR® PROTECT FR & ARC LONG SLEEVE POLO SHIRT

Stay safe and stylish with high-quality safety apparel that offers top-notch protection in hazardous work environments.

KEY FEATURES

- Thermally applied reflective tape
- Inherently flame retardant
- Concealed 3 button placket



Colour	Conformities	Size	Product Code
Orange	EN ISO 20471 Class 3 EN ISO 11612:2015 A1/B1/C1 EN 1149-5:2008 IEC 61482-2:2018 Class 1 ATPV 6.3 Cal/m ² RIS-3279 (Rail Standard)	S - 5XL	BA02A(IY-JF)
Yellow	EN ISO 20471 Class 3 EN ISO 11612:2015 A1/B1/C1 EN 1149-5:2008 IEC 61482-2:2018 Class 1 ATPV 6.3 Cal/m ²	S - 4XL	BA02A(IP-IV)

HI-VIS LONG SLEEVE POLO SHIRT

Thoughtful details and a high quality construction means this polo shirt is comfortable and long-lasting.

KEY FEATURES

- Breathable fabric
- Quality wicking fabric finish enhances fabric drying and aids stain removal
- Reflective tape for increased visibility
- 50+ UPF rated fabric



Colour	Conformities	Size	Product Code
Orange	EN ISO 20471 Class 3 RIS-3279-TOM (Rail Standard)	XS - 6XL	BA02A(CF-CO)
Yellow	EN ISO 20471 Class 3	XS - 6XL	BA02A(BV-CE)

BICKLETON ECOVIZ LONG SLEEVE POLO SHIRT WITH RED BRACES

100% recycled EcoViz® polyester offering durability and good wicking performance whilst significantly reducing the emissions and energy used to make it.

KEY FEATURES

- Reflective tape for increased visibility
- Retromax bands and oralite red/orange braces



Conformities	Size	Product Code
EN ISO 20471 Class 3 EN 13758-2	S - 6XL	BA02A(GU-HC)

LYNTON ECOVIZ SUPERIOR WAISTCOAT

Functional waistcoat with multiple pockets including a ID pocket, mobile phone pocket, pen pocket with D-ring and 2 front belled multi-functional storage pockets.

KEY FEATURES

- EcoViz® recycled polyester
- Zip fastener
- Deeper arm holes than standard
- Retromax reflective tape for increased visibility



Conformities	Size	Product Code
EN ISO 20471 Class 1 RIS-3279-TOM (Rail Standard)	XS - 6XL	BA01A(CU-DD)

LYNMOUTH ECOVIZ WOMEN'S SUPERIOR SHORT SLEEVE WAISTCOAT

Specifically designed for women, the Lynmouth is a great fit combined with a host of practical storage solutions, making it perfect for a wide variety of working conditions.

KEY FEATURES

- ID pocket
- EcoViz® recycled polyester
- Zip fastener
- 2 front belled multi-functional storage pockets
- Retromax reflective tape for increased visibility



Colour	Conformities	Size	Product Code
Orange	EN ISO 20471 Class 1 RIS-3279-TOM (Rail Standard)	XS - 6XL	BA01A(HW-IF)
Yellow	EN ISO 20471 Class 1	XS - 6XL	BA01A(HM-HV)

BEAWORTHY ECOVIZ WOMEN'S SUPERIOR LONG SLEEVE WAISTCOAT

Specifically designed for women, the Beaworthy is a great fit combined with a host of practical storage solutions, making it perfect for a wide variety of working conditions.

KEY FEATURES

- ID pocket
- EcoViz® recycled polyester
- Zip fastener
- Cuff adjuster
- 2 front belled multi-functional storage pockets
- Retromax reflective tape for increased visibility



Colour	Conformities	Size	Product Code
Orange	EN ISO 20471 Class 2 RIS-3279-TOM (Rail Standard)	XS - 6XL	BA01A(IQ-IZ)
Yellow	EN ISO 20471 Class 2	XS - 6XL	BA01A(IG-IP)

FREMINGTON ECOVIZ LONG SLEEVE WAISTCOAT

If you need maximum Class 3 hi-vis protection but don't want to wear thick jackets and coats, the lightweight and durable EcoViz® Long Sleeve Waistcoat is perfect for you.

KEY FEATURES

- EcoViz® recycled polyester
- Retromax reflective tape for increased visibility
- Velcro fastener



Conformities	Size	Product Code
EN ISO 20471 Class 3 RIS-3279-TOM (Rail Standard)	S - 4XL	BA01A(BC-BI)

BARBROOK ECOVIZ LONG SLEEVE WAISTCOAT WITH RED BRACES

Practical sleeved waistcoat with mesh fabric shoulders and zip fastener made better by the addition of the bright red/orange Oralite® reflective braces for increased visibility.

KEY FEATURES

- EcoViz® recycled polyester
- Ventilated side and underarm seams
- Mobile phone pocket, ID pocket and mic loop



Conformities	Size	Product Code
EN ISO 20471 Class 3	S - 6XL	BA01A(BL-BT)



HIGH PERFORMANCE WORKWEAR

LILLY ECOVIZ PERFORMANCE+ WOMEN'S MODESTY TUNIC

Designed to ensure the wearer is able to adhere to their religious beliefs whilst staying safe onsite with chevron segmented reflective tape for garment stretch and enhanced breathability.

KEY FEATURES

- Lightweight and quick drying
- EcoViz® recycled polyester
- UV protection
- Elastic button loop for ease of putting on and taking off



Colour	Conformities	Size	Product Code
Orange	EN ISO 20471 Class 3 RIS-3279-TOM (Rail Standard) EN 13758-2	8 - 16	BA02A(QD-QH)
Yellow	EN ISO 20471 Class 3 EN 13758-2	8 - 16	BA02A(PT-PX)

ROSEMOOR ECOVIZ 10K PERFORMANCE+ BREATHABLE WOMEN'S JACKET

Specifically designed for women, the Rosemoor is focused on fit and quality, offering incredible protection without compromising on comfort.

KEY FEATURES

- Breathable, waterproof and windproof
- EcoViz® 10K 2-layer laminated recycled polyester
- Micro-fleece lined collar
- Under arm zip opening with mesh ventilation
- Zip detachable two-way adjustable hood with stiff visor
- Zipped hand warmer front pockets
- Full length velcro-fastened storm flap



Colour	Conformities	Size	Product Code
Orange	EN ISO 20471 Class 2 EN 343 Class 4 Breathability EN 343 Class 4 Waterproofness RIS-3279-TOM (Rail Standard)	XS - 6XL	BA03B(DO-DX)
Yellow	EN ISO 20471 Class 2 EN 343 Class 4 Breathability EN 343 Class 4 Waterproofness	XS - 6XL	BA03B(DE-DN)

PORTMORE ECOVIZ 4K SUPERIOR BAFFLE LINED BOMBER JACKET WITH RED BRACES

The Portmore is warm, rugged and durable with baffle lining. The bright red/orange Oralite® reflective braces offer excellent performance in the rain and provide extra daytime conspicuity.

KEY FEATURES

- EcoViz® 4K recycled PU polyester
- Lycra storm cuff with velcro cuff adjuster
- Chin protector
- Full length velcro fastened double storm flap
- Internal zip fastened wallet pocket and large zip fastened front pockets



Colour	Conformities	Size	Product Code
Yellow	EN ISO 20471 Class 3 EN 343 Class 1 Breathability EN 343 Class 1 Waterproofness	S - 6XL	BA03A(DC-DK)

PUTFORD ECOVIZ 4K BAFFLE LINED ANORAK WITH RED BRACES

Part of the traffic management range, the Putford offers extra daytime conspicuity with their bright red/orange Oralite® reflective tape.

KEY FEATURES

- EcoViz® 4K recycled PU polyester
- Two way zip and hood in collar
- Full length velcro fastened storm flap
- 2 waist pockets, 1 back pocket, mobile phone pocket with D-ring, internal wallet pocket and velcro-fastened front pockets



Colour	Conformities	Size	Product Code
Yellow	EN ISO 20471 Class 3 EN 343 Class 1 Breathability EN 343 Class 4 Waterproofness	S - 6XL	BA03A(JE-JM)

HI-VIS S778 BIZFLAME ANTI-STATIC RAIN JACKET

Optimum protection is offered from this anti-static jacket. Flame resistance coupled with superb breathable and water resistant properties, means this garment meets the necessary stringent European standards.

KEY FEATURES

- Flame resistant treated waterproof fabric prevents water penetration



Colour	Conformities	Size	Product Code
Orange	AS/NZS 4602:2011 Class D/N EN ISO 14116 Index 3 EN 1149-5 RIS-3279-TOM (Rail Standard) EN 343:2019 Class 3:1 X EN 14058 Class 3 EN 13034 Type 6 EN ISO 20471 Class 3	XS - 5XL	BA03A(IU-JC)
Yellow	AS/NZS 4602:2011 Class D/N EN ISO 14116 Index 3 EN 1149-5 EN 343:2019 Class 3:1 X EN 14058 Class 3 EN 13034 Type 6 EN ISO 20471 Class 3	S - 3XL	BA03A(IM-IR)

HI-VIS PROGARM 9440 WATERPROOF JACKET

The 9440 offers the ultimate innovation and protection. Brilliantly designed with the wearer's safety, comfort and convenience in mind, it boasts many additional features such as seamless shoulder and a fully adjustable hood.

KEY FEATURES

- Arc Flash protection and flame resistant fabric
- Wind and waterproof
- Mandarin collar for maximum neck protection



Colour	Conformities	Size	Product Code
Orange	EN 343:2019 Class 3/3/x EN 1149-5:2018: Pt. 5:2018/Pt. 3:2004 / Charge Decay EN 13034:2005: Type 6 EN ISO 11611:2015: Class 2/A1 EN ISO 11612:2015: A1/B1/C2/D3/E3/F1 EN ISO 20471:2013 + A1:2016: Class 3 EN 61482-2:2020 APC 2 ATPV=47 cal/cm² ELIM=42 cal/cm² ARC 4 RIS 3279: Issue 2	S - 4XL	BB03B(JW-KC)

HI-VIS PULSAR® PR336 TROUSERS

The Pulsar PR336 hi-vis cargo trouser ensures rail workers are seen and safe when working in hazardous situations.

KEY FEATURES

- Double stitched reflective tape
- Teflon® coating increases resistance to dirt & light showers



Conformities	Size	Product Code
EN ISO 20471 Class 2 RIS-3279-TOM (Rail Standard)	Short: 28 - 54" Reg: 28 - 54" Tall: 28 - 54"	BA04A(BZ-DO)

HI-VIS PROGARM 4616 CARGO TROUSERS

Designed to be worn in conjunction with 4608 Jacket for workers on or near the trackside requiring garments certified to RIS-3279-TOM (Rail Standard).

KEY FEATURES

- Flame resistant and Arc Flash protection
- Combat pocket with flap and kneepad pockets
- ThermSAFETM plastic FR zipper - CE Certified



Conformities	Size	Product Code
EN ISO 20471:2013 + A1: 2016 Class 1 RIS-3279-TOM (Rail Standard)	Short: 30 - 48" Reg: 30 - 52" Tall: 30" - 46"	BA04A(MR-NY)

PENNYMOOR ECOVIZ WOMEN'S CARGO TROUSERS

Designed for women with comfort, durability and functionality in mind.

KEY FEATURES

- Triple stitched main seams
- Quadruple stitched reflective tape



Colour	Conformities	Size	Product Code
Orange	EN ISO 20471 Class 2 RIS-3279-TOM (Rail Standard)	Short: 8 - 16 Reg: 6 - 26 Tall: 10 - 20	BA04(AZE-BAI)
Yellow	EN ISO 20471 Class 2	Reg: 8 - 26	BA04A(YA-ZB)

HI-VIS PULSAR® PRARC07 TROUSERS

310gsm blend of Protex enhanced inherent multi-fibre woven fabric.

KEY FEATURES

- Twin stitched FR reflective tape
- Combat, rear & side pockets
- Internal knee pad pockets (knee pads not included)



Conformities	Size	Product Code
EN ISO 20471 Class 2 RIS-3279-TOM (Rail Standard)	Short: 30 - 42" Reg: 28 - 50" Tall: 30 - 42"	BA04A(RA-RX)

HI-VIS BIDEFORD SUPERIOR CARGO TROUSERS

Designed for comfort, durability and functionality.

KEY FEATURES

- Triple stitched main seams and outer leg seams
- Quadruple stitched reflective tape



Colour	Conformities	Size	Product Code
Orange	EN ISO 20471 Class 1 RIS-3279-TOM (Rail Standard)	Short: 28 - 50" Reg: 28 - 60" Tall: 28 - 54"	BA04A(IJ-KD)
Yellow	EN ISO 20471 Class 1	Short: 28 - 50" Reg: 28 - 60" Tall: 28 - 54"	BA04A(GK-IG)

VERITY ECOVIZ MATERNITY CARGO TROUSERS

Stay safe and seen throughout pregnancy with these maternity cargo trousers.

KEY FEATURES

- Triple stitched main seams
- Over-the-bump elasticated waist
- Side adjustment elastic



Colour	Conformities	Size	Product Code
Orange	EN ISO 20471 Class 2 RIS-3279-TOM (Rail Standard)	8 - 26	BA04B(AZ-BG)
Yellow	EN ISO 20471 Class 2	8 - 26	BA04B(AM-AV)

HANNAFORD ECOVIZ 10K WOMEN'S PERFORMANCE+ BREATHABLE CARGO OVERTROUSER

Crafted from waterproof, windproof and breathable fabric, the Hannaford offers women excellent protection from the elements in all weather conditions.

KEY FEATURES

- EcoViz® 10K 2-layer laminated recycled polyester
- Elasticated waist with shock cord adjuster and velcro ankle adjuster tabs
- Half-leg side opening with YKK® zip
- Side pocket access



Colour	Conformities	Size	Product Code
Orange	EN ISO 20471 Class 2 EN343 Class 4 Breathability EN343 Class 4 Waterproofness RIS-3279-TOM (Rail Standard)	XS - 6XL	BA04A(XD-XM)
Yellow	EN ISO 20471 Class 2 EN343 Class 4 Breathability EN343 Class 4 Waterproofness	XS - 6XL	BA04A(XN-XW)

PROGARM 4690 ARC COVERALL

Improved coverall with new lighter and more comfortable fabric designed for workers on or near the trackside requiring garments certified to RIS-3279 (Rail Standard) and operatives working on highways.

KEY FEATURES

- Mandarin collar for maximum neck protection
- 5cm-wide reflective tape designed to draw attention to the wearer in low-light conditions
- Gas-detector loop for easy equipment placement
- Features multiple pockets



Colour	Conformities	Size	Product Code
Orange	EN ISO 20471:2013+A1:2016 Class 2 EN ISO 11612:2015 A1/B2/C2/F1 EN ISO 11611:2015 Class 2/A1 EN 1149-5:2018: PT. 5:2008 PT.3 BS EN 61482-2:2020 APC 1/ATPV 11 cal/cm²/ELIM=9.3 cal/cm² RIS-3279 (Rail Standard)	Short: L - 2XL Reg: S - 3XL Tall: S - 2XL	BA05A(GF-GU)

HI-VIS PULSAR® PRARC05 COVERALL


Racing suit style collar and fastening with plastic stud front and 2-way plastic zip fastening, alongside breast, combat, rear and side pockets.

KEY FEATURES

- Twin stitched FR reflective tape and FR piping
- Elasticated rear and reflective piping on waistband
- Triple stitched inseam and twin stitched structural seams
- Additional 5 bar tacks on crotch crossover seam for added strength and durability





Colour	Conformities	Size	Product Code
Orange	EN ISO 20471:2013 Class 3 EN ISO 11612:2008 A1/A2/B1/C1/E1/F1 EN ISO 11611:2007 Class 1 EN 1149-5:2008 (EN1149-3:2004) Z IEC 61482-2:2009 Class 1/ ATPV 16.0 cal/cm²/ATPV 42.6 cal/cm² when combined with XARC01/03/14 RIS-3279 (Rail Standard)	S - 5XL	BA05A(HW-ID)



PULSAR® Life is a new environmentally responsible collection which embraces a circular approach from the outset.

If you would like to learn more, speak to a member of the team.



SIGNAGE

28 MACHINERY



29 MATERIALS



32 BESPOKE SIGNS



35 HEALTH & SAFETY SIGNS



INFORMATION ON MACHINERY

BCS Group have a Océ Arizona 1260 XT true flatbed printer and a Zünd G3 digital cutting table in a purpose-built area at its premises in Walsall. Both printers provide BCS Group with the capabilities to support and enhance production of commercial, health & safety, and traffic management signs.

OCÉ ARIZONA 1260 XT

This printer offers near-photogenic image quality and outstanding versatility across both flexible and rigid media applications.

Advantages:

- Choice between 3 ink configurations, Light Cyan and Light Magenta for the smoothest highlights and quartertones for photographic and fine art applications
- Proven CM² ink configuration for fast and smooth production printing as demanded by Sign and Display applications, or White and Varnish for superb application versatility
- Sustained quality across all media
- Media or objects up to 50.7mm thick and as large as 2.5m x 3.08m can be used
- Impressive results with even the thinnest, most heat-sensitive media




ZÜND DIGITAL CUTTER

Zünd G3 cutters are extremely versatile, accurate and can be utilised to produce a wide range of bespoke products.

Advantages:

- Exceptional productivity and unsurpassed cut quality
- Energy-efficient, adjustable vacuum generators provide optimal material hold-down and reduce power consumption
- Uniquely qualified for industrial use and multi-shift, 24/7 production
- Perfectly coordinated, all system components guarantee an optimised production workflow



SIGNAGE MATERIALS

BCS Group signs are produced in our own digital printing facility in the West Midlands. We print and manufacture signage quickly and efficiently onto a variety of materials with a high-quality finish.

We offer a wide range of signage solutions with a broad variety of materials to choose from. The below information is to try and help you make the right choice when requesting signage.

COMPOSITE (DIBOND)

Dibond is made up of 2 aluminium surface layers with a polythene core and also has a protective film on both sides. It can be drilled or screwed and we can also round off corners for pedestrian safety or aesthetic effect. With Dibond signage we can mount rails onto the back which is compatible with clamps for fixing to posts.

Advantages:

- Highly resistant to weathering & corrosion
- Does not rust
- Lightweight yet highly rigid
- Fully recyclable
- Won't bow, completely flat
- Approximately half the weight of aluminium
- Holds up in strong winds

When to use Dibond

Long Term Signage | High Speed Signage | Outdoor



ENVIRONMENTALLY FRIENDLY HIGHSPEED BLACK PLASTIC


Has a very good toughness with a high degree of rigidity and heat resistance. 100% recycled with an excellent chemical resistance and very low moisture vapour permeability, ideal as a barrier to water.

Advantages:

- Ability to withstand heavy impact and robust handling
- Excellent temperature stability and chemical resistance
- Low moisture permeability
- 100% recyclable and manufactured from 100% re-ground materials

When to use Environmentally Friendly Highspeed Black Plastic

Long Term Signage | High Speed Signage | Outdoor



CORREX

Correx is a brand name for fluted plastic board, or corrugated polypropylene sheet. It's lightweight and fluted construction means it's best used for short term promotional signage. Correx is often used as a temporary signage solution, often on building sites.

Advantages:

- Lightweight material
- Cheapest form of rigid signage
- Waterproof & recyclable
- Compatible with normal screws
- Highly durable & reusable

When to use Correx

Temporary Signage | Building Signage | Indoor/Outdoor



FOAMEX

Foamex is a brand name for PVC foam sheet. The "foam" part of the name is a bit deceptive as there is nothing foam-like about the material in the traditional sense - the material is quite dense with a smooth finish. It is available in different sizes including 3mm and 5mm Foamex sheets which are lightweight yet durable.

Advantages:

- Strong & durable
- Waterproof
- Can be drilled or cut to shape
- Can be used indoors and outdoors
- Available in different sizes

When to use Foamex

3mm - 5mm Indoor - Exhibitions | 10mm - Outdoor - Signage



MAGNETIC

Magnetic PVC signage is ideal when you may need to remove or replace the sign to suit your requirements. It is plastic free and has a black coating on the one side to prevent tarnishing of a painted surface. It has a flexible property that allows it to mould perfectly to the shape of the surface you are applying it to.

Advantages:

- Will not crack
- Long lasting
- Strong & durable
- Low maintenance
- Flexible

When to use Magnetic

When needing regular temporary signage on a metal surface



PLASTIC

Plastic signage is very versatile & can be used for directional signs, construction signs, traffic signs, and many more. They are built to last and are very strong & durable. Plastic signs are easy to wipe clean and are waterproof.

Advantages:

- Affordable & versatile
- Durable
- Long term signage solution
- Waterproof

When to use Plastic

Long Term Signage | Road Signage | Indoor/Outdoor



ZINTEC


Zintec is a metal sheet coated with a thin layer of zinc, providing additional strength and protection. It is commonly used to resist corrosion and rust during storage or transport, making it a highly durable material.

Advantages:

- Affordable
- Durable
- Long term signage solution
- Outdoor signage material

When to use Zintec

Long Term Signage | Road Signage | Outdoor



PULL UP BANNERS AND OUTDOOR BANNERS

We can also print on to pull up banners and outdoor banners. A lightweight, portable and economical option for advertising your brand or business. Both the pull up banner and outdoor banner are ideal for trade shows, events, exhibitions, reception points, etc.





BESPOKE SIGNAGE

BCS Group safety signs are produced in our own digital printing facility in the West Midlands. We print and manufacture signage quickly and efficiently onto a variety of materials with a high-quality finish.

You may have a requirement for a non-standard sign - we offer a full design service tailored to your needs. This can be anything from health and safety information boards to corporate signage.

Signs can be made in almost any material making us a One Stop Shop for all our clients safety signage requirements. Safety signage can be produced in a range of backing materials, each offering its own advantages. Materials such as Correx, Dibond and Foamex are readily available from stock.

Bespoke signs can be created in any size or standard to meet your requirements and we will provide you with a proof before you order to ensure you are completely satisfied.



SS-SS 001 Main Site Board
Available in the following sizes, 1800 x 1200mm, 1200mm x 800mm or 900 x 600mm



SS-SS 002



SS-SS 003



SS-SS 004

Available as either 600 x 300mm or 300 x 150mm



YOUR LOGO GOES HERE

- ✓ **SITE SAFETY NOTICE**
- ✗ Unauthorised entry to this site is strictly prohibited
- ⚠ **WARNING CONSTRUCTION IN PROGRESS**
Parents are advised to warn children of the dangers of entering construction sites
- ! All visitors must report to the site office
- ! Permission must be obtained before entering the site or any work area
- ! Safety signs and procedures must be observed
- ! Personal protection and safety equipment must be used at all times
- ! All persons entering this site must comply with the regulations under the Health & Safety at Work Act 1974
- ! Safety helmets must be worn
- ! Protective footwear must be worn

SS-SS 005 1000 x 1500mm




SS-SS 006 900 x 1200mm




SS-SS 007 1200 x 1200mm



















SS-SS 008 900 x 1200mm



SS-SS 009 1220 x 900mm















SS-SS 010 1189 x 841mm










 YOUR LOGO GOES HERE Site office SS-SS 011	 YOUR LOGO GOES HERE CUSTOMER PARKING ONLY SS-SS 012	 YOUR LOGO GOES HERE CAR PARK Vehicles & contents are left entirely at owner's risk SS-SS 013	 YOUR LOGO GOES HERE PRIVATE PROPERTY KEEP OUT SS-SS 014
 YOUR LOGO GOES HERE Site Entrance SS-SS 015	 YOUR LOGO GOES HERE Client/visitors parking area SS-SS 016	 YOUR LOGO GOES HERE No parking SS-SS 017	 YOUR LOGO GOES HERE Site safety Starts here SS-SS 018
 YOUR LOGO GOES HERE CARDBOARD SS-SS 019	 YOUR LOGO GOES HERE PLASTIC SS-SS 020	 YOUR LOGO GOES HERE TIMBER SS-SS 021	 YOUR LOGO GOES HERE METAL SS-SS 022
 YOUR LOGO GOES HERE PLASTER BOARD SS-SS 023	 YOUR LOGO GOES HERE MASONRY SS-SS 024	 YOUR LOGO GOES HERE STEEL SS-SS 025	 YOUR LOGO GOES HERE GENERAL WASTE ONLY SS-SS 026

BLANKS

We can produce signs with special wording as per your requirements, please contact a member of the team to discuss further.

 YOUR LOGO GOES HERE YOUR TEXT GOES HERE YOUR TEXT GOES HERE SS-SS 027	 YOUR LOGO GOES HERE YOUR TEXT GOES HERE YOUR TEXT GOES HERE SS-SS 028	 YOUR LOGO GOES HERE YOUR TEXT GOES HERE YOUR TEXT GOES HERE SS-SS 029	 YOUR LOGO GOES HERE YOUR TEXT GOES HERE YOUR TEXT GOES HERE SS-SS 030
 YOUR LOGO GOES HERE YOUR TEXT GOES HERE YOUR TEXT GOES HERE SS-SS 031	 YOUR LOGO GOES HERE YOUR TEXT GOES HERE YOUR TEXT GOES HERE SS-SS 032	 YOUR LOGO GOES HERE YOUR TEXT GOES HERE YOUR TEXT GOES HERE YOUR TEXT GOES HERE SS-SS 033	 YOUR LOGO GOES HERE YOUR TEXT GOES HERE YOUR TEXT GOES HERE YOUR TEXT GOES HERE SS-SS 034
 YOUR LOGO GOES HERE YOUR TEXT GOES HERE YOUR TEXT GOES HERE YOUR TEXT GOES HERE SS-SS 035	 YOUR LOGO GOES HERE YOUR TEXT GOES HERE YOUR TEXT GOES HERE YOUR TEXT GOES HERE SS-SS 036	 YOUR LOGO GOES HERE YOUR TEXT GOES HERE YOUR TEXT GOES HERE YOUR TEXT GOES HERE YOUR TEXT GOES HERE SS-SS 037	 YOUR LOGO GOES HERE YOUR TEXT GOES HERE YOUR TEXT GOES HERE YOUR TEXT GOES HERE YOUR TEXT GOES HERE SS-SS 038

PROHIBITION

 SS-PS 001	 SS-PS 002	 SS-PS 003	 SS-PS 004	 SS-PS 005	 SS-PS 006	 SS-PS 007
 YOUR TEXT GOES HERE SS-PS 008	 YOUR TEXT GOES HERE SS-PS 009	 YOUR TEXT GOES HERE SS-PS 010	 YOUR TEXT GOES HERE SS-PS 011	 YOUR TEXT GOES HERE SS-PS 012	 YOUR TEXT GOES HERE SS-PS 013	
 YOUR TEXT GOES HERE SS-PS 014	 YOUR TEXT GOES HERE SS-PS 015	 YOUR TEXT GOES HERE SS-PS 016	 YOUR TEXT GOES HERE SS-PS 017	 YOUR TEXT GOES HERE SS-PS 018	 YOUR TEXT GOES HERE SS-PS 019	
 YOUR LOGO GOES HERE No mobile phones SS-PS 020	 YOUR LOGO GOES HERE No forklift trucks past this point SS-PS 021	 YOUR LOGO GOES HERE No smoking on these premises SS-PS 022	 YOUR LOGO GOES HERE Construction sites are Dangerous Keep out SS-PS 023	 YOUR LOGO GOES HERE Construction sites are Dangerous Children Keep out SS-PS 024	 YOUR LOGO GOES HERE CONSTRUCTION SITE No unauthorised persons allowed on this site SS-PS 025	

WARNING

 SS-WS 001	 SS-WS 002	 SS-WS 003	 SS-WS 004	 SS-WS 005	 SS-WS 006	 SS-WS 007
 YOUR TEXT GOES HERE SS-WS 008	 YOUR TEXT GOES HERE SS-WS 009	 YOUR TEXT GOES HERE SS-WS 010	 YOUR TEXT GOES HERE SS-WS 011	 YOUR TEXT GOES HERE SS-WS 012	 YOUR TEXT GOES HERE SS-WS 013	
 YOUR TEXT GOES HERE SS-WS 014	 YOUR TEXT GOES HERE SS-WS 015	 YOUR TEXT GOES HERE SS-WS 016	 YOUR TEXT GOES HERE SS-WS 017	 YOUR TEXT GOES HERE SS-WS 018	 YOUR TEXT GOES HERE SS-PS 019	
 YOUR LOGO GOES HERE Danger Overhead cables SS-WS 020	 YOUR LOGO GOES HERE Beware Slippery surface SS-WS 021	 YOUR LOGO GOES HERE Caution Mind your head SS-WS 022	 YOUR LOGO GOES HERE Danger Loud noise area SS-WS 023	 YOUR LOGO GOES HERE Danger Explosive Material SS-WS 024	 YOUR LOGO GOES HERE Beware Hot surface SS-WS 025	 YOUR LOGO GOES HERE Caution Low temperature SS-WS 026

TRAFFIC & ROAD SAFETY

40 ROAD SIGNS




54 ROAD CONES



61 COVERS & RAMPS



64 BARRIERS



TRAFFIC MANAGEMENT SIGNAGE

BCS Group has an extensive range of product offerings when it comes to traffic signs. Whether it is one-off signs or volume signage for large contracts, our in-house production facilities can manufacture in a wide range of substrates, including aluminium composite, GRP and steel. All of our traffic signs are fully compliant with the Traffic Signs Regulations, General Directions (2016) and Chapter 8 specifications. We routinely produce bespoke signs on request and our sales team are always on hand to assist with the design and creation of the signs you need for your job.



ROAD PLATES

With a large range of road plates available, and a selection showcased over the following pages, we can manufacture in a range of materials and to any size, from 600mm for low speed to 1500mm for high speed. We also offer a range of easy to fit road frames and bespoke signs. If you would like to know more about other options available, please feel free to contact us for more information.

ROAD WORKS AHEAD



DIAGRAM 7001

TRAFFIC SIGNAL



DIAGRAM 543

ROAD NARROWS LEFT/RIGHT



DIAGRAM 517L/517R

LOSE CHIPPINGS ON ROAD



DIAGRAM 7009

OTHER DANGER AHEAD



DIAGRAM 562

FLOOD AHEAD



DIAGRAM 554

TRAFFIC MERGES FROM THE LEFT



DIAGRAM 508.1

TRAFFIC MERGES ONTO MAIN CARRIAGEWAY



DIAGRAM 509.1

TRAFFIC QUEUES LIKELY



DIAGRAM 584

GIVE WAY



DIAGRAM 602

SLIPPERY ROAD




DIAGRAM 557

UNEVEN ROAD SURFACE



DIAGRAM 556

BLANK SUPP WITH BORDER




BLANK SUPP

BLANK YDS SUPPLEMENT



DIAGRAM 572

DIRECTION ARROW SUPPLEMENT



ARROW SUPP

BLANK WITH BORDER



BLANK WITH BORDER

ROAD CLOSED



DIAGRAM 7010v

ROAD AHEAD CLOSED



DIAGRAM 7010v

END SUPPLEMENT



DIAGRAM 645

BLANK MILE SUPPLEMENT



DIAGRAM 572

ON SLIP ROAD/ON HARD SHOULDER



DIAGRAM 7001.1v

WHEN RED LIGHT SHOWS



DIAGRAM 7011v

PEDESTRIANS CROSSING WAIT HERE



DIAGRAM 7011v

BLANK CONTROL WAIT HERE



DIAGRAM 7011v

KEEP LEFT/KEEP RIGHT




DIAGRAM 610

BLANK MPH



DIAGRAM 670

NATIONAL SPEED LIMITS APPLY




DIAGRAM 671

DIVERTED TRAFFIC RIGHT/LEFT



DIAGRAM 2703

DIVERTED TRAFFIC STRAIGHT ON



DIAGRAM 2703

DIVERTED TRAFFIC CHEVRON RIGHT/LEFT



DIAGRAM 2703

NO RIGHT TURN



DIAGRAM 612

NO LEFT TURN



DIAGRAM 613

NO ENTRY



DIAGRAM 616

DIVERSION RIGHT/LEFT




DIAGRAM 2702v

DIVERSION ENDS



DIAGRAM 2702v

DIVERTED TRAFFIC



DIAGRAM 2706

PRIORITY TO ONCOMING VEHICLES




DIAGRAM 615

DIRECTIONAL ARROW



DIAGRAM 606

VEHICLE WIDTH/HEIGHT RESTRICTION




DIAGRAM 629

JOINING TRAFFIC NOT SIGNAL CONTROLLED



DIAGRAM 7022

TRAFFIC UNDER SIGNAL CONTROL



DIAGRAM 7021

TRAFFIC CONTROL AHEAD



DIAGRAM 7010v

POLICE SLOW



DIAGRAM 829.1

WORKS ACCESS/EXIT



DIAGRAM 7301 & 7302

NEW ROAD LAYOUT



DIAGRAM 7014

YELLOW BLACKBOARD COMBINATION



D-REG END

BLOCK BOARD SUPPLEMENT



DIAGRAM 7105

SPEED CAMERA



DIAGRAM 878

PEDESTRIANS LEFT/RIGHT



DIAGRAM 7018v

PEDESTRIANS LOOK BOTH WAYS



DIAGRAM 7017

PEDESTRIANS PLEASE USE OTHER FOOTWAY



DIAGRAM 7018v

WORK STARTS HERE DELAYS POSSIBLE



DIAGRAM 7003.1

DELAYS POSSIBLE



DIAGRAM 7005

REPLACING DAMAGED BRIDGE SUPPORTS



DIAGRAM 7004

FOOTPATH (AHEAD) CLOSED



DIAGRAM 7018v

FOOTWAY (AHEAD) CLOSED



DIAGRAM 7018v

LOCAL ACCESS ONLY



DIAGRAM 7010v

GET IN LANE



DIAGRAM 7244

3/4 LANE WICKET




DIAGRAM 7202

USE HARD SHOULDER



DIAGRAM 7245

RAMP



DIAGRAM 7013v

SLOW



DIAGRAM 7013v

DIVERTED TRAFFIC BLANK



DIAGRAM 2703

USE HARD SHOULDER



DIAGRAM 7245

USE HARD SHOULDER IN 200 YARDS



DIAGRAM 7245

FREE RECOVERY AWAIT RESCUE/END



DIAGRAM 7291

STOP/GO



DIAGRAM 7023 & 7024

PRIORITY OVER ONCOMING VEHICLES



DIAGRAM 811

PRIORITY TO/OVER ONCOMING VEHICLES




DIAGRAM 615.1 & 811.1

WORK ACCESS ONLY



DIAGRAM 7306

WORKFORCE IN ROAD SLOW



DIAGRAM 7001.3

TELEPHONE NUMBER



DIAGRAM 7006.1



OPTIONS FOR BRANDING

When it's done professionally, company profiling really pays off - building a strong brand, reflecting your values and promoting a consistent message.

At BCS Group we can support you with bespoke branded signs and also other branding options, such as stickers, stencil spray, embossing, engraving, laser plates, and tags. Contact a member of the team to learn more.

ROAD FRAMES

We have a range of road frames available and have showcased a few examples below. All frames are also available as long-legged frames and we also offer easy to fit bespoke signs. Please feel free to contact us for more information.

TRIANGULAR FRAME

Triangular metal road sign frame designed to complement our extensive range of metal sign faces.



Size	Product Code
600mm	DA09AAA
750mm	DA09AAB

TRIANGULAR WITH SUPP FRAME

Triangular metal road sign frame with supplementary designed to complement our extensive range of metal sign faces.



Size	Product Code
600mm	DA09AAI
750mm	DA09AAJ

SQUARE FRAME

Our square steel sign frames are designed to complement our wide range of metal signs. Cross braced twin back legs for increased stability.



Size	Product Code
600mm	DA11AAA
750mm	DA11AAB

RECTANGULAR FRAME

Our rectangular steel sign frames are designed to complement our wide range of metal signs. Cross braced twin back legs for increased stability.



Size	Product Code
600 x 450mm	DA10AAA
1050 x 450mm	DA10AAB
1050 x 750mm	DA10AAC

PLASTIC MINI QUICKFIT FRAME

Implementing the revolutionary Quick-Lock fasteners that are fitted as standard, these remain securely in place allowing a quick and easy sign face installation.

KEY FEATURES

- Revolutionary nylon Quick-Lock fasteners
- Lighter than steel = less weight in vehicle
- Non-metallic with no scrap value
- 100% recyclable
- 300mm centres



OPTION TO BE BRANDED WITH CUSTOMER LOGO AND MANUFACTURED IN CORPORATE COLOURS

Size	Product Code
600mm	DA12AAF

STEEL QUICKFIT FRAME

QuickFit frames are mostly used for high speed signs and are both durable and easy to use with 750mm centres.

KEY FEATURES

- Strong and durable Steel QuickFit Frame
- Toggles for easy installation of signage



Size	Product Code
1200mm	DA12AAD

QUICKFIT FRAME

QuickFit frames allow you to easily and quickly install and replace road signs.

KEY FEATURES

- Made from box section steel 25x25x1.5mm
- Comes with stability bars for sandbags



Size	Product Code
600mm (with 300mm centres)	DA12AAF
600mm (with 450mm centres)	DA12AAA
800mm (with 750mm centres)	DA12AAB
900mm (with 750mm centres)	DA12AAC

TEMPORARY ROAD SIGNS

The Q-Sign is extremely strong and durable and is manufactured from recycled polypropylene and has no metal parts. Although lightweight, the angled sign is designed to give a strong wind resistance. All Melba Swintex Q-Signs conform to: BS 8442:2015, Chapter 8, Safety at Street Works & Road Works - ACOP and Traffic Signs Regulations & General Directions.

KEY FEATURES

- Long life due to strong and robust design
- Does not rust
- Manufactured from recycled polypropylene in grey



ALL Q SIGNS CAN BE ETCHED WITH LOGOS OR TEXT

ROAD WORKS AHEAD



Size	Product Code
750mm	DA15AAT

MEN AT WORK
C/W End Supp Plate



Size	Product Code
750mm	DA15AAP

KEEP LEFT/RIGHT



Size	Product Code
750mm	DA15ABB & BF

ROAD NARROWS
LEFT/RIGHT



Size	Product Code
750mm	DA15AAH & AL

ROAD NARROWS
LEFT/RIGHT
C/W Single File Traffic Supp Plate



Size	Product Code
750mm	DA15ACC & JF

ROAD CLOSED



Size	Product Code
1050x750mm	DA15AHC

WHEN RED LIGHT
SHOWS WAIT HERE



Size	Product Code
1050x750mm	DA15ACH

BLANK WITH BORDER



Size	Product Code
1050x750mm	DA15AGZ

Q-WEIGHT




Weight	Product Code
8kg	DA15AGW

FLEXIBLE, ROLL-UP TRAFFIC SIGNS

Flexible, roll-up traffic signs that are simple to deploy and easy to store. A must for anyone working on or near public highways or footpaths, they are fitted with hard wearing plastic press studs for the attachment of optional supplementary signs. The flexible roll-up traffic signs fit onto a folding tripod stand with options for zinc plated steel or lightweight, durable plastic. Faces and Tripod Stand sold separately.

KEY FEATURES

- Designed to withstand winds of up to 30mph (with 5kg of ballast)
- Unrivalled durability and fantastic value
- Fully compliant with Chapter 8 requirements
- Flexible Class 1 reflective panel



ROAD NARROWS RIGHT



Size	Product Code
750mm	DA22AAJ

ROAD NARROWS LEFT



Size	Product Code
750mm	DA22AAH

MEN AT WORK



Size	Product Code
750mm	DA22AAF

OTHER DANGER AHEAD



Size	Product Code
750mm	DA22AAU

KEEP RIGHT



Size	Product Code
750mm	DA22AAD

KEEP LEFT



Size	Product Code
750mm	DA22AAB

SINGLE FILE TRAFFIC SUPP



Size	Product Code
860mm	DA22AAQ

END SUPP



Size	Product Code
860mm	DA22AAP

METAL TRIPOD STAND



Size	Product Code
960mm	DA22ABB

ROAD CONE SIGNS

Road Cone Signs are extremely handy, they are great for space saving and are lightweight and easy to transport. They are easy to erect and conform to Chapter 8.

REVERSIBLE KEEP LEFT OR RIGHT



Size	Product Code
600 or 750	DA07A(AA-AF)

MEN AT WORK



Size	Product Code
600 or 750	DA07A(AM-AN)

FLOOD



Size	Product Code
750mm	DA07ABK

ROAD NARROWS LEFT



Size	Product Code
600 or 750	DA07A(AO-AP)

ROAD NARROWS RIGHT



Size	Product Code
600 or 750	DA07A(AQ-AR)

FOOTPATH CLOSED



Size	Product Code
600x450mm	DA07AAG

FOOTPATH AHEAD CLOSED



Size	Product Code
600x450mm	DA07ABC

FOOTWAY AHEAD CLOSED



Size	Product Code
600x450mm	DA07ABG

BESPOKE ROAD CONE SIGNS (600X450MM & 1050X750MM)

We are able to design and manufacture bespoke 600x450mm and 1050x750mm road cone signs. We can also manufacture to suit any size.



STOP & GO LOLLIPOP SIGNS

Available in both recycled polyethylene and metal.

KEY FEATURES


- Strong & durable
- Polyethylene is 100% corrosion and rot proof



Material	Size	Product Code
Metal	600mm	DA01ABL
Plastic	600mm	DA16ABS

ZINC PLATED ROAD SIGN CLIP

This is the clip required to attach a sign face to a temporary metal road frame. Normally two clips are used per side of sign.



Product Code
DE02ABW

QUICK FIT TOGGLES

Replacement M8 toggle for quick fit frames. Ideal for refurbishing frames where toggles have been damaged or lost. Attach metal sign faces quickly and easily with these toggle fittings.



Size	Product Code
M8	DA13AAB

GALVANISED SIGN POST

A 76mm galvanised sign post, designed for displaying outdoor signage such as promotional signage, organisation name boards and traffic management signs.



Size	Product Code
76mm	DG03AAD

ANTI-ROTATIONAL SIGN CLIPS

The ARC (Anti-Rotational Clip) is supplied complete with 1 No. M8 bolt assembly. Fast, simple sign installations are achieved by inserting the 'foot' into channel and twisting the clip 90°.



Size	Product Code
50mm	DG03AAK
60mm	DG03AAL
89mm	DG03AAJ
102mm	DG03AAM

PERMANENT LINE MARKER

Line Marker has been specially designed to produce hard wearing clearly visual lines economically. For use on a vast range of surfaces such as car parks, factories, playgrounds, sports fields and tennis courts.

KEY FEATURES

- Hard wearing Line Marker
- Easy to apply
- Available in a range of colours



Colour	Product Code
Red	FB02AAG
Blue	FB02AAJ
Yellow	FB02AAA
White	FB02AAE

YELLOW ROAD MARKING HOTLINE

Manufactured from recycled polyethylene, which is 100% corrosion and rot proof unlike metal and wooden components.



Size	Product Code
100m x 1m	FB02ABF
100m x 5m	FB02AAS

WHITE ROAD MARKING HOTLINE

Hotline is an easy to apply, preformed thermoplastic road marking material. It is ideal for fast, permanent installation or re-instatement of road markings.



Size	Product Code
100m x 1m	FB02ABG
100m x 5m	FB02AAU

ADHESIVE SPRAY

Stick 2 Spray Contact Adhesive is a sprayable glue which bonds to most common materials including wood, concrete, stone, tiles, rubber, foam, metals, rigid plastics, paper and cork.



Size	Product Code
500ml	AB04AAA

MASKING SPRAY

Whilst diversions or road works are in place incorrect road sign information can be quickly and easily masked and when the work is completed simply wipe off with a dry cloth leaving no resultant damage to the sign.

KEY FEATURES

- Masking Spray is specially formulated as a temporary road sign masking spray which durably resists all weather conditions
- Easy to use spray can



Size	Product Code
500ml	FB02AAQ

MASTERCONE ROAD CONE

Incorporating the Melba Swintex high performance prismatic Starlux™ sleeve, the Mastercone is highly visible to all motorists.

KEY FEATURES

- Two-piece cone
- Blow moulded top with easy grip access
- 100% thermoplastic recyclable PVC base with anti-slip feature
- Fitted with high performance Starlux™ pocketed prismatic sleeve, offering superb daylight luminance and night time reflectivity
- Bases & centres can also be embossed and coloured



WE CAN ALSO PROVIDE REPLACEMENT BASES FOR THE 750MM CONES

Size	Product Code
750mm	DE02AAT
1M	DE02AAV



STARLITE ROAD CONE

The Starlite cone is a two-piece cone, with its centre manufactured from virgin HDPE, and base from recycled PVC.

KEY FEATURES

- 100% recyclable
- Blow moulded top with easy grip access
- 100% thermoplastic recyclable PVC base with anti-slip feature
- Fitted with high performance Starlux™ pocketed prismatic sleeve, offering superb daylight luminance and night-time reflectivity
- Bases & centres can also be embossed and coloured



WE CAN ALSO PROVIDE REPLACEMENT BASES FOR THE 750MM CONES

Size	Product Code
750mm	DE02AAZ
1M	DE02ABA



BIGFOOT ROAD CONE

Two-piece traffic cone manufactured from recycled material with different colour options available upon request.

KEY FEATURES

- Blow moulded top for easy grip access
- Thermoplastic recyclable base with anti-slip feature
- Bases and centres can be embossed



Size	Product Code
750mm	DE02AAQ



MPL ROAD CONE

Cost effective one-piece cone manufactured from 100% recycled thermoplastic.

KEY FEATURES

- Recyclable
- Environmentally friendly
- The base can be coloured to suit



Size	Product Code
500mm	DE02ABB
750mm	DE02ABC



DOMINATOR™ ROAD CONE

Preferred traffic management and term maintenance two-piece moulded cone with Sealbrite™ sleeve.

KEY FEATURES

- Made with UV stabilised HDPE moulded top and heavy duty 100% recycled PVC base



Size	Product Code
750mm	DE02ABH
1M	DE02ABJ



MK™5 TWO-PIECE 'NO WAITING' CONE

Mk™5 two-piece 'No Waiting' cone made with a UV stabilised HDPE blow moulded top and a 100% recycled PVC base.

KEY FEATURES

- Complete with reflective 'No Waiting' roundel



Size	Product Code
216mm	DE02ABR



3 SIDED BOLLARD

The tough 3 Sided Bollard is the ideal cone for implementing parking restrictions.

KEY FEATURES

- Blow moulded top for easy grip access
- Thermoplastic recyclable base with anti-slip feature
- Bases and centres can be embossed



Size	Product Code
500mm	DE02ABD



ROAD CONE SLEEVES

A variety of reflective road cone sleeves available, for example 'Danger Overhead Structures' warning sleeve, no waiting sleeve and also replacement cone sleeves, available in a various sizes.



Information
Contact us to find out more about options and sizes available

MELBA 46 CONE

Cost effective one-piece cone manufactured from 100% Ultra grade recycled material, which is 100% recyclable, creating a completely environmentally friendly traffic cone.

KEY FEATURES

- Engineering flexibility for high impact resistance
- Both standard & 'No Waiting' options available
- Corporate logos & colours possible
- Custom sleeves possible



Colour	Size	Product Code
Orange	460mm	DE02AGU
No Waiting	460mm	DE02AHI

CONE WITH OVERHEAD CABLE SLEEVE

Incorporating the Melba Swintex high performance prismatic Starlux™ sleeve, the Mastercone is highly visible to all motorists.

KEY FEATURES

- Blow moulded top with easy grip access
- 100% thermoplastic recyclable PVC base with anti-slip feature



Size	Product Code
750mm	DE02AAF
2-piece 1M	DE02AFP

GREEN MASTERCONE

One of the most practical two-piece cones on the market. The Mastercone has been dominant on the roads for many years. Incorporating the Melba Swintex high performance prismatic Starlux™ sleeve, the Mastercone is highly visible to all motorists.

KEY FEATURES

- Blow moulded top with easy grip access
- 100% thermoplastic recyclable PVC base with anti-slip feature
- Fitted with high performance Starlux™ pocketed prismatic sleeve, offering superb daylight luminance and night time reflectivity



Size	Product Code
1M	DE02AAX

BLUE MASTERCONE

One of the most practical two-piece cones on the market. The Mastercone has been dominant on the roads for many years. Incorporating the Melba Swintex high performance prismatic Starlux™ sleeve, the Mastercone is highly visible to all motorists.

KEY FEATURES

- Blow moulded top with easy grip access
- 100% thermoplastic recyclable PVC base with anti-slip feature
- Fitted with high performance Starlux™ pocketed prismatic sleeve, offering superb daylight luminance and night time reflectivity



Size	Product Code
1M	DE02AAY

YELLOW MASTERCONE

One of the most practical two-piece cones on the market. The Mastercone has been dominant on the roads for many years. Incorporating the Melba Swintex high performance prismatic Starlux™ sleeve, the Mastercone is highly visible to all motorists.

KEY FEATURES

- Blow moulded top with easy grip access
- 100% thermoplastic recyclable PVC base with anti-slip feature
- Fitted with high performance Starlux™ pocketed prismatic sleeve, offering superb daylight luminance and night time reflectivity



Size	Product Code
1M	DE02AGB

TRAFFIC CYLINDER KINGPIN

The Kingpin is a lightweight cylinder that is perfect for managing the direction of traffic. Manufactured to be tough and durable, with little to no maintenance. Can be supplied with anchor-bolts or adhesive pads to secure to the ground.

KEY FEATURES

- Manufactured from HDPE
- Variety of colours available
- Lightweight, tough and durable
- Easy to install
- Replacement sleeves available



Product	Product Code
750mm Kingpin	DE02ABY
1M Kingpin	DE02ACA
Kingpin Base	DE02ACB
Kingpin Adhesive Pad	DE02ACC

PREMIUM BATTERY

Ecologically improved battery without mercury and cadmium.

KEY FEATURES

- Suitable for all weather conditions and suitable for use in road danger lamps, sequential lamps, warning lamps and any other type of lamp requiring a 6V battery



Product Code
AC05AAF

MICROLITE

Bright Microlite from JSP, ideal for traffic lighting.

KEY FEATURES

- 360° lens for all round light visibility
- Handle for ease of transporting
- Bright light
- BS 3143 pt 2 and EN 12352 compliant



Size	Product Code
500mm	DE02AFO

MAXILITE LED

This dual function lamp is bright, versatile and long lasting.

KEY FEATURES

- Practical moulded carry handle to aid transporting and sitting
- Swivel head to give 360° vision
- Static or Flashing - dual function photocell operation
- Each lamp has an allen key for bolt assembly and mode operation
- BS 3143 pt 2 and EN 12352 compliant



Product Code
DE02ADA

TAPER IR SEQUENTIAL

Sequential cone lamp with IR wireless technology.

KEY FEATURES

- IR wireless technology
- IR signal received indicator
- Replaceable battery cover



Product Code
DE02AFN

CONILAMP WARNING LAMP

Innovative, robust and durable LED lamps, easy to deploy with automatic switch-on when cone mounted. Up to 400hrs with only 1 battery.

KEY FEATURES

- Single 6V battery LED Lamp with automatic switch on when cone mounted
- Built-in solar switch for daytime energy saving



Colour	Product Code
Amber	DE02AAB
Magenta	DE02AAC

MONOLIGHT LED

2-sided LED lamp that requires only one battery. Automatic solar switch with continuous/flashing mode. BS3143 pt 2 and EN 12352 compliant.

KEY FEATURES

- Robust locking of battery compartment
- High quality LEDs with nearly unlimited lifetime



Colour	Product Code
Amber	DE02ABS
Red	DE02AGS

QUICK-LOCK CONE REFLECTORS

Prismatic retro-reflective faces to both sides of fully recyclable ENVIROPLATE, ingeniously designed and fabricated to lock onto the top of all types of cone.

KEY FEATURES

- 5mm thick 100% recyclable ENVIROPLATE substrate
- 150mm diameter reflector panel
- R3B 12-year grade prismatic retro-reflectivity



Size	Product Code
750mm	DE02ADF

TAPERLAMP WARNING LAMP

Innovative and robust self-synchronising lamp that lasts up to 300hrs on a single 6V Nissen battery.

KEY FEATURES

- Each single battery lamp is fitted with an LED and an integrated infra-red transmission
- BS 3143 and EN 12352 compliant



Product Code
DE02AAD

MONOLIGHT WARNING LAMP

A single battery, bi-directional LED road lamp, supplied complete with cone bracket.

KEY FEATURES

- Single battery two-sided LED Lamp
- Solar switch for automatic on/off
- 180mm dia polycarbonate lens
- Supplied with fitted cone bracket
- Continuous/flashing mode
- Up to 300 hours operation on continuous mode with standard 6V battery
- BS 3143 pt 2 and EN 12352 compliant



Product Code
DE02ABS



Leaders In Rechargeable, Portable and Professional LED Lighting Solutions





STRATOSTAR

115,000 LUMENS HYBRID POWERED LIGHTING TOWER

www.nightsearcher.co.uk

BUILT TOUGH FOR PROFESSIONALS



MAGNUM 11600

ULTRA BRIGHT, POWERFUL, PROFESSIONAL, RECHARGEABLE LED FLASHLIGHT



TOWER PRO

COLLAPSIBLE HYBRID-POWERED FLOODLIGHT, RECHARGEABLE + AC POWERED




PULSAR NAVSTAR

SEQUENTIAL, RECHARGEABLE, FAST DEPLOYMENT HAZARD WARNING LIGHTS



SOLARIS PRO & PRO-X

HIGH POWERED, LONG-LIFE, PORTABLE LED FLOODLIGHTS WITH DUAL OPTICS



GENZERO

RECHARGEABLE, BATTERY POWERED GENERATORS



GALAXY PRO 6K

POWERFUL, PROFESSIONAL, RECHARGEABLE LED WORK LIGHT

TELESCOPIC POLE FOR TRAFFIC CONES

JSP's Telescopic Poles for Traffic Cones provide a quick and efficient way to restrict access to an area.

KEY FEATURES

- Extendible from 1100 to 2200mm
- Designed to fit over two traffic cones to provide quick and easy demarcation



Colour	Product Code
Red/White	DE02AAO

CONE CHAINS AND CONNECTOR

Chains available in different colours and a connector that can be added to the top of the cone.

KEY FEATURES

- More chain colours available upon request
- Fits any variety of cone



Product	Product Code
Connector	DE02AFC
Red/White Chain 6x25m	DE02AEH

CONE MOUNT PULSAR MAX

Set of four sequential rechargeable hazard lights, compliant with Traffic Signs Regulations and General Directions 2016.

KEY FEATURES

- Visible from over 1 kilometre
- 360° illumination
- Rechargeable 3.7V 3000mAh lithium battery
- Waterproof up to 10m
- IP67
- Up to 60 hours runtime
- Magnetic back
- Virtually indestructible



Product Code
DE02AFL

PULSAR MAX SEQUENTIAL

The Sequential Pulsar Max conforms to the same traffic sign regulations as the Pulsar Max but has the advantage of having a sequential flash operating mode.

KEY FEATURES


- Visible from over 1 kilometre
- 360° illumination
- Rechargeable 3.7V 3000mAh lithium battery
- Waterproof up to 10m
- IP67
- Up to 60 hours runtime
- Magnetic back
- Virtually indestructible



Product Code
DE02AFK

COVER & RAMPS

At BCS Group we have a wide range of Covers & Ramps to suit your every need. Whether it's ensuring that a trench is covered whilst works are ongoing or to ensure access is possible for wheelchairs, we have lots of options listed over the next few pages. If you have any requirements that you cannot find in our catalogue, please feel free to contact us for more information to find out more about our products and services.



LOWPRO® 12/8 TRENCH COVER


The LowPro 12/8® Trench Cover is a versatile trench cover that is suitable for pedestrians and vehicles up to 2 tonnes over a 700mm trench. The anti-slide technology, on the underside and edges of the LowPro®, is made from a soft, flexible, rubber material which grips the surface reducing unwanted movement. Use with LowPro Infill to remove trip-hazards.



Size	Conformities	Product Code
1200 x 800mm	HAUC 2018/01	DE02AAJ

LOWPRO® 12/8 TRENCH COVER

The 12/8 Safe Cover is a versatile, rigid and lightweight trench cover that is suitable for pedestrians and 2 tonnes vehicles over a 700mm trench.



Size	Conformities	Product Code
1200 x 800mm	HAUC BS 7976	DE02ACR

16/12 SAFE COVER

The 16/12 Safe Cover is a strong and secure trench cover that is suitable for pedestrians and vehicles up to 2 tonnes over a 900mm trench. Anti-slip and anti-trip cover that offers a lighter yet durable alternative to steel plates.



Size	Conformities	Product Code
1200 x 1600mm	HAUC 2018/01	DE02AAK

LOWPRO® 15/10 TRENCH COVER

The Award Winning LowPro® 15/10 Trench Cover uses our patented Flexi-Edge technology and is a suitable driveway board for 3.5 tonnes vehicles over a 900mm trench and pedestrians over a 1200mm trench. Anti-slip and anti-trip with bolt holes for extra stabilities. Use with LowPro Infill to remove trip-hazards.



Size	Conformities	Product Code
1500 x 1000mm	HAUC 2018/01	DE02ACK

SUPAGRIP® SAFEKERB RAMP

The SupaGrip® Ramp provides safe access for wheelchair, pushchair, mobility scooter, bicycle and foot traffic up to 350kg. Adapts to varying kerb or step heights (60mm to 160mm). It is also anti-slip and highly visible as well as being 100% recyclable.



Size	Conformities	Product Code
1282 x 760mm	HAUC BS 7976	DE02ACL

TRICEL SAFETY CROSS TRENCH COVER

The Tricel Trench Cover (Safetycross Cover) is a highly versatile and safe trench cover, designed for covering apertures, bores or trenches during maintenance, construction and repair projects. The Trench Cover allows safe access and passage over and around site excavations for pedestrians and light vehicular access.



Size	Conformities	Product Code
1200 x 800mm	HAUC BS 7976	DE02ADV

LOWPRO® 11/11 TRENCH COVER

Pedestrian board with patented Flexi-Edge technology, suitable for the distributed load of a 1.6 tonnes vehicle over a 700mm trench. The LowPro 11/11® composite trench cover is anti-slide as it has an innovative Flexi-Edge system which does not need to be bolted down.

KEY FEATURES

- 1 person-lift Footway Boards
- Suitable for 1.6T vehicles & pedestrians over a 700mm trench
- LowPro edges grip the asphalt – pinning not required in most applications
- Moulded anti-slip surface
- Shock resistant
- Corporate branding available
- Available in bespoke colours



Size	Conformities	Product Code
1125 x 1125mm	HAUC BS 7976	DE02AAL

12/8 SAFE COVER


A versatile, rigid and lightweight trench cover that is suitable for pedestrians and 2 tonnes vehicles over a 700mm trench. This glass reinforced composite cover has ribbed framework for added strength. The anti-slip surface is safe and secure for pedestrians, and chamfered edges prevent trips. The 12/8 Safe Cover should be bolted down.



Size	Conformities	Product Code
1200 x 800mm	HAUC BS 7976	DE02AAJ

KERB BUDDY

The Kerb Buddy is a blow moulded footway ramp manufactured from high density polyethylene. The Kerb Buddy boasts great strength and durability, and provides easy access to varied street level utility works. A highly effective anti-slip pattern ensures safety and comfort.



Size	Conformities	Product Code
1200 x 985mm	HAUC BS 7976	DE02AFS

ENDURAMAT TEMPORARY ROAD SURFACE

Heavy duty ground protection mat suitable for work sites, events and temporary access. The EnduraMat has a small grip on the top and a large grip on the bottom, making it suitable for vehicle access and pedestrian access.

KEY FEATURES

- Ground protection mat for vehicles & pedestrians
- Temporary walkway & temporary road surface
- Reversible anti-slip surface
- Suitable for heavy traffic up to 80 tonnes
- Lightweight and heavy-duty connectors available
- Colour and logo customisation
- Create a large protected area using the connectors
- Quick and easy to install, 50m² covered in 15 minutes
- 100% recyclable



Size	Product Code
2440 x 1220mm	DE02ACE

ENDURAMAT COUPLER

A cost-effective solution to connect EnduraMat mats together.



Product Code
DE02ACF

ENDURARAMP SPEED BUMPS

The EnduraRamp slows down traffic at your worksite, school or wherever traffic calming is required. This speed hump is durable and easy to install.



Colour	Product Code
Yellow Middle 75mm (10mph)	DE02ACT
Yellow End 75mm (10mph)	DE02ACV
Black Middle 75mm (10mph)	DE02ACU
Black End 75mm (10mph)	DE02ACW

RAMP CABLE PROTECTOR 5 CHANNEL

Cable ramps & cable guards allow free and easy movement of both pedestrians and lightweight plant and machinery, whilst providing effective protection for cables on site & at events.



Product Code
DE02ADG

TEMPORARY ROAD STUDS

This tested and certificated BSEN1463 temporary road stud utilises the latest technology. Safemark combines a prismatic reflector system and fluorescent pigmented body to give maximum day and night-time visibility.



Colour	Product Code
Single Reflector Amber	DE02AFF
Single Reflector White	DE02AFG
Double Reflector Amber	DE02AFI
Double Reflector White	DE02AFJ

GATE BARRIER

The Gate is the most popular original Chapter 8 blow moulded HDPE barrier. The Gate Barrier is incredibly strong and durable offering superb quality at a low life cost. Free standing with 360° swivel feet, available with anti-trip and standard feet.

KEY FEATURES

- Free from screws and rivets
- Stacks in 50mm (2 inch) with location (40 per pallet)
- Moulded in orange as standard, but can be coloured to suit
- Company identification can be embossed



Size	Conformities	Colour	Feet	Product Code
1000 x 2000mm	BSEN8442 BSEN12899-1 Chapter 8 ACOP Traffic Signs Regulations & General Directions	Red	Standard	DE01ABC
1000 x 2000mm	BSEN8442 BSEN12899-1 Chapter 8 ACOP Traffic Signs Regulations & General Directions	Red	Anti-Trip	DE01ABG
1000 x 2000mm	BSEN8442 BSEN12899-1 Chapter 8 ACOP Traffic Signs Regulations & General Directions	Yellow	Anti-Trip	DE01ABH

OLYMPIC BARRIER

Offers the complete versatile system for utility and construction applications with hinged side wings designed to rotate and self-lock at every 90°. Side wings can be used as door access and also fold making it easy transport where space is limited.

KEY FEATURES

- Fixing area for courtesy board
- Sliding linking clips to extend barrier
- Feet can swivel 360°
- Available in various colours



Size	Conformities	Product Code
2000 x 1020mm	BSEN8442 BSEN12899-1 Chapter 8 ACOP Traffic Signs Regulations & General Directions	DE01ABF

AVALON BARRIER

The Avalon Barrier is compliant with Chapter 8 legislation and suitable for a wide range of indoor and outdoor pedestrian applications. Common uses include construction, street works, and events.

KEY FEATURES

- Patented fishtail (hook & pin) linking system to stop barriers from being unintentionally disassembled
- ClearPath Extra barrier feet are low profile and made of a high visibility plastic for public safety
- Wind-resistant
- Barriers adapt to uneven ground to create a solid perimeter along pavements and roads
- Corporate colours & branding available



Size	Conformities	Product Code
2M	The Red Book Chapter 8 BS7818 BS8442	DE01AAA

MASTER BARRIER

The Master Barrier is perfect for any form of utility works due to its high tensile strength and lightness. The addition of anti-trip feet allow pathways to be kept clear for pedestrian access.

KEY FEATURES

- Free standing with 360° swivel feet
- Free from screws and rivets
- Information sign can be attached
- Moulded in orange as standard, but can be coloured to suit
- Company identification can be embossed



Size	Conformities	Colour	Product Code
2000 x 1000mm	BSEN8442 BSEN12899-1 Chapter 8 ACOP Traffic Signs Regulations & General Directions	Red	DE01AEF
2000 x 1000mm	BSEN8442 BSEN12899-1 Chapter 8 ACOP Traffic Signs Regulations & General Directions	Yellow	DE01AFI

TITAN® 2M TRAFFIC BARRIER

The Titan® has all the usual advantages of standard stackable systems but in addition has many unique features. Titan® has undergone modifications to further improve longevity and to meet the proposed NRSWA changes effecting wind stability, setout in BS8442 when erected and assembled correctly.

KEY FEATURES

- One piece injection moulded design made from prime grade virgin Polypropylene offering sub-zero temperature
- Water apertures so when stacked they do not collect water within the frames
- Branding/courtesy boards can be attached using easy to lock and unlock toggles
- Available with standard or anti-trip feet



Size	Conformities	Product Code
2000mm	BS8442:2006 BSEN12899-1	DE01AAF

4-WAY UTILITY BARRIER

The Utility Barrier is the ideal solution for any variety of utility works. The Utility Barrier and D-Hinge™ have been designed to connect to the existing metal gate systems and other plastic barriers already on the market.

KEY FEATURES

- Incredibly stable thanks to the D-Hinge™ & D-Clip™
- Durable and lightweight
- Deep channels to prevent collection of rainwater
- Facility for a 600 x 450 courtesy sign
- Fixing area for courtesy board
- Compatible with existing barriers on the market
- Manufactured from 100% recyclable material
- Corporate branding can be embossed on Front & Back
- Can be coloured to suit corporate image



Size	Conformities	Product Code
750 x 1000mm	BSEN12899-1 Chapter 8 ACOP Traffic Signs Regulations & General Directions	DE01ADP

WONDERWALL™ HEAVY DUTY BARRIER

The WonderWall™ is a heavy duty, enhanced barrier system. The robust barrier gives stability in high winds without the need for extra ballast. It creates a safer working environment when the barrier is deployed near the road side, or excavations on site.

KEY FEATURES

- Extremely tough & durable for life longevity
- Reflective area for high visibility
- Can be moved with ease by one person
- Holes in base for Fork lift access
- Quick and easy connection to next barrier
- Tops and bases can be coloured and embossed with corporate branding



Size	Conformities	Product Code
2000 x 1020mm	BSEN8442 BSEN12899-1 Chapter 8 ACOP Traffic Signs Regulations & General Directions	DE01ADG

THOR BARRIER

The Thor Barrier is a highly robust and protective barrier that can be deployed to guide vehicles and pedestrians on to the correct path when required. Over engineered to produce great strength, and almost near to impossible to knock over when used with the 28kg footplate.

KEY FEATURES

- Various locations for a lamp
- Facility for a sign
- Incredibly strong & durable
- Steel tubing legs increase strength & stability
- Deeper Scotchlite & Bottom strip for greater visibility
- Completely recyclable
- Embossing and colour options available for corporate branding



Size	Conformities	Product Code
2060 x 1060mm	BSEN8442 BSEN12899-1 The Red Book Traffic Signs Regulations & General Directions TL Absperschranken 97 TL-Aufstellvorrichtungen 97 ZTV-SA	DE01ABX

STANDARD FOOT

One of the most recognisable Barrier Feet available in the industry, and ensures a stable Barrier system.



Size	Product Code
480 x 185mm	DE01ADA

ANTI-TRIP FOOT

The Anti-Trip Foot is designed to prevent stumbles and falls around utility work areas.



Size	Product Code
480 x 185mm	DE01ACX

AVALON FOOT

Replacement foot for the Avalon Barrier.



Product Code
DE01AAB

ROAD ROCK

The Road Rock is a multifunctional base and the first product of its kind that will allow a temporary pedestrian barrier to pass Class B wind speeds (17.6m/s) by providing the precise weight needed each time, using two Road Rocks.

KEY FEATURES

- 15kgs in weight
- Range of colours available and option to be embossed
- Interlocking for continuous runs
- Fits all Melba Swintex Streetworks Barriers
- Barriers pass Class B
- No sandbags required for Class B & C
- Angular movement on interlocking
- Can house a Traffic Cylinder
- Handle for easy lifting
- Manufactured from 100% recycled material



Colour	Conformities	Product Code
Red	Chapter 8 - The Traffic Signs Manual ACOP	DE01ABU
White	Chapter 8 - The Traffic Signs Manual ACOP	DE01ABT

SKIPPER RETRACTABLE BARRIER

Robust and dependable because of its high-specification materials and fabric tape, the versatile unit is used across a wide range of industries from construction, airports, shipping, events, retail, facilities management and many more.

KEY FEATURES

- Economic system that saves you time, money and storage
- Self tensioning ratchet keeps tape taut
- Robust, durable and lightweight for easy to storage



Product Code
DE01AAE

OVERHEAD CABLE GOALPOSTS WITH STEEL BASE PLATE

The goalpost is a lightweight GRP, telescopic red and white post which conforms in full to the GS6 avoidance of danger from overhead electric powerlines. The system is easily transported to and around site. Assembly to full carriageway clearance height can be achieved in minutes by one man. The system is supplied with an option of two stable base types.

KEY FEATURES

- 2 x posts
- 5 x red and white UV tolerant sections
- 2 x steel bases as standard (metro block base required)
- 1 x 25mm bunting tape as standard (crossbar required)



Size	Product Code
7.3m	DE01ADZ

2M WALKTHROUGH CROWD BARRIER

Walkthrough barriers have become increasingly popular over the last few years, they give you the versatility of having a strong crowd control system while having specific safe access points.

KEY FEATURES

- Fits alongside both fixed leg pedestrian barrier and loose leg pedestrian barrier systems
- We can powder coat the barriers in other colours
- 4 supporting corner plates, which strengthen the crowd barrier and give it a longer life span




Product Code
DE01ADH

FIXED LEG CROWD BARRIERS

With a single piece of thick gauge mild steel tube making up the entire frame this reduces the number of welded joints used to fabricate these barriers and results in a much stronger crowd barrier.

KEY FEATURES

- Extremely durable and strong
- Galvanised barrier
- One piece crowd barrier
- Increased product longevity



Size	Product Code
2.3M	DE01AAC

COUPLERS

Couplers made of 1.5mm thick pressed galvanised steel that wrap around the tube on fence panels to connect them to one another.



Product Code
DE01AAJ

RUBBER FENCE FEET

Manufactured from recycled PVC with handles at either side for easy lifting.



Product Code
DE01AAK

FENCING PIN

Fencing pins with scroll hooks designed for use with plastic barrier fencing which can be interwoven to form a temporary fenced-off area.




Size	Product Code
1.2m	AA24ABG
1.35m	AA24AAA

MESH FENCE PANELS

These panels are ideal for creating a quick perimeter fence as they are easy to install and great value for money. Made from anti-climb mesh and with a re-enforced corner bracket which goes above the industry standard, these panels are both durable and help keep your site secure from intruders.

KEY FEATURES

- Easy to transport
- Anti-climb mesh
- Durable and strong
- Re-enforced corner bracket
- Heavy duty options are also available



Size	Product Code
3.5M	DE01AAG

MESH VEHICLE GATE

Mesh Vehicle Gate to suit Mesh Fence Panels making access within the fenced off area accessible for vehicles when required.

KEY FEATURES

- Easy access for vehicles
- Anti-climb mesh
- Durable and strong
- Sliding latch
- Castors



Size	Product Code
4M	DE01ACL
5M	DE01ACM

PEDESTRIAN DOOR

1M Mesh stand alone Pedestrian Door for easy access.

KEY FEATURES

- Reinforced for maximum durability and weatherproofing
- Easy to install
- Sliding latch
- Castors



Size	Product Code
1M	DE01ACK

RED & WHITE BARRIER SLOT BLOCK (WATER FILLED)

The slot block barrier is the only water filled barrier to hold a standard fencing panel to increase site safety, virtually eliminate potential trip hazards and give added stability to fence panels.

KEY FEATURES

- Dramatically reduces working footprint by an average of 500mm against a standard fence block
- Tested to 57mph by MIRA
- Rotates 90°
- 50mm draining point for easy emptying
- 1250 x 150 reflective strips and lights can be added for increased visibility
- Available in corporate colours
- Branding and 'mould-in graphics' available




Size	Product Code
380 x 600mm	DE01ADJ

PYRAMID BARRIER 1M (WATER FILLED)

This road traffic separator is unique in that it rotates a full 90° to enable contractors to 'box off' projects giving added security without needing additional parts.

KEY FEATURES

- Weighs only 5kg when empty and 55kg when full
- Number one choice for value and effectiveness
- Stackable
- Available in corporate colours




Size	Colour	Product Code
1M	White	DE01ADK
1M	Red	DE01ADL

BISON BARRIER 2M (WATER FILLED)

The Bison Barrier is a water filled unit for delineation of traffic around sites. It is the only waterfilled traffic road separator to use a Chapter Eight reflective strip as standard to increase visibility for pedestrians and traffic alike.

KEY FEATURES

- Turns 90°
- Easy stacking
- Anti slide feature once stacked
- Robust
- Fully recyclable
- Available in corporate colours
- Solid hoard, mesh or promotional panel can be added



Size	Colour	Product Code
2M	White	DE01ADN
2M	Red	DE01ADO

HOG600 WATER FILLED BARRIER

A sturdy and long-lasting water separator that has the capacity to hold over 55 litres of water. Incorporating a hook and eye system which provides a simple and prompt installation, with the facility to increase its height with the addition of a top panel fence.

KEY FEATURES

- Designed to be secure and completely anti-trip
- Hook and eye connection for quick and simple deployment
- Stable & secure stacking
- Can be emptied from the top
- Can be embossed with corporate logo
- Manufactured from HDPE and 100% recyclable



Colour	Size	Product Code
Red	560x1130mm	DE01ABJ
White	560x1130mm	DE01ABK

RUBBERMAID PORTABLE MOBILE BARRIER

Professional mobile barrier system designed for indoor use.

KEY FEATURES

- Flexible - can be set straight, curved or in a circle
- 4M in length with 16 panels that fold and expand to suit your requirements
- 2 wheels for ease of movement
- Locking straps for added security
- Weighs 15kg



Size	Product Code
4M	DE01ABA

HANDIGARD BARRIER

A yellow maintenance barrier where a reflective white and red strip can be added for additional visibility.

KEY FEATURES

- 3 connecting panels with hinges joining them
- 'No Entry' graphic that can be used to notify the public
- Snap-on-hinges
- Polyethylene construction suitable for outdoor use
- Easy to keep clean



Size	Product Code
3M	DE01ABB

SAFETY EQUIPMENT & SPILL MANAGEMENT

74 CABLE DETECTION



75 GAS DETECTION & BREATHING SETS



77 RESCUE & FALL ARREST



78 CHAINS



79 SERVICING



80 SPILL MANAGEMENT



CABLE AVOIDANCE

C.A.T HIRE & SALE

C.A.T products provide a comprehensive range of cable avoidance tools helping professionals to drive best locating practice, to reduce the number of cable strikes and to dig more safely.



Copyright © 2024 Radiodetection Ltd. All rights reserved.

C.A.T4®

The C.A.T4 is the standard model of the range. Using it with the Genny4 transmitter, experienced operators will be able to find more buried utilities, faster.

C.A.T4+

The C.A.T4+ offers the same locating performance as the C.A.T4 but with addition of Depth measurement, allowing better identification of the route of buried utilities.

gC.A.T4+

This model adds GPS position to the usage data recorded. Bluetooth connectivity allows seamless transfer of usage data to the C.A.T Manager Online cloud based system for near real-time monitoring of operators' performance.

Genny4®

Genny4's patented simultaneous dual-frequency signal output facilitates location of small diameter cables such as telecoms, street lighting and spurs. All C.A.T4 locator models have patented technology to detect both signals simultaneously. The power boost function in Genny4 enables the locate signal to travel further and deeper, and couple onto utilities more easily.

C.A.T Manager

C.A.T Manager is a software suite designed to offer online or local analysis of usage behaviours, explore surveyed locations using Google Maps, and produce surveys and usage reports. Data can be exported and shared as KML or CSV files.

The PC version offers the ability to keep fleets up-to-date with the latest firmware and in calibration. Near-real time monitor of gC.A.T4 and Genny4 fleets is possible using the Android or iOS app and the cloud based C.A.T manager online.



RADIODETECTION

CROWCON T4 MULTIGAS DETECTOR

Unique to T4, the TWA Resume function ensures toxic gas exposure is calculated accurately over an entire shift, even if T4 is switched off for a break or during travel to another site.

KEY FEATURES

- Robust and portable
- 18 hour battery life
- Large buttons for use with gloves



Product Code

FA02AAI

HONEYWELL BW™ CLIP

Just turn on the device and it runs continuously — no need for sensor and battery replacement or battery charging. That means great reliability and no downtime.

KEY FEATURES

- 2 year disposable gas detector
- Available in Hs2, CO, O2, and SO2 configurations
- Automatically logs the 35 most recent gas events for easy, accurate record keeping
- Compact, lightweight and easy to use with one-button operation



Product Code

FA02ACA

DRÄGER SAVER CF10 ESCAPE SET

The Dräger Saver CF constant flow Emergency Escape Breathing Apparatus allows safe, effective and uncomplicated escape from hazardous environments. Simple to put on and featuring automatic operation, this hood-based, constant flow breathing device can be used with minimal training.

KEY FEATURES

- Highly visible, even under adverse conditions
- Up to 10 minutes of lifesaving air
- New options for added safety and durability
- Low-maintenance protection
- Conforms to relevant standards and norms including EN1146:2005



Product Code

FA03AAA

DRÄGER SAVER CF15 ESCAPE SET

The Dräger Saver CF constant flow Emergency Escape Breathing Apparatus allows safe, effective and uncomplicated escape from hazardous environments. Simple to put on and featuring automatic operation, this hood-based, constant flow breathing device can be used with minimal training.

KEY FEATURES

- Highly visible, even under adverse conditions
- Up to 15 minutes of lifesaving air
- New options for added safety and durability
- Low-maintenance protection
- Conforms to relevant standards and norms including EN1146:2005



Product Code

FA03AAB

DRÄGER SAVER PP10 ESCAPE SET

Allows safe, effective and uncomplicated escape from hazardous environments, even if H2S is present. Simple to put on and featuring automatic operation, this positive-pressure breathing device features an integrated full-face mask and can be used in conjunction with other safety equipment such as ear protectors or helmets.

KEY FEATURES

- Highly visible, even under adverse conditions
- Up to 10 minutes of lifesaving air
- Integrated hose for connection to external air supplies
- Low-maintenance protection
- Conforms to relevant standards and norms including EN1146:2005



Product Code
FA03AAC

DRÄGER SAVER PP15 ESCAPE SET

Allows safe, effective and uncomplicated escape from hazardous environments, even if H2S is present. Simple to put on and featuring automatic operation, this positive-pressure breathing device features an integrated full-face mask and can be used in conjunction with other safety equipment such as ear protectors or helmets.

KEY FEATURES

- Highly visible, even under adverse conditions
- Up to 15 minutes of lifesaving air
- Integrated hose for connection to external air supplies
- Low-maintenance protection
- Conforms to relevant standards and norms including EN1146:2005



Product Code
FA03AAD

RGK1 STEEL SCREWGATE KARABINER

The basic universal karabiner used within the rescue industry, this device is mainly used for rope access and fall arrest applications. The screwgate closure on this device means that the user must manually lock the RGK1 keeper after fitting.

KEY FEATURES

- Manufactured from steel
- 17mm screwgate opening



Product Code
FA05AAC

RG1 SINGLE LEG WEBBING LANYARD & SHOCK ABSORBER

An industry standard, and usually the minimum equipment issued/required with a harness for anyone working at height. This lanyard should be used when the operative is working from a static position, connected to a fixed anchor point.

KEY FEATURES

- Manufacturing using anti-bacterial protection webbing
- EN355:2002 compliant



Product Code
FA04AAB

RGH5 RESCUE HARNESS

The RGH5 is designed for use as a confined access harness. The front and rear attachment points can be used as standard fall arrest points and the rescue strap can be used for lifting and lowering. When used, the rescue strap keeps the operative in a near vertical position, which is preferred when recovering an unconscious casualty.

KEY FEATURES

- Fully adjustable
- Fitted with rip stitch indicators
- Flexible rear D pad for additional comfort
- Easy slide shoulder buckles to increase the speed and range of adjustment
- EN361:2002 and EN1497:2007 compliant



Product Code
FA04AAA

WEB SLINGS

General purpose flat slings constructed of 100% heavy-duty polyester webbing. These slings are lightweight, less likely to scratch or damage the load, resist mildew and bacterial growth, and have excellent elongation properties versus their nylon counterparts. For use in choker, vertical and basket hitches.

KEY FEATURES

- Meets the performance requirements of EN 1492 Part 1:2000
- Minimum breaking load is 7 times the W.L.L
- Manufactured from 100% high tenacity polyester material
- Marked with size, manufacturers mark and ID
- A soft alternative to wires and chain



Information


Contact us for more information on the sizes available

ROUND SLINGS

Versatile round sling constructed of high tenacity polyester fibres which are protected by a durable polyester cover. The round slings have great flexibility, moulding to irregular loads and have a very low weight to length ratio versus more traditional chain and wire options.

KEY FEATURES

- EN1492-2 compliant
- Manufactured from 100% high tenacity polyester material
- Covered by a seamless close woven, heavy duty polyester tubular sleeve
- Minimum breaking load is 7 times the W.L.L
- Wear sleeves are available to suit all capacities and lengths
- Marked with manufacturers mark, size, length and ID mark
- Supplied with an EC declaration of conformity
- Available in a variety of sizes



Information

Contact us for more information on the sizes available

LARGE DEE SHACKLES

Dee shackles with safety bolts or screw collar pins for all your lifting and hoisting jobs.

KEY FEATURES

- Robust Dee Shackles
- Choose among different working loads from 250kg to 9,500kg



Sizes	Product Code
0.75T - 9.5T	FC03A(AP-AW)

BOW SHACKLES WITH SCREW PIN

Bow shackles with safety bolts or screw collar pins for all your lifting and hoisting jobs.

KEY FEATURES

- Robust Bow Shackles
- Choose among different working loads from 330kg to 55,000kg



Sizes	Product Code
0.5T - 25T	FC03A(AC-AL)

LIFTING CHAINS

Chain slings are available in various grades and are fully certified to comply with current lifting legislation within the UK and European Union (inc. the machinery (safety) directives, Loler and Puwer). Most chains slings are supplied in single, two, and four leg configurations, with a range of bottom hooks or fittings. Most systems have shortening devices for equal load distribution.

KEY FEATURES

- Grade 8, alloy steel, quenched and tempered
- Black lacquered finish
- Minimum breaking load is 4 times the W.L.L
- Proof tested to 2.5 times the W.L.L
- Marked with the manufacturers identification and material grade
- Larger sizes available upon request




WORKING LOAD LIMITS IN TONNES

Chain Size	Grade	Single Leg	Endless	Two Leg 0 - 45°	Two Leg 45 - 60°	Three and Four Leg 45	Three and Four Leg 45
7mm	80	1.5	2.5	2.1	1.5	3.15	2.2
8mm	80	2.0	3.1	2.8	2.0	4.2	3.0
10mm	80	3.15	5.0	4.25	3.15	6.7	4.75
13mm	80	5.3	8.5	7.5	5.3	11.2	8.0
16mm	80	8.0	12.5	11.2	8.0	17.0	11.8
20mm	80	12.5	20.0	17.0	12.5	26.5	19.0
22mm	80	15.0	23.6	21.2	15.0	31.5	22.4
26mm	80	21.2	33.5	30.0	21.2	45.0	31.5
32mm	80	31.5	50.0	45.0	31.5	67.0	47.5

Information on SERVICING

BCS Group offer servicing on a variety of products mentioned throughout this catalogue. Typical items that we service include C.A.T & Genny, Gas Detectors, Breathing Apparatus, Fall Arrest Equipment and Lifting Equipment. If you would like more information on any of the products and services that we offer, please contact us.



PERIODIC CALIBRATION OF YOUR EQUIPMENT TO MINIMISE RISK AND MAXIMISE RETURN

Technicians offer comprehensive after sales service and support on all products supplied. Specialist re-certification programmes ensure all BCS equipment remains in test and fully functioning throughout the life of the product.

Modern equipment allows accurate and efficient testing against demanding parameters set by manufacturers. Appropriate testing and thorough record keeping is in place to satisfy auditing, quality assurance and legislative requirements.

SUPPLY CHAIN PARTNERS

Our suppliers are carefully selected not just for their innovation but also their pursuit of technical excellence and commercial integrity. Our supply chain choices are a very important part of our ability to deliver the product and services we offer to both new and existing customers.

BCS GROUP'S CERTIFICATION AND SERVICING PROGRAMMES INCLUDE:

- Cable Avoidance Equipment
- Gas Detection Equipment
- Breathing Apparatus
- Height Safety Equipment
- Rescue Equipment
- Lifting Equipment



PLANT NAPPY®

Plant Nappy sits under a huge range of plant machinery and hand held equipment to adsorb oil and prevent it from reaching the ground, protecting the environment.

KEY FEATURES

- The side wall allows rainfall to escape at a considerable rate but also filter out any oil residue that may have been picked up by water
- The base offers rapid absorption of oils and fuels, but more importantly traps the oil in one place



Size	Absorbency	Product Code
500 x 685mm (Small)	Up to 2 Ltr	AA12AAA
1000 x 685mm (Medium)	Up to 4.5 Ltr	AA12AAB
2000 x 1370mm (Large)	Up to 16 Ltr	AA12AAC

PLANT NAPPY® LINER

Liners offer the same features as the internal base but with one key difference, the liner is removable.

KEY FEATURES

- The liner can be used for added protection
- Easily removable
- The capacity of a standard liner is approximately 4.5 Ltrs




Size	Absorbency	Product Code
500 x 685mm (Small)	Up to 2 Ltr	AA12AAD
1000 x 685mm (Medium)	Up to 4.5 Ltr	AA12AAE
2000 x 1370mm (Large)	Up to 16 Ltr	AA12AAF

PLANTMAT®

The PlantMat® has been designed to offer absorption and total immobilisation of oils and fuels, particularly in high mobility areas. PlantMat® offers extended features when used in conjunction with Plant Nappy®.

KEY FEATURES

- Durable UV stable mesh that can withstand the harshest of site conditions
- Soliditex® core technology which turns oils and fuels into a solid mass within a textile
- Convenient loops for placing and retrieving the product which also help with handling and storage



Size	Absorbency	Product Code
440 x 625mm	Up to 3 Ltr	AA12ACG

OIL & FUEL PAD

A plain single-thickness, Oil & Fuel Pad which can be used indoors or outdoors. Due to its hydrophobic properties the OP50 pad will repel water and deal confidently with oil and fuel spills both indoors and outdoors.



Product Code
AA12AAQ

20L OIL & FUEL SPILL KIT

Compact, stowable size makes these kits ideal for carrying in vehicles. Ideal for cleaning up small leaks and spills quickly and efficiently. Containing high performance absorbents and disposal bag & tie for easy waste segregation.



Product Code
AA12AAK

50L OIL & FUEL SPILL KIT SHOULDER BAG

Zipper-Bag Spill Kit with carry straps/handles, ideal for a quick response to spills and leaks in the workplace and for carrying in vehicles to provide incident response off-site. Each kit is packed with high capacity absorbent socks, fast acting pads to clean leaks up quickly, disposal bags and ties.



Product Code
AA12ABS

15L OIL & FUEL SPILL KIT

Compact, stowable size makes these kits ideal for carrying in vehicles. Ideal for cleaning up small leaks and spills quickly and efficiently. Containing high performance absorbents and disposal bag & tie for easy waste segregation.



Product Code
AA12AAJ

30L OIL & FUEL SPILL KIT

Compact, stowable size makes these kits ideal for carrying in vehicles. Ideal for cleaning up small leaks and spills quickly and efficiently. Containing high performance absorbents and disposal bag & tie for easy waste segregation.



Product Code
AA12AAL

240L OIL & FUEL SPILL REFILL PACK

Refill pack containing 100x absorbent pads 40cm x 50cm, 12x absorbent socks 8cm x 3m, 4x disposal bag & tie, 1x instruction and contents sheet.



Product Code
AA12ACZ

15L CHEMICAL SPILL KIT

Comes in a convenient carry bag with handle, containing socks, absorbent pads, disposable bag and ties, as well as an instruction sheet on how to use it.



Product Code
AA12ABW

20L CHEMICAL SPILL KIT

Comes in a convenient carry bag with handle, containing socks, absorbent pads, disposable bag and ties, as well as an instruction sheet on how to use it.



Product Code
AA12ABX

40L GENERAL VINYL BAG SPILL KIT

Highly visible Vinyl Bag which is compact and portable for a quick response to spills. Includes disposal bags for easy waste segregation, absorbent socks to contain spills and protect drains, and absorbent pads to soak up liquids.



Product Code
AA12ABP

90L GENERAL ROUND DRUM SPILL KIT

Road Drum Spill Kits have a weather tight lid and include absorbent socks to contain spills and protect drains plus absorbent pads to soak up spilled liquids and disposal bags for easy waste segregation.



Product Code
AA12ABQ

90L OIL ROUND DRUM SPILL KIT

Road Drum Spill Kits have a weather tight lid and include absorbent socks to contain spills and protect drains plus absorbent pads to soak up spilled liquids and disposal bags for easy waste segregation.



Product Code
AA12AAI

120L OIL WHEELED SPILL KITS

Wheeled Spill Kits are highly mobile and can be quickly moved to the scene of an incident. Packed with quick acting absorbents, they are ideal for goods-in areas, bulk liquid storage and delivery points.



Product Code
AA12AAH

BUNDLED SPILL PALLET 4 DRUM

For storage of drums or numerous smaller containers which can store up to 4 x 205 litre drums. Lightweight design and very durable.



Product Code
AA12ABD

SPILL GRANULES FOR WOOD FIBRE

For use on industrial spillages and general clean-up duties, the lightweight loose particulate is easy to handle and absorbs liquids quickly and easily.

KEY FEATURES

- Specially treated wood fibre
- 100% recycled
- Lightweight product to transport and in its use
- Highly absorbent
- Non flammable



Product Code
AA12AAP

250L OIL WHEELED SPILL KITS

Wheeled Spill Kits are highly mobile and can be quickly moved to the scene of an incident. Packed with quick acting absorbents, they are ideal for goods-in areas, bulk liquid storage and delivery points.



Product Code
AA12AAG

40L GENERAL SPILL KIT

Compact, stowable size makes these kits ideal for carrying in vehicles. Ideal for cleaning up small leaks and spills quickly and efficiently. Containing high performance absorbents and disposal bag and tie for easy waste segregation.



Product Code
AA12ABP

DIRTBAG

The Dirtbag was purpose made for small mobile street works and its simplicity has proved to be very popular with street works and utility contractors.

KEY FEATURES

- To suit 2" pump



Product Code
AA12ABG

DISPOSABLE BAGS & TIES

Value Disposable Bags & Ties that state "Hazardous Waste" on the bag so there is no confusion regarding the contents.



Size
Pack of 10

Product Code
AA12ABH

TOOLS & SITE EQUIPMENT

86 LANDSCAPING TOOLS



89 SECURITY & TAPES



90 HAND TOOLS



95 BLADES



96 SITE EQUIPMENT



CARTERS INSULATED SHOVELS

Carters improved patented specification has been innovatively re-engineered to ensure there are no wear parts or adhesives, increasing its strength and endurance for the toughest of environments. The tools conform to BS8020:2011 and every single insulated tool shown is tested to 10,000 Volts.

TESTING PROCEDURES



SQUARE MOUTH TAPER MOUTH CABLE LAYING GPO TRENCH NEWCASTLE DRAINER



Product	Blade	Handle Length	Weight	Product Code
Square Mouth	255 x 320mm	711mm	2.5kg	AA09AAI
Taper Mouth	255 tapering to 215 x 320mm	711mm	2.5kg	AA09AAJ
Cable Laying	255 tapering to 115 x 280mm	711mm	2.1kg	AA09AAF
GPO Trench	180 x 280mm	711mm	2.3kg	AA09AAK
Newcastle Drainer	255 tapering to 100 x 405mm	711mm	2.8kg	AA09AAH

GENERAL SERVICE TREADED SPADE CLAY GRAFTER ROUND MOUTH LONG HANDLE GRAFT



Product	Blade	Handle Length	Weight	Product Code
General Service	203 x 367mm	711mm	2.3kg	AA09AAP
Treaded Spade	190 x 290mm	711mm	2.4kg	AA09AAO
Clay Grafter	155 x 305mm	711mm	2.5kg	AA09AAN
Round Mouth	255 x 320mm	711mm	2.5kg	AA09AAG
Long Handle Graft	152 x 305mm	1450mm	4.1kg	AA09AAQ

SQUARE MOUTH SHOVEL

Used for shovelling out or concrete mixing, working tarmac and cement, backfilling trenches and manoeuvring ballast.

KEY FEATURES

- Also available with forward facing treads or an Economy 'T'



Size	Product Code
28"	AA22ABJ

SOLID SOCKET TREADED SPADE

Heavy duty spade designed to cope with arduous digging tasks.

KEY FEATURES

- Integrated treads provide better grip, increased comfort and protection to the user's feet



Size	Product Code
22"	AA22AAL

CAMDEN CLASSIC WHEELBARROW

The Camden Classic has a 85 Ltr black epoxy powder coated tray.

KEY FEATURES

- Black frame with a reliable one piece tubular design
- Extremely strong and durable product



Product	Size	Product Code
Pneumatic Tyre	85 Ltr	AA30AAA

POINTING TROWEL

A wooden handled 6" pointing trowel.

KEY FEATURES

- Heavy tang
- Polished and lacquered blade



Size	Product Code
6"	AA27AAW

STRAIGHT TINMAN'S SHEARS

Forged from high carbon steel hardened and tempered, with blades induction hardened.

KEY FEATURES

- Has 'no-nip' feature which prevents handles locking together and damaging users' hands



Size	Product Code
10"	AA16AAB

HOSE CANOFLEX C/W BAUER FITTINGS

A hose for heavy duty suction for use in construction pumping.

KEY FEATURES

- C/w Bauer fittings



Size	Product Code
22"	AA29AAE

RATCHET STRAP

Easy to handle ratchet strap for large capacities.

KEY FEATURES

- Manufactured to BSEN12195-2:2000
- Complete with hooks
- Ideal for transport



Size	Product Code
6m	AA28AAD

HEAVY DUTY COMBI PADLOCK

The Squire CPS Heavy-Duty Rustproof Marine Combi Padlock has a hardened stainless steel and rust-proof shackle with a tough die cast alloy lock body.

KEY FEATURES

- 4 combination wheel
- Suitable for boats, sheds, lockers, tool boxes and storage areas



Size	Product Code
50mm	AE02AAK

STEEL SHUTTER PADLOCK

The heavy-duty powder-coated shutter padlock from Amtech features a heavy duty steel body and a durable brass barrel.

KEY FEATURES

- Supplied with 4 keys
- Rotating shackle virtually eliminates the chance of hack sawing through the shackle



Size	Product Code
70mm	AE02ABT

DENSO PROFILING MASTIC

Denso Profiling Mastic is a cold applied self-supporting moulding mastic. It is a petroleum compound containing beads of closed cell cellular polymer and flow control additives.

KEY FEATURES

- Easy application from arctic to tropical temperatures
- Excellent moulding and sealing properties
- No VOCs
- Will adhere to metal, PVC, polyethylene and concrete



Product Code
AA01AAH

NON-ADHESIVE BARRIER TAPE

Non-Adhesive Barrier Tape most commonly used warning device on building sites.

KEY FEATURES

- Supplied in a box
- Different colours available



Colours	Sizes	Product Code
Red/White	70mm x 500m	AA23AAH
Yellow/Black	70mm x 500m	AA23AAG

STEEL FORGED CLAW HAMMER

Solid forged 16oz claw hammer with a double injected rubber shaft.

KEY FEATURES

- The solid forged shaft provides integral overstrike protection yet maintains a balanced feel



Weight	Product Code
16oz	AA08AAI

CLAW HAMMER FIBREGLASS SHAFT

Solid forged 16oz claw hammer with a double injected rubber shaft. The solid forged shaft provides integral overstrike protection yet maintains a balanced feel.

KEY FEATURES

- Drop forged, hardened and tempered polished head
- Fibreglass shaft with rubber grip
- Claw hammer for pulling nails or nail removal



Weight	Product Code
16oz	AA08AAO

HICKORY SHAFT CLUB HAMMER

Bright Faced Club Hammers available in 2.5lb & 4lb head weights.

KEY FEATURES

- Also available with a 10" economy shaft



Weight	Product Code
2.5lb	AA08AAR
4lb	AA08AAB

POLYFIBRE SHAFTED CLUB HAMMER

Polyfibre Shafted Club Hammers made with a double injected rubberised grip for superior feel and overstrike protection.

KEY FEATURES

- The fibreglass shaft will not rot, shrink or become loose through periods of inactivity



Weight	Product Code
2.5lb	AA08AAX
4lb	AA08AAK

ECONOMY SLEDGE HAMMER

Carters double faced sledge hammer with hardwood economy shaft.

KEY FEATURES

- Available with 7lb to 14lb heads
- Complete with Grade A hickory or hardwood economy shafts



Weight	Product Code
7lb	AA08AAD
10lb	AA08AAF
14lb	AA08AAE

INSULATED SLEDGE HAMMER

Insulated Double Faced Sledge Hammers available with 7lb and 14lb heads complete with 36" fibreglass shafts.

KEY FEATURES

- Tested and made in conformance with BS8020:2011



Weight	Product Code
7lb	AA09AAL
14lb	AA09AAM

ADJUSTABLE PIPE WRENCH

Designed to cope with the exacting needs of today's tradesman. The handle and moving jaw of each stillson is forged from high quality steel which has been heat treated to ensure maximum strength.



Size	Product Code
12"	AA31AAB
24"	AA31AAD

ECONOMY ADJUSTABLE WRENCH

Chrome plated adjustable wrench, manufactured from drop forged carbon steel with heat treated offset jaws.



Size	Product Code
8"	AA20AAI
12"	AA20AAK
15"	AA20AAL

COMBINATION SPANNER

Expert quality with the Draper Expert HI-TORQ deep offset ring end cranked at 15°. Open end set at 15°. Long pattern forged from chrome vanadium steel, hardened, tempered, chrome plated and fully polished throughout.



Size	Product Code
24mm	AA20AAZ
30mm	AA20AAY
36mm	AA20AAV
41mm	AA20AAW
50mm	AA20ABD

TORQUE WRENCH

With a ratchet head, the torque wrench can be used for both tightening and final checking of the torque. The wrench is equipped with an angular gauge for after tightening.



Weight	Product Code
1.34kg	AA31AAF

HI-TORQ® METRIC COMBINATION SPANNER SET

Forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Polished Draper HI-TORQ® ring end offset at 15°. Jaw offset at 15°. Supplied in a wall mountable plastic storage rack.

KEY FEATURES

- Includes 6-32mm



Size	Product Code
25 piece	AA20ACI

SCAFFOLD SPANNER

The Priory 381B Stainless Steel Scaffold Spanner, 7/16 Whitworth Bi-Hexagon Round, has a stainless steel round handle and bi-Hex Whitworth socket.



Size	Product Code
7/16"	AA20AAG

SOFT GRIP SCREWDRIVER SET

Chrome vanadium steel blades hardened, tempered with satin chrome plated finish and sand blasted tips. Soft grip knurled handle with moulded inserts. Includes a wall mountable storage rack.



Size	Product Code
8 piece	AA20AAD

PLIERS & SCREWDRIVER SET

Fully insulated and tested to 10kV with soft grip handles and slip guards. Includes 7 screwdrivers, 2 pliers and 1 diagonal side cutter packaged in a storage case.



Size	Product Code
10 piece	AA20ACJ

I-BEAM SPIRIT LEVEL

High quality, hardened aluminium girder section levels with three permanently fixed solid acrylic cylindrical shock resistant UV resistant vials, one horizontal, one vertical with side view feature and one 45 degree vial.



Size	Product Code
600mm	AA18AAA
900mm	AA18AAB
1200mm	AA18AAC

RIBBED SPIRIT LEVEL

Heavy duty aluminium ribbed levels with two milled faces and 3 level vials (2 x vertical & 1 x horizontal) and plastic end caps.



Size	Product Code
12"	AA18AAQ
24"	AA18AAR
36"	AA18AAS
48"	AA18AAT
72"	AA18AAU

POINT CROWBAR

Insulated Chisel and Point End Crowbar tested and made in conformance with BS8020:2011.



Size	Product Code
1500mm	AA09AAA

CHISEL END CROWBAR

Insulated Chisel End Crowbar tested and made in conformance with BS8020:2011.



Size	Product Code
60"	AA04AAT

COLD CHISEL

Solid forged with ground and hardened cutting edges. Painted octagon steel.



Size	Product Code
10x1"	AA02AAD

BASIC BUCKET

Plastic bucket with ergonomic plastic handle for comfort when carrying. Easy to clean and lightweight yet durable.



Size	Product Code
10 Ltr	AF07AAD

BLACK PLASTIC BUCKET

This 15 litre black plastic builders bucket has been manufactured from durable plastic for tough working conditions. It also features a strong metal handle with a plastic grip for easier lifting.



Size	Product Code
15 Ltr	AF07AAH

GALVANISED MOP BUCKET

Robust galvanised long lasting traditional mop bucket with sturdy cone wringer and strong carrying handle. Suitable for janitorial and industrial use both inside and outside.



Size:	Product Code
3gal	AF07AAO

STANDARD GALVANISED BUCKET

This traditional heavy duty galvanised bucket is the simple solution for a variety of cleaning tasks that require water and cleaning detergents.



Size	Product Code
14 Ltr	AF07AAU

FLEXI TUB

Ideal for use around the garden, home, or building sites and are perfect for both solids and fluids. When necessary just apply pressure to loosen dried mix. Made from heavy-duty polyethylene and are 100% recyclable.



Size:	Product Code
40 Ltr	AF07AAT

FLEXI BUCKET

A tough, flexible bucket suitable for builder's rubble, gardens etc. High-density plastic, reinforced edges and handles to avoid splitting.



Size	Product Code
42 Ltr	AF07AAB

PLASTIC WATER CARRIER

Frosted, high density, polyethylene water container with a large screw cap to allow for easy filling and pouring. Features sturdy carry handle for easy transportation.



Size	Product Code
25 Ltr	AA11AAL

WATER CARRIER WITH TAP

Frosted, high density, polyethylene water container with a large screw cap for easy filling and also a tap to allow for easy pouring.



Size	Product Code
25 Ltr	AA11AAK

STEEL WING NUT

Mild steel wing nut.



Product Code
DF13AAP

SHOULDERED THUMB SCREW

Shoulder Thumb Screws, also commonly known as wing screws.



Product Code
DF13AAQ

BUILDERS LINE

Nylon Builders Lines are ideal for brick laying and are used by skilled trades people to mark out level surfaces.

KEY FEATURES

- 3 strand twisted
- Orange and white




Size	Product Code
20m	FB03ABF

DURO PLUS

A laser welded blade with a wide gullet design, 12mm conical segments and 3 deep draft segments for lower vibration levels and longer life.

KEY FEATURES

- Suitable for: indian stone, Class A engineering bricks, clay products, all reinforced concrete types, granite, hard bricks, abrasive materials, asphalt, concrete kerbs, beams, lintels and flags




Sizes	Product Code
300mm	AB05AAA
350mm	AB05AAB
450mm	AB05AAC

DURO ULTRA

A laser welded blade with key hole gullet design and 13mm conical segments for lower vibration levels and longer life.

KEY FEATURES

- Suitable for: indian stone, Class A engineering bricks, clay products, all reinforced concrete types, granite, hard bricks, abrasive materials, asphalt, concrete kerbs, beams, lintels and flags



Sizes	Product Code
300mm	AB05AAD
350mm	AB05AAE

3MM THICK CUTTING DISC

Abracs Cutting Discs are available for use on a variety of metal & stone applications in a range of sizes.

KEY FEATURES

- All Abracs cutting discs are manufactured to European safety standards and marked with EN12413



Sizes	Product Code
115mm	AB05AAI
230mm	AB05AAJ
300mm	AB05AAK

6MM THICK GRINDING DISC

Our Phoenix Grinding Discs offer heavy duty abrasive grinding, ultimate performance and incredible product life.

KEY FEATURES

- All Abracs grinding discs are manufactured to European safety standards and marked with EN12413



Sizes	Product Code
115mm	AB05AAL
230mm	AB05AAM

EXTRA THIN CUTTING DISC

Phoenix discs have been developed for precision cutting sheet metal and with strengthened core stability for reduced vibration.

KEY FEATURES

- Extremely fast and precise
- A superior quality European manufactured range of extra thin cutting discs produced to O.S.A. Safety standards



Sizes	Product Code
115mm	AB05AAX
230mm	AB05AAY

SLITTING STEEL CUTTING DISC

Flat and depressed centre cutting discs for use on an angle grinder.

KEY FEATURES

- Super thin flat cut for a range of high performance cuts using angle grinders



Sizes	Product Code
114mm	AB05AAZ
125mm	AB05ABA
230mm	AB05ABB

RUBBISH CHUTE SECTION

Each Chute Section has been manufactured using high quality MDPE and HDPE as a one piece moulding with a channelled top rim to ensure each chute stays in shape under load.

KEY FEATURES

- Highly resistant to abrasion
- Stay rigid and strong on impact during harsh weather conditions



Size	Product Code
20"	AA33AAB

ADJUSTABLE STEEL PROPS

Adjustable Steel Props are manufactured from an outer tube and an inner tube. The threaded portion is friction welded to the outer tube to produce a lighter weight prop.

KEY FEATURES

- Manufactured in accordance with our ISO 9001:2000 quality system accreditation



Size	Product Code
1m - 1.8m	AD03AAC
1.8m - 3m	AD03AAD
2.6m - 3.9m	AD03AAE
3.2m - 4.9m	AD03AAF

SCAFFOLDING BOARDS

All of our Scaffolding Boards are 225mm wide and 38mm thick, made to the exacting standards of BS 2482:2009 and manufactured out of European spruce, which is machine-stress-graded. Using state-of-the-art machinery, all our scaffold boards are machine-stress graded, meaning that flaws invisible to the human eye will be detected.

KEY FEATURES

- All the timber used in their making comes with Chain of Custody certification for both the FSC® and PEFC schemes
- Can be branded with customers' names
- We can also offer a scaff-plating service
- Boards are untreated



Size	Product Code
2.4m	AA25AAC
3.0m	AA25AAD
3.9m	AA25AAE

DEBRIS NETTING

Durable, heavy duty, plastic netting for use on scaffolding to protect pedestrians and traffic from falling debris.

KEY FEATURES

- Allows air circulation
- Considerably reduces rain and wind penetration



Colour	Size	Product Code
Blue	2 x 50m	AD02AAA
Green	2 x 50m	AD02AAB

POLYPROPYLENE SAND BAGS

Manufactured using woven polypropylene, these plastic sand bags are ideal for short term flood defence sand bagging and for building defensive walls for flood protection.

KEY FEATURES

- They hold approx 20kgs wet sand
- Used for a broad range of applications



Colour	Size	Product Code
White	33 x 75cm	AA23AAD
Black	35 x 75cm	AA23AAC

HESSIAN SAND BAGS

Made from standard duty Hessian.

KEY FEATURES

- Ideal for short term flood defence sand bagging and defensive walls.



Size	Product Code
33 x 76cm	AA23AAA

BULK WOVEN BUILDERS BAG 1 TONNE

A large volume bag for the disposal of a variety of waste materials.

KEY FEATURES

- Made from extra strong woven polypropylene to hold up to 1000kg



Product Code
AA23AAV

FILLED POLYPROPYLENE SAND BAGS

Filled Polypropylene Sand Bags provide a value for money and convenient solution for flood protection. All of our white poly sand bags are filled on site with kiln dried sand and are ready to be installed straight away.

KEY FEATURES

- We keep large stocks of these in our warehouse and can respond rapidly to an emergency



Colour	Size	Product Code
White (Filled)	33 x 76cm	AA23AAY

JANITORIAL & CANTEEN

100 WASTE MANAGEMENT



101 JANITORIAL



103 CANTEEN SUPPLIES



MEDIUM DUTY BIN LINERS

These environmentally friendly heavy duty waste sacks are made from 100% recycled materials.

KEY FEATURES

- 80 litre capacity
- Supplied in a handy dispensing box, the refuse sacks are easily accessible for a quick and efficient tidy up



Size	Product Code
200 per pack	AF01AAI

WOODEN SQUEEGEE WITH HANDLE

Squeegees help draw water away from an area with a satisfying swipe so they're ideal for use in emergency situations.

KEY FEATURES

- Ideal for flooding or for clearing up in areas where there is a tendency for spills



Size	Product Code
600mm	AF03AAC

GRIMEEZ® MULTI ABRASIVE WIPES

The ultimate portable wet hand wipe for general applications. This product is ideal for cleaning in almost any industrial environment from engineering and printing to plumbing and mechanics.

KEY FEATURES

- Ideal hand cleaner for removing grease and grime
- Degreasing agent, ideal for printers, engineers and other manual trades
- Ideal size tub and wipes




Size	Product Code
Tub of 100	AF06AAT

WOODEN BROOM HANDLE

This product is designed to be fitted to large staff holes and large sockets.

KEY FEATURES

- Recommended for use with platform and yard brooms and brush heads that are 13" or over



Size	Product Code
54"	AF09AAX

STANDARD BROOM

Ideal for sweeping damp debris in both indoor and outdoor locations.

KEY FEATURES

- These platform brooms come with stayed handles and soft tightly packed bristles



Size	Product Code
24"	AF09ABD

FLAT TOP BROOM

Flat Top Broom with chunky wood back and extra long (152mm), thick (1.27mm), springy, resilient polypropylene fibres.

KEY FEATURES

- Ideal for cleaning pavements, gutters and gullies



***REQUIRES 1.1/8" BROOM HANDLE**

Size	Product Code
13"	AF09ABK

STALE HOLDER

A metal fixing clamp for use with most flat top brooms.

KEY FEATURES

- Easily fitted and fully reversible
- Will prolong the life of both broom head and shaft



Product Code
AF09ABL

CENTREFEED ROLLS

Centrefeed hand towels, for use with or without dispenser.



Size	Product Code
Pack of 6	AF05AAA

C-FOLD HAND TOWELS

High-quality 1 ply green embossed c-fold hand towels.



Product Code
AF05AAC

TOILET ROLLS

Pack of 40 2 ply Premium Luxe Toilet Rolls.



Product Code
AF05AAM

TOILET BRUSH SET

Standard toilet brush for both domestic and industrial use.



Product Code
AF01AAP

WASHING UP LIQUID

Highly concentrated 1 Ltr lemon detergent with 20% active ingredients. With a mild long lasting foam, it leaves crockery, cutlery and glassware sparkling and streak free.



Size	Product Code
1 Ltr	AF01AAR

PINE DISINFECTANT

Specially formulated to eradicate unpleasant odours, leaving a fresh pine fragrance. Use as a general disinfectant for floors, walls and drains. Conforms to BS6464 grade QAP30.



Size	Product Code
5 Ltr	AF01AAD

DEODORISER DESCALER

Specially formulated effective toilet cleaner which removes limescale and organic deposits, leaving toilets, urinals and sanitary ware clean and fresh.



Size	Product Code
750ml	AF01AAG

LIQUID BLEACH SMALL

4% bleach for use in drains, toilets and on floors, keeping them odour free. Use for general disinfection and cleaning. Effective against a wide range of pathogenic organisms.



Size	Product Code
750ml	AF01AAB

LIQUID BLEACH LARGE

4% bleach for use in drains, toilets and on floors, keeping them odour free. Use for general disinfection and cleaning. Effective against a wide range of pathogenic organisms.



Size	Product Code
5 Ltr	AF01AAA

AIR FRESHENER

A general room air freshener that clears stale odours instantly, leaving a clean, fresh fragrance.



Size	Product Code
400ml	AF01AAT

MULTISURFACE CLEANER

Pack of 6, specially formulated for effective cleaning of windows, mirrors, computer screens, ceramic tiles, porcelain, vehicle windscreens, chrome and aluminium.



Size	Product Code
750ml	AF01AAH

HAND WIPES

Removes wet paint, oil, grease, grime etc. For use on hands, tools and surfaces.



Size	Product Code
Tub of 150	AF06AAE

HEAVY DUTY HAND WIPES

Heavy Duty Hand Wipes to quickly and effectively remove oil, grease, grime and wet paint.



Size	Product Code
Tub of 80	AF06AAF

EYEWEAR CLEANING WIPES

500 pre-moistened cleaning wipes dispenser.



Size	Product Code
Pack of 500	BD05AAA

ANTI-BACTERIAL FOGGER

Anti-Bacterial Fogger is a perfect solution where an area of up to 100m³ needs to be sanitised quickly and easily.



Size	Product Code
100ml	AF01ABS

SPONGE SCOURER

Abrasive foam backed scourer with easy grip yellow foam and green scouring pad.



Size	Product Code
Pack of 10	AF08AAB

JUMBO CAR SPONGE

General purpose jumbo car sponge.



Size	Product Code
22 x 6cm	AF08AAA

HAND SANITISER

This hand sanitiser gel has been formulated with 70% alcohol content for effective sanitisation.



Size	Product Code
500ml	AF06ABK

GRANULATED SUGAR

Suitable for vegetarians and vegans.



Size	Product Code
1kg	AH03AAC

NESCAFÉ GOLD BLEND

Signature smooth, rich instant coffee, with a well-rounded taste and rich aroma.



Size	Product Code
750g	AH03AAE

TETLEY TEA BAGS

Tea leaves are 100% natural and create a refreshing blend that has been perfected for over 180 years.



Size	Product Code
Pack of 440	AH03AAB

YORKSHIRE TEA TEA BAGS

Refreshing Yorkshire Tea Tea Bags. Ideal for use in office canteens or on site.



Size	Product Code
Pack of 600	AH03AAD

MUG

Ceramic mug, ideal for keeping in the canteen for everyday use.



Product Code
AH02AAE

CUTLERY

Made from stainless steel.



Product	Product Code
Fork	AH02AAB
Knife	AH02AAA
Dessert Spoon	AH02AAC
Tea Spoon	AH02AAD

PLATE & BOWL

ideal for everyday use.



Product	Product Code
Plate	AH02AAF
Bowl	AH02AAG

WASHING UP BOWL

Round or rectangle washing up bowl, ideal for use in the canteen.



Product Code
AF01AAQ

TEA TOWEL

Hardwearing checked tea towel, perfect for canteen use.



Product Code
AF01AAO

WORKPLACE SAFETY

106 FIRST AID



107 FIRE SAFETY



WORKPLACE & STATUTORY FIRST AID KITS HSE COMPLIANT - STANDARD

The HSE Standard First Aid Kit is from our economy range which comes complete with its own durable plastic first aid box. The kit will ensure that you are compliant with the standard HSE recommendations for low risk environment.



Size	Contents	Product Code
10 Person	6 x Safety Pins 4 x Triangular Bandages 2 x Eye Pad Sterile Dressings 6 x Medium Sterile Dressing 2 x Large Sterile Dressing 1 Pair x Nitrile Disposable Gloves 6 x Saline Cleaning Wipes 1 x 20 Washproof Plasters 1 Guidance Leaflet	AG04AAB
20 Person	12 x Safety Pins 6 x Triangular Bandages 4 x Eye Pad Sterile Dressings 9 x Medium Sterile Dressings 3 x Large Sterile Dressings 2 Pairs x Nitrile Disposable Gloves 10 x Saline Cleaning Wipes 2 x 20 Washproof Plasters 1 Guidance Leaflet	AG04AAC
50 Person	12 x Safety Pins 8 x Triangular Bandages 6 x Eye Pad Sterile Dressings 19 x Medium Sterile Dressings 4 x Large Sterile Dressings 3 Pairs x Nitrile Disposable Gloves 20 x Saline Cleaning Wipes 3 x 20 Washproof Plasters 1 Guidance Leaflet	AG04AAD

SEMI-AUTOMATIC DEFIBRILLATOR

Lightweight, reliable and durable defibrillator (basic model) with practical, foldable carry handle. Switches instantly from adult to paediatric mode with universal electrodes. BTE waveform defibrillation with shocks below 200J.

KEY FEATURES

- Easy to use with no training
- Simple one button operation
- Clear voice instructions



Product Code	AG04ABV
--------------	---------

FIRE EXTINGUISHER ANTI-TAMPER TAG

Anti-Tamper Tags show whether a fire extinguisher has been tampered with. The seals fit through the safety pin and then around the handles, when this has been broken it can not be re-sealed.



Product Code	AG02AAC
--------------	---------

DRY POWDER FIRE EXTINGUISHER

Dry powder is a multi-purpose fire extinguishing medium with excellent knock-down properties. A dry powder fire extinguisher is often called an ABC unit because it can tackle Class A, B and C fires.



Size	Product Code
1kg	AG01AAH

POWDER AEROSOL EXTINGUISHER

The 600g BC Powder Aerosol Extinguisher is quality Kitemark certified to BS 6165 to the latest revision BS 6165:2019+A1:2022. The stored pressure BC Powder Aerosol Extinguisher is suitable for use on Class B and C fires meaning that it's ideally suited for domestic and leisure use.



Size	Product Code
600g	AG01AAL

200ML EMERGENCY GAS HORN

The Emergency Gas Horn is ideal for temporary use on construction sites, exhibitions and events, etc. They are simple to operate, very loud and cost effective, making them one of the most popular temporary fire alarms.



Product Code	AG03AAB
--------------	---------

DRY POWDER FIRE EXTINGUISHER

Versatile dry powder extinguishers are suitable for multi-risk areas and are suitable for all types of fire with the exception of Class F fires.



Size	Product Code
2kg	AG01AAE

WATER FIRE EXTINGUISHER

This Class A fire extinguisher is suitable for dealing with fires fuelled by wood, paper or textiles. By cooling and soaking them quickly to help prevent reignition, water extinguishers are a fast and effective way of putting out blazes involving these combustible materials.



Size	Product Code
9 Ltr	AG01AAI

FOAM FIRE EXTINGUISHER

Safe for use on wood, paper, textiles and flammable liquids. Not safe to use on electrical equipment or flammable metal fires.



Size	Product Code
6ltr	AG01AAC

CARBON DIOXIDE FIRE EXTINGUISHER

Suitable for fires involving Class B risks (flammable liquids such as petrol and paints) and electrical hazards. Not safe to use on wood, paper and textiles.



Size	Product Code
2kg	AG01AAA

SINGLE FIRE EXTINGUISHER STAND

This universal fire extinguisher stand has been designed to offer a single fire point solution allowing single, double, triple and even quadruple stands to be created due to its modular and compact patent pending design.



Product Code
AG01AAJ

DOUBLE FIRE EXTINGUISHER STAND

This universal fire extinguisher stand has been designed to offer a single fire point solution allowing single, double, triple and even quadruple stands to be created due to its modular and compact patent pending design.



Product Code
AG01AAK

FIRE BLANKET

Fire Blankets provide additional fire safety in a kitchen or catering setting or in the event of clothing fires. Covering the flames with a fire blanket cuts the supply of oxygen to the contents of a pan or person's clothing.



Product Code
AG03AAA

OPTICAL SMOKE ALARM

The optical smoke alarm has a 10 year sealed longlife lithium battery.



Product Code
AG03AAC

Steel Fabrication Solutions

From tailor made fabrications to expert installations.



Hire & Plant

5000+ assets including tools, mechanical and non-mechanical plant & specialist construction equipment.



*Errors and omissions excepted (E&OE)

*All trademarks acknowledged

BARHALE CONSTRUCTION SERVICES LIMITED SALE - TERMS AND CONDITIONS

BCS Group Limited will provide Goods to the Customer on the terms and conditions set out below.

1 DEFINITIONS

1.1 In these conditions the following words have the following meanings: "Contract" means a contract which incorporates these conditions and made between the Customer and the Supplier for the sale of Goods.

1.2 "Customer" means the firm, company or other organisation purchasing the Goods.

1.3 "Deposit" means any advance payment required by the Supplier in relation to the Goods which is to be held as security by the Supplier.

1.4 "Force Majeure" means any event outside a party's reasonable control including but not limited to acts of God, war, flood, fire, labour disputes, strikes, sub-contractors, lock-outs, riots, civil commotion, malicious damage, explosion, terrorism, governmental actions and any other similar events.

1.5 "Goods" means goods and services including delivery supplied to the Customer by the Supplier.

1.6 "Supplier" means Barhale Construction Services Ltd trading as BCS Group and will include its employees, servants, agents and/or duly authorised representatives.

1.7 "Order" means a written instruction detailing the price quoted by the Supplier including any carriage charges applicable, a correct delivery address, name of recipient and any relevant specific delivery instructions required.

2 ORDERING SERVICES

2.1 Goods are sold subject to them being available to the Customer at the time required by the Customer. The Supplier will not be liable for any loss suffered by the Customer as a result of the Goods being unavailable where the Goods are unavailable due to circumstances beyond the Supplier's control.

2.2 Where the sale of Goods is to a Customer who is an individual the sale would be covered by the Consumer Credit Act 1974.

2.3 Nothing in this Contract shall exclude or limit any statutory rights of the Customer which may not be excluded or limited due to the Customer acting as a consumer. For further information about your statutory rights contact your local authority Trading Standards Department or Citizens Advice Bureau.

2.4 Should the Supplier not be able to source Goods to complete the Order the Supplier reserves the right to cancel the Order or offer an alternative to the Customer.

2.5 The Supplier reserves the right to inform the Customer of price fluctuations that are outside the control of the Supplier prior to the delivery of the Goods. Should an agreement not be made the Supplier reserves the right to cancel the Order under clause 2.4

2.6 All Orders must be made in writing. Verbal Orders will not be accepted by the Supplier.

2.7 A "Confirmation of Sale" document will be sent to the Customer. The Customer must notify the Supplier with 24 hours of any amendments, misunderstandings or incorrect information, failure to do so confirms the acceptance of the Order.

3 PAYMENT

3.1 The Customer shall pay the monies for any Products and/or any other sums payable under the contract to the Supplier 30 days from invoice date and in the manner agreed. The Supplier's prices are, unless otherwise stated, exclusive of any applicable VAT for which the Customer shall additionally be liable.

3.2 Payment by the Customer on time under the Contract is an essential condition of the Contract. Payment shall not be deemed to be made until the Supplier has received either cash or cleared funds in respect of the full amount outstanding.

3.3 If the Customer fails to make any payment in full on the due date the Supplier may charge the Customer interest (both before and after judgment/ decree) on the amount unpaid at the rate implied by law under the Late Payment of Commercial Debts (Interest) Act 1998 (where applicable) or at the rate of 4% above the base rate from time to time of the Supplier's bank whichever is higher.

3.4 Any monies received by the Supplier from the Customer may be applied by the Supplier at its option against any additional administrative costs and interest charged prior to application against any principal sums due from the Customer against which it may be applied in any order.

3.5 The Customer shall pay all sums due to the Supplier under this Contract without any set-off, deduction, counterclaim and/or any other withholding of monies.

3.6 The Supplier in its absolute discretion may set a reasonable credit limit for the Customer. The Supplier reserves the right to terminate or suspend the Customer account if allowing it to continue would result in the Customer exceeding its credit limit or the credit limit is already exceeded.

3.7 The Supplier may cancel or suspend deliveries without incurring any liability whatsoever to the Customer should the Customer's account be suspended for non-payment or any other reason for the suspension as detailed within these conditions.

3.8 Invoice queries must be made within 7 days of receipt of the invoice, failing which the invoice is payable in full.

4 VAT

4.1 All sums payable under this agreement unless otherwise stated are exclusive of VAT and other duties or taxes.

4.2 Any VAT or other duties or taxes payable in respect of such sums shall be payable in addition to such sums.

5 RISK OWNERSHIP AND INSURANCE

5.1 Ownership of any Goods remains with the Supplier until all monies payable to the Supplier by the Customer and all Products have been paid in full.

5.2 Risk of Goods shall be passed to the Customer upon the delivery or collection. The Customer warrants that it will maintain insurance to the full cost of the Goods until payment is received by the Supplier and ownership is transferred.

6 DELIVERY, COLLECTION AND SERVICES

6.1 If the Supplier delivers the Goods to and/or from the Customer it will do so at a delivery cost and such delivery and/or collection will form part of the service.

6.2 If any Goods are delayed, postponed and/or are cancelled due to the Customer failing to comply with its obligations, the Customer will be liable to pay the Supplier's additional standard charges for delay, postponement and/or cancellation.

6.3 Consignments must be inspected upon delivery. Where a claim for defect or shortage of Goods is made by the Customer they will make a written claim within 24 hours of delivery. If required by the Supplier the Customer will provide a freely accessible and safe environment for the Supplier to inspect the Goods. Upon inspection if the goods are proven to be defective the cost of replacement shall be limited to the Supplier's cost of supply.

6.4 Delivery dates are an approximation and the Customer shall not be entitled to claim for damages as a result of late delivery.

6.5 The Supplier will follow the provided specific instructions stated on the Order, however, will not be responsible for fines and charges owing to situations not stated by the Customer and will seek reimbursement.

7 DEFAULT

7.1 If the Customer:-

7.1.1 fails to make any payment to the Supplier when due without just cause;

7.1.2 breaches the terms of the Contract and, where the breach is capable of remedy, has not remedied the breach within 14 days of receiving notice requiring the breach to be remedied;

7.1.3 persistently breaches the terms of the Contract;

7.1.4 provides incomplete, materially inaccurate or misleading facts and/or information in connection with the Contract;

7.1.5 being a company, enters into voluntary or compulsory liquidation, has a receiver, administrator or administrative receiver or in the Republic of Ireland an examiner appointed over all or any of its assets, any attachment order/ arrestment is made against the Customer, any distress/diligence, execution or other legal

BARHALE CONSTRUCTION SERVICES LIMITED SALE - TERMS AND CONDITIONS

process is levied on any property of the Customer or the Customer takes or suffers any similar action in any jurisdiction;

7.1.6 appears reasonably to the Supplier due to the Customer's credit rating to be financially inadequate to meet its obligations under the Contract.

7.2 If any of the events set out in clause

7.2 above occurs in relation to the Customer then:-

7.2.1 the Supplier may enter, without prior notice, any premises of the Customer (or premises of third parties with their consent) Goods owned by the Supplier may be and repossess any Goods;

7.2.2 the Supplier may withhold Goods and cease any Orders in progress under this and/or any other Contract with the Customer;

7.2.3 the Supplier may immediately cancel, terminate and/or suspend without Liability to the Customer the Contract and/or any other contract with the Customer.

7.2.4 all monies owed by the Customer to the Supplier shall immediately become due and payable.

7.3 Any repossession of Goods and/or Products shall not affect the Supplier's right to recover from the Customer any monies due under the Contract.

8 LIMITATIONS OF LIABILITY

8.1 All warranties, representations, terms, conditions and duties implied by law relating to fitness for purpose, quality and/or adequacy are excluded to the fullest extent permitted by law.

8.2 If the Supplier is found to be liable in respect of any loss or damage to the Customer's property the extent of the Supplier's Liability will be limited to the retail cost of replacement of the damaged property.

8.3 The Customer shall give the Supplier a reasonable opportunity to remedy any matter for which the Supplier is liable before the Customer incurs any costs and/or expenses in remedying the matter itself. If the Customer does not do so the Supplier shall have no Liability to the Customer.

8.4 The Supplier shall have no Liability to the Customer to the extent that the Customer is covered by any policy of insurance arranged as a result of the Contract and the Customer shall ensure that the Customer's insurers waive any and all rights of subrogation they may have against the Supplier.

8.5 The Supplier shall have no Liability to the Customer for any:-

8.5.1 consequential losses (including loss of profits and/or damage to goodwill);

8.5.2 economic and/or other similar losses;

8.5.3 special damages and indirect losses;

8.5.4 business interruption, loss of business, contracts and/or opportunity.

8.6 Each of the limitations and/or exclusions in this Contract shall be deemed to be repeated and apply as a separate provision for each of:

8.6.1 Liability for breach of contract;

8.6.2 Liability in tort/delict (including negligence);

8.6.3 Liability for breach of statutory and/or common law.

8.7 Nothing in this Contract shall exclude or limit the Liability of the Supplier for death or personal injury due to the Supplier's negligence nor exclude or limit any other type of Liability which it is not permitted to exclude or limit as a matter of law.

9 INTELLECTUAL PROPERTY RIGHTS

9.1 The Customer warrants that it holds the full rights to any company livery, trademark, image, drawing or artwork that it requests the Supplier to reproduce during the manufacture of bespoke clothing or other items, and indemnifies the Supplier against any proceedings arising from any claim by a third party.

10 RETURN OF GOODS

10.1 Notwithstanding clause 6.0, returns must be agreed in writing by the Supplier. The Customer agrees to pay 20% of the total value of the transaction relating to the item returned to reimburse the Supplier's administrative costs of the Goods. The Goods must be returned in the condition they were dispatched and in the packaging they were dispatched in.

10.2 Should the Goods be returned due to faults or defects no charge will be levied and the Goods will be replaced within a reasonable time.

11 ADVICE AND SAFE USAGE

11.1 Should any advice be provided by the Supplier the Customer shall indemnify the Supplier and its Employees against all claims including but not limited to personal injury and damage to property whether arising from negligence or a breach of common law or statute by the Supplier or its Employees.

11.2 The Customer confirms that the usage of the Goods are undertaken by fully trained and competent users and the Supplier accepts no responsibility to usage by persons not trained or not competent or any personal injury or damage to property by persons who are competent or trained through their own negligence.

12 GENERAL

12.1 Upon termination of the Contract the provisions of clauses 3.2, 3.4, 3.5 and Section 7 shall continue in full force and effect.

12.2 The Customer shall be liable for the acts and/or omissions of its employees, agents, servants and/or subcontractors as though they were its own acts and/or omissions under this Contract.

12.3 The Customer agrees to indemnify and keep indemnified the Supplier against any and all losses, lost profits, damages, claims, costs (including legal costs on a full indemnity basis), actions and any other losses and/or liabilities

suffered by the Supplier and arising from or due to any breach of contract, any tortious/edictal act and/or omission and/or any breach of statutory duty by the Customer.

12.4 No waiver by the Supplier of any breach of this Contract shall be considered as a waiver of any subsequent breach of the same provision or any other provision. If any provision is held by any competent authority to be unenforceable in whole or in part the validity of the other provisions of this Contract and the remainder of the affected provision shall be unaffected and shall remain in full force and effect.

12.5 The Supplier shall have no Liability to the Customer for any delay and/or non-performance of a Contract to the extent that such delay is due to any Force Majeure events. If the Supplier is affected by any such event then time for performance shall be extended for a period equal to the period that such event or events delayed such performance.

12.6 All third party rights are excluded and no third parties shall have any rights to enforce the Contract. This shall not apply to any finance company with whom the Supplier has an outstanding finance agreement relating to the Goods. Such finance company shall, subject to the Supplier's consent, have the right to enforce this Contract as if they were the Supplier. This Contract is governed by and interpreted in accordance with the law of the country where the Supplier is located and that country will have exclusive jurisdiction in relation to this Contract.

12.7 If one or more of these terms and conditions or any part thereof is determined to be invalid, illegal or unenforceable in any respect the validity, legality or enforceability of the remaining terms and conditions shall not be affected or impaired by such determination.

12.8 These terms and conditions and the confirmation of sale constitutes entire agreement between the parties and supersedes all previous agreements with respect thereto.

12.9 No variation of these terms and conditions will be effective unless agreed in writing by a Director of BCS Group Limited. All terms other than those expressly set out in this agreement are hereby excluded.

12.10 These terms and conditions shall be governed in all respects by the law of England and English Courts shall have non-exclusive jurisdiction.





BCSGROUP.CO.UK

WALSALL DEPOT

Wallows Lane, Walsall
West Midlands, WS1 4AG

☎ 01922 726 726

@ sales@bcsgroup.co.uk

GLASGOW DEPOT

60 Woodhead Road, South Nitshill
Glasgow, Lanarkshire, G53 7NX

☎ 0141 881 8155

@ glasgow.sales@bcsgroup.co.uk

